

[manuals.plus](#) /

- › [Beverage-Air](#) /
- › [Beverage Air MT12-1B Refrigerated Glass Merchandiser User Manual](#)

Beverage-Air MT12-1B

Beverage Air MT12-1B Refrigerated Glass Merchandiser User Manual

Model: MT12-1B | Brand: Beverage-Air

INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your Beverage Air MT12-1B Refrigerated Glass Merchandiser. This unit is a Marketeer™ Series reach-in, one-section merchandiser designed for commercial use, featuring a double pane hinged glass door, electronic temperature control, and LED interior lighting. Please read this manual thoroughly before operating the appliance.



Figure 1: Front view of the Beverage Air MT12-1B Refrigerated Glass Merchandiser. This image displays the black exterior, glass door, and interior shelving.

SAFETY INFORMATION

Always observe basic safety precautions when using this appliance to reduce the risk of fire, electric shock, or injury.

- **Electrical Safety:** Ensure the unit is connected to a properly grounded, dedicated electrical circuit with the correct voltage (115 Volts). Do not use extension cords.
- **Flammable Refrigerant:** This unit uses R290 Hydrocarbon refrigerant, which is flammable. Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer. Do not damage the refrigerant circuit.
- **Ventilation:** Maintain adequate clearance around the unit for proper ventilation to prevent overheating.
- **Heavy Appliance:** The unit is heavy (211 Pounds). Use appropriate lifting techniques and equipment during installation to prevent injury.
- **Door Lock:** The door features a lock. Keep keys out of reach of children to prevent entrapment.

- **Cleaning:** Disconnect power before cleaning or performing maintenance.

SETUP

1. Unpacking

1. Carefully remove all packaging materials, including any protective film or tape.
2. Inspect the unit for any shipping damage. Report any damage immediately to the carrier and supplier.

2. Placement

- Position the merchandiser on a strong, level surface capable of supporting its weight when fully loaded. The unit comes with 2" leveling feet for stability.
- Ensure adequate air circulation around the unit. Maintain a minimum of 3 inches of clearance from walls and other obstructions on all sides (top, back, and sides) to allow for proper condenser operation and heat dissipation.
- Avoid direct sunlight, heat-producing equipment, or areas with high ambient temperatures.



Figure 2: Dimensions of the Beverage Air MT12-1B unit. The unit measures approximately 27 inches deep, 29 inches wide, and 71 inches high.

3. Electrical Connection

- Connect the unit to a dedicated 115 Volt, 60 Hz, single-phase AC electrical outlet.
- Do not use adapter plugs or extension cords.
- Ensure the electrical supply matches the requirements specified on the unit's data plate.

4. Shelf Installation

- The unit comes with four (4) adjustable epoxy-coated wire shelves.
- Install the shelves at desired heights using the provided shelf clips. Ensure shelves are level and securely

seated.

5. Initial Cleaning

- Before loading products, clean the interior and exterior of the unit with a mild soap and water solution. Rinse thoroughly and dry.

6. Power On

- After installation and cleaning, plug in the unit. Allow it to run for at least 2-4 hours empty to reach the desired operating temperature before loading products.

OPERATING INSTRUCTIONS

1. Electronic Temperature Control

- The unit is equipped with an electronic temperature control system. Refer to the display for current temperature readings.
- Adjust the temperature settings as needed for your specific product requirements. Consult the unit's control panel instructions for detailed temperature adjustment procedures.

2. Loading Product

- Do not overload shelves. Ensure proper airflow around products for efficient cooling.
- Avoid blocking the internal air vents.
- The unit has a capacity of 11.5 cubic feet.

3. LED Interior Lighting

- The merchandiser features energy-efficient LED interior lighting to illuminate products.
- The lighting can typically be controlled via a switch, if present, or may operate automatically with the door.

4. Self-Closing Door with Lock

- The hinged glass door is self-closing to maintain internal temperatures. Ensure the door closes completely after each use.
- A standard door lock is included for security. Use the provided key to lock and unlock the door as needed.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your merchandiser. Always disconnect power before performing any maintenance.

1. Cleaning the Interior and Exterior

- Clean the interior regularly with a mild, non-abrasive cleaner and warm water. Rinse thoroughly and dry.
- Wipe down the exterior with a soft cloth and mild detergent. Avoid harsh chemicals or abrasive pads that could damage the black baked-on coating.
- Clean the double pane low-E argon filled glass door with a glass cleaner suitable for commercial use.

2. Condenser Coil Cleaning

- The condenser is designed to be low maintenance and energy efficient. However, periodic cleaning of the condenser coil is crucial for optimal performance.

- Depending on the environment, the condenser coil should be cleaned every 1 to 3 months.
- Access the bottom-mounted condenser unit. Use a stiff brush or vacuum cleaner to remove dust and debris from the fins.
- *Warning:* Do not bend the condenser fins.

3. Automatic Defrost System

- The unit features an automatic, non-electric defrost system. This system manages frost buildup on the evaporator coil.
- Ensure the drain pan and drain line are clear of obstructions to allow proper drainage of defrost water.

4. Gasket Inspection

- Regularly inspect the door gasket for tears, cracks, or signs of wear. A damaged gasket can lead to air leaks and reduced cooling efficiency.
- Clean gaskets with warm, soapy water.

TROUBLESHOOTING

Before calling for service, review the following common issues and their potential solutions.

Problem	Possible Cause	Solution
Unit not cooling	Power supply issue	Check power cord and circuit breaker.
	Thermostat set too high	Adjust temperature setting.
	Dirty condenser coil	Clean condenser coil (refer to Maintenance section).
	Door not closing properly	Ensure door is fully closed and gasket is sealing.
	Excessive product loading	Rearrange products for better airflow.
Excessive noise	Unit not level	Adjust leveling feet.
	Loose components	Inspect for loose screws or parts.
	Fan motor issue	Contact qualified service technician.
Interior light not working	Light switch off	Check light switch.
	LED bulb failure	Contact qualified service technician for replacement.
Water on floor	Clogged drain line	Clear drain line.
	Damaged drain pan	Contact qualified service technician.

For issues not listed or if troubleshooting steps do not resolve the problem, contact a qualified service technician.

SPECIFICATIONS

Feature	Detail
Model	MT12-1B
Brand	Beverage-Air
Type	Refrigerated Glass Merchandiser, Reach-in, One-section

Feature	Detail
Capacity	11.5 cu. ft.
Dimensions (D x W x H)	27"D x 29"W x 71"H
Weight	211 Pounds
Refrigerant	R290 Hydrocarbon
Compressor HP	1/6 HP
Voltage	115 Volts
Defrost System	Automatic, Non-electric
Door Type	(1) Double pane hinged glass door with lock, self-closing
Shelves	(4) Adjustable epoxy-coated wire shelves
Interior Lighting	LED interior lighting
Exterior Finish	Heavy duty steel with black baked on durable coating
Interior Finish	White coated steel
Special Features	Electronic temperature control, recessed pocket door handle, 2" Leveling feet
Certifications	cULus, UL EPH Classified, UL-Sanitation

WARRANTY AND SUPPORT

For specific warranty details, please refer to the warranty card included with your product or visit the official Beverage-Air website.

For technical assistance, parts, or service inquiries, please contact Beverage-Air customer support. Contact information can typically be found on the manufacturer's website or on the product's data plate.

When contacting support, please have your model number (MT12-1B) and serial number ready.

© 2023 Beverage-Air. All rights reserved.





This manual is subject to change without notice.

Related Documents - MT12-1B



[Whynter BBR-801BG Built-in Black Glass 80-Can Beverage Refrigerator Instruction Manual](#)

Comprehensive instruction manual for the Whynter BBR-801BG built-in black glass beverage refrigerator. Covers safety precautions, installation, operation, maintenance, troubleshooting, and warranty information.



Documents - Beverage-Air – MT12-1B



[pdf] Warranty Accessories

Kelli Rose MT12.1B beverage air 2018.07

MT12™ MERCHANTISER: HINGED DOOR MODEL BEVERAGE-AIR

MARKETEERTM MERCHANTISERS MT12 Black Hinged Door Model Hydrocarbon

Series Project: AIA# Item:

Location:

SIS# Approved: **MT12-1**

lang:en score:38 filesize: 995 96 K page_count: 2 document date: 2020-06-16

BEVERAGE-AIR

MARKETEER™ MERCHANDISERS
MT12 Black Hinged Door Model
Hydrocarbon Series

MT12™ MERCHANDISER: HINGED DOOR MODEL

3 Year Parts/Labor Warranty
Additional 4 Year Compressor Warranty

CABINET CONSTRUCTION

- Standard cabinet exterior finish in heavy duty steel with a black baked on durable coating
- Heavy duty interior construction includes white coated steel
- Electronic temperature control
- Modern one piece grill
- Double pane low-E argon filled glass doors feature outside pane that is tempered for added safety
- Door lock standard
- Self-closing tempered glass door features, pocket door handle
- LED lighting
- Four (4) epoxy coated shelves standard
- 2" Leveling feet

OPTIONS & ACCESSORIES

- Extra shelves and clips
- 3" Casters
- Visislide shelving kit

REFRIGERATION SYSTEM

- Uses environmentally friendly, energy efficient R290 refrigerant and meets all regulatory requirements for CARB, SMAP, DOE & more
- Condenser is designed to be low maintenance, and energy efficient
- Automatic, non-electric defrost
- Epoxy coated evaporator coil

3719 Champion Blvd., Atlanta, GA 30339
1-800-845-4660, Fax: 1-300-364-4660
E-mail: info@airtemp.com www.airtemp.com
Specifications are subject to change without prior notice. Rev. 11-19

[pdf] Specifications Warranty Accessories

Kelli Rosen Manufacturer Specs Beverage Air MT12 1B Marketeer 11 5 cu ft 1 Door Refrigerator

Merchandiser 24 7 8 W ed0912 equips beverage air marketeer door refrigerator merchandiser 78w images |||

MT12TM MERCHANDISER: HINGED DOOR MODEL BEVERAGE-AIR

MARKETEERTM MERCHANDISERS MT12 Black Hinged Door Model Hydrocarbon

Series Project: _____ AIA# Item: _____

Location: _____

SIS# Approved: _____ MODEL: MT12-1...

lang:en score:33 filesize: 688.5 K page_count: 2 document date: 2021-01-19

BEVERAGE-AIR

MARKETEER™ MERCHANDISERS
MT12 Black Hinged Door Model
Hydrocarbon Series

MT12™ Merchandiser: Hinged Door Model

3 Year Parts/Labor Warranty
Additional 2 Year Compressor Warranty

CABINET CONSTRUCTION

- Standard cabinet exterior finish in heavy duty steel with a black baked on durable coating
- Heavy duty interior construction includes white coated steel
- Electronic temperature control
- Modern one piece grill
- Double pane low-E argon filled glass doors feature outside pane that is tempered for added safety
- Door lock standard
- Self-closing tempered glass door features, pocket door handle
- LED lighting
- Four (4) epoxy coated shelves standard
- 2" Leveling feet

OPTIONS & ACCESSORIES

- Extra shelves and clips
- 3" Casters
- Visislide shelving kit

REFRIGERATION SYSTEM

- Refrigeration system uses R290 refrigerant to comply with all environmental standards
- Condenser is designed to be low maintenance, and energy efficient
- Automatic, non-electric defrost
- Epoxy coated evaporator coil

3719 Champion Blvd., Atlanta, GA 30339
1-800-845-4660, Fax: 1-300-364-4660
E-mail: info@airtemp.com www.airtemp.com
Specifications are subject to change without prior notice. Rev. 11-19

[pdf] Warranty Accessories

Kelli Rosen Spec Sheet Beverage Air MT12 1B 25 One Section Glass Door Merchandiser 1 Right Hinge 115v Plant Based Pros 118 MT121B restaurantandmore 2021 05 |||

MT12TM Merchandiser: Hinged Door Model BEVERAGE-AIR MT MARKETEERTM MERCHANDISERS MT12 Black Hinged Door Model Hydrocarbon Series Project:

AIA# Item: _____

Location: _____ SIS# Approved: _____

MODELS: MT...

lang:en score:32 filesize: 1.05 M page_count: 2 document date: 2019-11-15

BEVERAGE-AIR

MARKETEER™ MERCHANDISERS
MT12 Black Hinged Door Model
Hydrocarbon Series

MT12™ Merchandiser: Hinged Door Model

Click here to buy now!
Central
RESTAURANT PRODUCTS
1-866-285-1252

3 Year Parts/Labor Warranty
Additional 2 Year Compressor Warranty

CABINET CONSTRUCTION

- Standard cabinet exterior finish in heavy duty steel with a black baked on durable coating
- Heavy duty interior construction includes white coated steel
- Electronic temperature control
- Modern one piece grill
- Double pane low-E argon filled glass doors feature outside pane that is tempered for added safety
- Door lock standard
- Self-closing tempered glass door features, pocket door handle
- LED lighting
- Whisper quiet refrigeration system
- Four (4) epoxy coated shelves standard
- 2" Leveling feet

OPTIONS & ACCESSORIES

- Extra shelves and clips
- 3" Casters
- Visislide shelving kit
- Reversible door kit

REFRIGERATION SYSTEM

- Refrigeration system uses R290 refrigerant to comply with all environmental standards
- Condenser is designed to be low maintenance, and energy efficient
- Automatic, non-electric defrost
- Epoxy coated evaporator coil

3719 Champion Blvd., Atlanta, GA 30339
1-800-845-4660, Fax: 1-300-364-4660
E-mail: info@airtemp.com www.airtemp.com
Specifications are subject to change without prior notice. Rev. 11-19

[pdf] Warranty Accessories

Kelli Rosen Spec Sheet Beverage Air MT12 1 Marketeer Reach In Refrigerated Merchandiser 8 77 cu ft White 227 A19 centralrestaurant pub media |||

MT12TM Merchandiser: Hinged Door Model BEVERAGE-AIR MT MARKETEERTM MERCHANDISERS MT12 Black Hinged ... _____ SIS#

RESTAURANTPRODUMOCDETELSS: W H O L E S A L E E Q U I P M E N T
SUMPTP1L2-I1EBS 1-866-285-1252 MT12-1B OPTIONS ACCESSORIES Extra shelves and clips 3 Casters Visislide shelving kit Reversib...

lang:en score:24 filesize: 812.05 K page_count: 2 document date: 2018-10-16

BEVERAGE-AIR

MARKETEER™ MERCHANDISERS
MT12 Black Hinged Door Model
Hydrocarbon Series

MT12™ MERCHANDISER: HINGED DOOR MODEL

3 Year Parts/Labor Warranty
Additional 4 Year Compressor Warranty

CABINET CONSTRUCTION

- Standard cabinet exterior finish in heavy duty steel with a black baked on durable coating
- Heavy duty interior construction includes white coated steel
- Mechanical temperature control
- Modern one piece grill
- Double pane low-E argon filled glass doors feature outside pane that is tempered for added safety
- Door lock standard
- Self-closing tempered glass door features, pocket door handle
- LED lighting
- Four (4) epoxy coated shelves
- Levelling feet

OPTIONS & ACCESSORIES

- Extra shelves and clips
- 3" Casters
- Visislide shelving kit

REFRIGERATION SYSTEM

- Uses environmentally friendly, energy efficient R290 refrigerant and meets all regulatory requirements for CARB, SMAP, DOE & more
- Condenser is designed to be low maintenance, and energy efficient
- Automatic, non-electric defrost
- Epoxy coated evaporator coil

3719 Champion Blvd., Atlanta, GA 30339
1-800-845-4660, Fax: 1-300-364-4660
E-mail: info@airtemp.com www.airtemp.com
Specifications are subject to change without prior notice. Rev. 11-19

[pdf] Warranty Accessories

Spec Sheet Beverage Air MT121B 24 875 Inch Freestanding Glass Door Refrigerator Appliances

Connection D6318a2911136e static appliancesconnection attachments |||

MT12TM MERCHANDISER: HINGED DOOR MODEL MARKETEERTM MERCHANDISERS MT12 Black Hinged Door Model Hydrocarbon Series Project:

AIA# Item: _____

Locaon: _____ SIS# Approved: MODEL: **MT12-1B** 3 Year Parts / Labor Warranty Addition...

lang:en score:19 filesize: 684.38 K page_count: 2 document date: 2022-02-21



[pdf] Specifications Warranty Accessories

Kelli Rosen bevair 185mt12bh specsheets cdnimg webrestaurantstore documents specsheets

MT12TM MERCHANDISER: HINGED DOOR MODEL BEVERAGE-AIR

MARKETEERTM MERCHANDISERS MT12 Black Hinged Door Model Hydrocarbon Series Project: _____ AIA# Item: _____

Location: _____

SIS# Approved: _____ MODELS: MT12-...

lang:en score:18 filesize: 986.19 K page_count: 2 document date: 2020-05-08



[pdf]

Beverage Air Curren Solutions MarketMax and Marketeer currnsolutions b cdn net |||

GLASS DOOR MERCHANDISERS MarketMax and Marketeer MarketMax High-end glass door merchandisers with ... 7.75 36.25 5.0 BLACK 1 DOOR MT10-1B HINGED 3 24.88 22.5 54.38 9.43 BLACK OR WHITE** 1 DOOR **MT12-1B** HINGED 4 24.88 22.81 63.63 11.5 BLACK OR WHITE** 1 DOOR 2 CURVED DOORS 2 DOORS MT23-1B...

lang:en score:17 filesize: 1.4 M page_count: 4 document date: 2022-10-21




[pdf] Catalog

VIEW CATALOG Home Page Beverage Air 2021 BevAir Catalog Web beverage air 08 |||

YOUR COMPLETE REFRIGERATION SOURCE 2021 CATALOG 888-845-9800 beverage-air.com Your Complete Refr ... 3 HEIGHT CRATED WEIGHT COLOR 71.38 BLACK 189 WHITE 25 1 DOOR HINGED HINGED MT10-1B MT10-1W **MT12-1B** MT12-1W BLACK 1/3 115 1/6 3.2 9.43 24.88 22.5 54.38 171 WHITE BLACK 1/4 115 1/6 4.1 1 ...

lang:en score:16 filesize: 19.36 M page_count: 176 document date: 2021-08-09




[pdf] Catalog

2019 BevAir Catalog Web 2 beverage air 2020 10

2019 CATALOG 888-845-9800 beverage-air.com DELIVERING UNMATCHED VALUE AND QUALITY SINCE 1944 Fou ... AMPS CUBIC FEET WIDTH 1/5 115 1/8 1.8 5.98 18.88 MT10-1B MT10-1W 1/3 115 1/6 3.2 7.28 24.88 **MT12-1B** MT12-1W 1/4 115 1/6 4.1 8.77 24.88 MT23-1B MT23-1W 1/5 115 1/3 7 14.97 29.56 MT49-1B M...

lang:en score:15 filesize: 16.76 M page_count: 164 document date: 2020-10-15




[\[pdf\] Catalog](#)

2019 BevAir Catalog Web 1 beverage air 2020 10

2019 CATALOG 888-845-9800 beverage-air.com DELIVERING UNMATCHED VALUE AND QUALITY SINCE 1944 Fou ... AMPS CUBIC FEET WIDTH 1/5 115 1/8 1.8 5.98 18.88 MT10-1B MT10-1W 1/3 115 1/6 3.2 7.28 24.88 **MT12-1B** MT12-1W 1/4 115 1/6 4.1 8.77 24.88 MT23-1B MT23-1W 1/5 115 1/3 7 14.97 29.56 MT49-1B M...


lang:en **score:15** filesize: 16.66 M page_count: 164 document date: 2020-10-09



[\[pdf\] Catalog](#)

2021 catalog Beverage Air Our expansive product offering allows us to meet any operator's refrigeration need whether it be front of the house back food preparation or BevAir Catalog Web beverage air 05 YOUR COMPLETE REFRIGERATION SOURCE 2021 CATALOG 888-845-9800 beverage-air.com Your Complete Refr ... 3 HEIGHT CRATED WEIGHT COLOR 71.38 BLACK 189 WHITE 25 1 DOOR HINGED HINGED MT10-1B MT10-1W **MT12-1B** MT12-1W BLACK 1/3 115 1/6 3.2 9.43 24.88 22.5 54.38 171 WHITE BLACK 1/4 115 1/6 4.1 1...

lang:en **score:15** filesize: 19.63 M page_count: 176 document date: 2021-04-28



[\[pdf\] Catalog](#)

Beverage Air Curren Solutions Catalog currensolutions b cdn net |||

YOUR COMPLETE REFRIGERATION SOURCE 888-845-9800 beverage-air.com 2023 Your Complete Refrigerat ... CK 1 DOOR MT10-1B MT10-1W BLACK HINGED 1/3 24.88 22.5 54.38 115 1/6 3.2 9.43 WHITE 1 DOOR **MT12-1B** MT12-1W BLACK HINGED 1/4 24.88 22.81 63.63 115 1/6 4.1 11.5 WHITE 1 DOOR MT23-1B MT2...

lang:en **score:14** filesize: 13.73 M page_count: 189 document date: 2023-04-05



[\[pdf\] Borchure Catalog](#)


2025 bevair catalog web 1webstaurantstore documents brochure 1 msockid

193e7053b2496de11cff661bb3e56cd4 12025 193e7053b2496de11cff661bb3e56cd4webstaurantstore ||| YOUR COMPLETE REFRIGERATION SOURCE 888-845-9800 beverage-air.com 2025 catalog Your Complete Refrigeration Source Beverage-Air is a leading domestic manufacturer of commercial refrigeration solutions, with a vast product offering including o YOUR COMPLETE REFRIGERATION SOURCE 888-845-9800 beverage-air.com 2025 catalog Your Complete R ... TE 1 DOOR MT10-1B MT10-1W BLACK HINGED 1/3 24.88 22.5 54.38 115 1/6 3.2 9.43 WHITE 1 DOOR **MT12-1B** MT12-1W BLACK HINGED 1/4 24.88 22.81 63.63 115 1/6 4.1 11.5 WHITE 1 DOOR MT23-1B MT2...

lang:en **score:11** filesize: 13.63 M page_count: 185 document date: 2025-05-09

[\[pdf\]](#) Borchure Catalog

2023 YOUR COMPLETE REFRIGERATION SOURCEBeverage Air is a leading domestic manufacturer of commercial refrigeration solutions with vast product offering including over 1 000 unique models across 31 2023 bevair catalog web 4webrestaurantstore documents brochure 4 srsltid AfmBOop9sUILhhZB MaV2K0Q0PB3bKUAEEOW1NX xvb94va3GMidCK8e SOURCE2023 31 Beverage has full range premium and food service equipment to meet the diverse needs restaurant chain retail convenience 2023



42023 xvb94va3GMidCK8ewebstaurantstore AfmBOormLfw
XqR56zlrUCRq1NoV4qPuzzPhedWILbVB49Lzh4mlt5K7 convenience Beverage
XqR56zlrUCRq1NoV4qPuzzPhedWILbVB49Lzh4mlt5K7 webstaurantstore
AfmBOorhWlp8tfooyfSLowIntX2KPxbeGPmBnSKKa8k6Kf eZY5iRCWu eZY5iRCWu webstaurantstore
AfmBOooiynJkjdFc6 61YDnHO c5Qnigv6obqb7aknT 0DoJ1nkMF5VY ||| ||| YOUR COMPLETE
REFRIGERATION SOURCE 888-845-9800 beverage-air.com 2023 Your Complete Refrigeration Source
Beverage-Air is a leading domestic manufacturer of commercial refrigeration solutions, with a vast product
offering including over 1,00 ||| YOUR COMPLETE REFRIGERATION SOURCE 888-845-9800 beverage-
air.com 2023 Your Complete Refrigeration Source Beverage-Air is a leading domestic manufacturer of
commercial refrigeration solutions, with a vast product offering including over 1,00 ||| YOUR COMPLETE
REFRIGERATION SOURCE 888-845-9800 beverage-air.com 2023 Your Complete Refrigeration Source
Beverage-Air is a leading domestic manufacturer of commercial refrigeration solutions, with a vast product
offering including over 1,00
YOUR COMPLETE REFRIGERATION SOURCE 888-845-9800 beverage-air.com
2023 Your Complete Refrigerat ... TE 1 DOOR MT10-1B MT10-1W BLACK HINGED
1/3 24.88 22.5 54.38 115 1/6 3.2 9.43 WHITE 1 DOOR **MT12-1B** MT12-1W BLACK
HINGED 1/4 24.88 22.81 63.63 115 1/6 4.1 11.5 WHITE 1 DOOR MT23-1B MT2...
lang:en **score:11** filesize: 13.69 M page_count: 188 document date: 2023-12-11