

[Manuals.plus](#) /

› [Votamuta](#) /

› Votamuta Chrome Finish Waterfall Spout Floor Mount Tub Filler Faucet Instruction Manual

Votamuta RT-8TB5-42CY

Votamuta Chrome Finish Waterfall Spout Floor Mount Tub Filler Faucet

Model: RT-8TB5-42CY

Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Votamuta Chrome Finish Waterfall Spout Floor Mount Tub Filler Faucet. This freestanding bathtub faucet features a chrome finish, a brass body, a 360-degree swivel waterfall spout, and a hand shower with a 59.06-inch (150cm) hose. It is designed for precise temperature and flow control with a single handle and includes a square knob for diverting water between the spout and hand shower. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

2. SAFETY INFORMATION

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are secure and watertight to prevent leaks.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use harsh chemicals or abrasive cleaners on the faucet finish, as this may cause damage.

3. PACKAGE CONTENTS

Verify that all components listed below are present in your package before beginning installation.

All Parts of The Product



Image 3.1: All components included in the Votamuta tub filler package.

- Main Faucet Body with Waterfall Spout
- Hand Shower
- 59.06-inch (150cm) Shower Hose
- Hot and Cold Water Supply Hoses
- Tripod Bracket (Base Support)
- Mounting Bolts (3 pcs)
- Base Cover Plate
- Installation Hardware (O-rings, washers, etc.)

4. SPECIFICATIONS

Feature	Detail
Brand	Votamuta
Model Number	RT-8TB5-42CY
Finish Type	Chrome
Material	Brass (Main Faucet Body, Hand Sprayer, Handle)
Mounting Type	Floor Mount
Number of Handles	1 (Single Handle)
Spout Type	Waterfall, 360-degree Swivel
Hand Shower Hose Length	59.06 inches (150 cm)
Faucet Height	98 cm (38.58 inches)
Spout Height	87 cm (34.28 inches)
Spout Reach	11 cm (4.33 inches)



Image 4.1: Product dimensions and details of the sturdy brass tripod base and three-screw design for stable mounting.

5. INSTALLATION INSTRUCTIONS

This faucet is designed for floor-mounted installation. Professional installation is recommended. Ensure the floor surface is stable and capable of supporting the faucet and associated plumbing.

1. **Prepare the Installation Area:** Turn off the main water supply. Clear the area where the faucet will be installed. Ensure you have adequate space for the faucet and access for plumbing connections.
2. **Assemble the Base:** Attach the tripod bracket to the bottom of the main faucet body. This bracket provides a stable foundation for the floor mount.
3. **Position the Faucet:** Place the assembled faucet in the desired location on the floor. Mark the positions for the mounting bolts through the holes in the tripod bracket.
4. **Drill Mounting Holes:** Drill appropriate holes in the floor at the marked positions. Insert the three mounting bolts (expansion screws) into these holes.
5. **Secure the Faucet:** Align the tripod bracket over the installed mounting bolts. Secure the faucet firmly to the floor using the provided nuts and washers. Ensure the faucet is level and stable.
6. **Connect Water Supply Lines:** Connect the hot and cold water supply hoses to the corresponding inlets on the faucet body. Connect the other ends of these hoses to your home's hot and cold water supply lines. Use thread sealant tape on all threaded connections to prevent leaks.
7. **Install Hand Shower and Hose:** Connect the 59.06-inch (150cm) shower hose to the hand shower and the designated outlet on the faucet body.
8. **Attach Base Cover:** Once all connections are made and tested, place the thick base cover over the tripod bracket and secure it. This provides a finished look and further stabilizes the faucet.
9. **Test for Leaks:** Slowly turn on the main water supply. Check all connections for any signs of leaks. If leaks are detected, tighten the connections as necessary.




Image 5.1: Detailed view of the faucet's stable base design, including the tripod bracket and mounting screws.

6. OPERATING INSTRUCTIONS

Your Votamuta tub filler faucet offers both a waterfall spout and a hand shower for versatile use.



Image 6.1: Key operational features including the swivel spout and diverter knob.

1. **Water Flow and Temperature Control:** The single handle controls both water flow and temperature. Lift the handle to increase flow. Move the handle left for hot water and right for cold water.
2. **Waterfall Spout Operation:** To use the waterfall spout, ensure the square diverter knob is in the position that directs water to the spout. The spout can swivel 360 degrees for convenient positioning.
3. **Hand Shower Operation:** To use the hand shower, turn the square diverter knob to switch the water flow from the spout to the hand shower. The hand shower is ideal for rinsing the tub or personal rinsing.




Image 6.2: The faucet demonstrating both waterfall spout and handheld shower functions.



Image 6.3: The waterfall spout in operation, filling a bathtub.



Image 6.4: The handheld shower in use.

7. MAINTENANCE AND CARE

Proper care will help maintain the finish and performance of your faucet.

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome finishes. Rinse thoroughly with water and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or any cleaners containing bleach or alcohol, as these can damage the chrome finish and internal components.
- **Check for Leaks:** Periodically inspect all connections for any signs of leaks. Tighten connections if necessary.
- **Hand Shower Nozzle Cleaning:** If the hand shower nozzles become clogged with mineral deposits, gently rub them with your finger or a soft brush to dislodge the deposits.

8. TROUBLESHOOTING

If you encounter issues with your faucet, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Low Water Flow	Partially closed shut-off valves; clogged aerator/nozzles; low water pressure.	Ensure shut-off valves are fully open. Clean hand shower nozzles. Check household water pressure.
Leaks from Faucet Base	Loose connections; damaged O-rings or seals.	Tighten water supply connections. Inspect and replace O-rings/seals if damaged.
Water Temperature Issues	Incorrect handle position; issues with water heater.	Adjust the single handle. Check your water heater settings.
Diverter Not Switching Properly	Internal mechanism obstruction or wear.	Ensure the diverter knob is fully turned. If issue persists, contact customer support.

If these solutions do not resolve the issue, please contact Votamuta customer support for further assistance.

9. WARRANTY AND SUPPORT

Votamuta products are manufactured to high-quality standards. For specific warranty information regarding your RT-8TB5-42CY tub filler faucet, please refer to the warranty card included with your purchase or visit the official Votamuta website. For technical support, replacement parts, or any other inquiries, please contact Votamuta customer service through the contact information provided on the product packaging or website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07PYW8BWZ>

More documents and user manuals: <https://manuals.plus/>