

[Manuals.plus](#) /

› [HD Switch](#) /

› HD Switch Fasse Hydraulic Coupler Plugs & Caps Instruction Manual (Models 211-009 to 211-020)

HD Switch 211-009, 211-010, 211-011, 211-012, 211-013, 211-014, 211-015, 211-016, 211-017, 211-018, 211-019, 211-020

HD Switch Fasse Hydraulic Coupler Plugs & Caps Instruction Manual

Models: 211-009 through 211-020

1. INTRODUCTION

This instruction manual provides essential information for the proper use, installation, and maintenance of your HD Switch Fasse Hydraulic Coupler Plugs and Caps. These components are designed to protect hydraulic systems from contamination and damage, ensuring the longevity and efficiency of your equipment. Engineered with a focus on durability, these plugs and caps offer an improved, tear-resistant design, making them a reliable choice for demanding agricultural and industrial applications, particularly for John Deere compatible systems.




Image 1: Assortment of HD Switch Fasse Hydraulic Coupler Plugs and Caps. This image displays the full 12-pack set of hydraulic coupler plugs and caps in various colors, showcasing their design and variety.

2. PRODUCT OVERVIEW

The HD Switch Fasse Hydraulic Coupler Plugs and Caps are protective accessories for hydraulic systems. They are used to seal open hydraulic lines and ports when equipment is not in use or when attachments are disconnected. This prevents the ingress of dirt, moisture, and other contaminants that can cause significant damage to hydraulic components. Each set includes both male plugs and female caps, constructed from a high-tensile strength rubber material that is 50% tougher than standard OEM parts and features a tear-proof design for extended service life.

50%
TOUGHER



TEAR-PROOF
DESIGN

Image 2: Enhanced Durability. This image emphasizes the robust construction and tear-proof design of the HD Switch hydraulic coupler caps, indicating their superior strength.

PUNISHMENT? BRING IT!



OEM UPGRADE

Image 3: OEM Upgrade Comparison. This image visually compares an original equipment manufacturer (OEM) cap with an HD Switch cap, illustrating the design improvements for enhanced performance.

3. SETUP AND INSTALLATION

1. **Preparation:** Before installation, ensure that all hydraulic lines and ports are thoroughly cleaned and free from any dirt, dust, or debris. Contaminants can compromise the seal and potentially enter the hydraulic system.
2. **Component Selection:** Identify the appropriate plug or cap for the specific hydraulic fitting. Plugs are designed for male hydraulic fittings, and caps are designed for female hydraulic ports. The color-coding can assist in organizing and matching components.
3. **Installation:** Gently push the selected plug onto the male hydraulic fitting or the cap onto the female hydraulic port. Apply firm, even pressure until the component is fully seated and creates a snug, secure seal. The flexible rubber material is designed to conform to the fitting for optimal protection.
4. **Verification:** After installation, visually inspect the plug or cap to confirm it is fully engaged and provides a complete seal. A properly installed component will prevent the entry of external elements into the hydraulic system.

4. OPERATING INSTRUCTIONS

The primary function of these hydraulic coupler plugs and caps is passive protection. They are to be installed on all open hydraulic lines and ports whenever hydraulic attachments are disconnected or when the equipment is not in active use. This practice is crucial for maintaining the cleanliness and integrity of your hydraulic system, preventing costly repairs, and extending the lifespan of hydraulic components. Always ensure that the correct plug or cap is used for each fitting to achieve maximum protection.

5. MAINTENANCE

- **Regular Inspection:** Periodically inspect all installed and stored plugs and caps for any signs of wear, cracking, tears, or other damage. Damaged components may not provide an adequate seal and should be replaced immediately.
- **Cleaning:** Clean the plugs and caps as needed using a mild detergent and water. Rinse thoroughly and ensure they are completely dry before re-installation or storage. Avoid using harsh chemicals, solvents, or petroleum-based cleaners, as these can degrade the rubber material.
- **Storage:** Store unused plugs and caps in a clean, dry environment, away from direct sunlight, extreme temperatures, and sharp objects. Proper storage helps to preserve the material integrity and extend their operational life.

6. TROUBLESHOOTING

- **Issue: Plug or cap does not fit securely or falls off.**
Solution: Verify that the correct size and type of plug or cap is being used for the specific hydraulic fitting. Ensure the fitting itself is clean and free of any obstructions or damage that might prevent a proper seal. If the component is worn or stretched, replace it.
- **Issue: Plug or cap shows signs of damage (e.g., tears, cracks).**
Solution: Although HD Switch products feature a tear-proof design, extreme conditions or improper handling can still cause damage over time. Replace any damaged component immediately to ensure continuous protection of your hydraulic system.

7. SPECIFICATIONS

- **Brand:** HD Switch
- **Models:** 211-009, 211-010, 211-011, 211-012, 211-013, 211-014, 211-015, 211-016, 211-017, 211-018, 211-019, 211-020
- **Material:** High-tensile strength rubber
- **Unit Count:** 12 plugs and caps (various sizes/types)
- **Design Features:** Tear-proof, 50% tougher than OEM, improved shape for added strength
- **Compatibility:** Designed for John Deere hydraulic systems
- **Operation Mode:** Hydraulic system protection (plug-in connector type)



Image 4: Hydraulic Fitting Measurement. This image illustrates the precision required for hydraulic components, showing a digital caliper measuring a fitting, which is crucial for selecting the correct plug or cap size.

8. WARRANTY INFORMATION

HD Switch provides a comprehensive lifetime warranty for these hydraulic coupler plugs and caps. This warranty covers any issues for any reason, reflecting the manufacturer's confidence in the product's enhanced design, material quality, and overall durability. For specific details regarding warranty claims, please refer to the official HD Switch website or contact customer support.

9. SUPPORT

For further assistance, technical support, or any inquiries regarding your HD Switch Fasse Hydraulic Coupler Plugs and Caps, please contact the manufacturer directly. Refer to the product packaging or visit the official HD Switch website for the most current contact information and support resources.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07QB7VQ3C>

More documents and user manuals: <https://manuals.plus/>