Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Intex Ultra XTR 26ft x 52in

INTEX Ultra XTR Above Ground Swimming Pool Set

Model: Ultra XTR 26ft x 52in
Brand: Intex

Product Overview

The INTEX Ultra XTR Above Ground Swimming Pool Set, measuring 26ft x 52in, offers a robust and enjoyable swimming experience for your home backyard. This heavy-duty round frame pool features an elegant graphite exterior and a blue tile print interior. It comes complete with an Intex Krystal Clear 2,800-gallon per hour sand filter pump, a ladder, ground cloth, and a pool cover. The filter pump incorporates Hydro Aeration Technology for enhanced water circulation, filtration, and clarity. Constructed with a galvanized steel frame and a durable 3-ply PVC liner, the pool is designed for strength and longevity. Its easy lock assembly process with T-Joints allows for quick setup, making it ready for water in approximately 60 minutes.



Figure 1: Overview of the INTEX Ultra XTR Pool Set components.

Setup Instructions

1. Site Preparation

Select a level, clear area for your pool. Proper ground leveling is crucial for the pool's stability and longevity. Ensure the area is free from sharp objects, debris, and excessive slopes. A slight deviation of up to 1 inch is generally acceptable, but greater variations may affect the pool's structure and water distribution.



Figure 2: Key dimensions and water capacity of the pool.

2. Laying Out the Liner and Ground Cloth

Unfold the ground cloth and spread it evenly over the prepared site. This provides an additional layer of protection for the pool liner. Carefully unroll the pool liner over the ground cloth, ensuring it is centered and spread out as smoothly as possible. Minimize wrinkles in the liner before proceeding.



Figure 3: Detailed view of the durable 3-ply pool liner construction.

3. Frame Assembly

Assemble the galvanized steel frame components according to the included instructions. The Easy-Lock System with composite T-joints allows for tool-free setup. Slide the horizontal beams through the top pockets of the liner, then connect them using the T-joints. Insert the vertical legs into the T-joints and attach the footings. Ensure all connections are securely locked into place.



Figure 4: Illustration of the Easy-Lock System and frame design.

4. Filling the Pool

Once the frame is fully assembled and stable, begin filling the pool with water. As the water level rises, gently smooth out any remaining wrinkles in the liner from the center outwards. Monitor the frame's stability and ensure even water distribution. Adult supervision is required at all times when children are in or around the pool.

Your browser does not support the video tag.

Video 1: Official Intex video demonstrating the assembly process of the Ultra Frame pool. This video provides a visual guide to setting up the pool frame and liner.

Your browser does not support the video tag.

Video 2: A user-submitted video showcasing the simplicity of assembling the Intex pool, including the T-joint connections and leg installation.

Operating the Sand Filter Pump

The included Krystal Clear Sand Filter Pump SX2800 is designed for efficient water filtration. It offers 6 functions:

Filtration, Backwash, Rinse, Recirculate, Drain, and Close System. Ensure the pump is properly connected to the pool's inlet and outlet valves before operation. The Hydro Aeration Technology enhances water circulation and clarity by increasing negative ions.



Figure 5: Features of the Krystal Clear Sand Filter Pump SX2800.

Pump Installation and Operation

Connect the pump to the pool using the provided hoses. Ensure all connections are tight to prevent leaks. The pump features a control panel for setting operation times and modes. Refer to the pump's specific manual for detailed instructions on setting timers and selecting functions.

Your browser does not support the video tag.

Video 3: A detailed video demonstrating the full installation of an Anbull Pool Pump, which is compatible with Intex pools and provides insights into pump setup.

Maintenance

1. Backwashing and Rinsing

Regular backwashing of the sand filter pump is essential to maintain water clarity and pump efficiency. When the pressure gauge on the pump indicates a higher than normal reading, it's time to backwash. Follow the pump's instructions for switching to backwash mode, running it until the water runs clear, and then performing a rinse cycle.

Your browser does not support the video tag.

Video 4: A comprehensive guide on how to backwash your sand filter pump for Intex pools, showing the steps to clean the filter media.

Your browser does not support the video tag.

Video 5: This video demonstrates the ease of backwashing your pool's sand filter, highlighting the process for clear water.

2. Sand Filter Media

The sand in your filter pump can last up to 5 years with regular backwashing and proper maintenance. Periodically check the sand for clumping or degradation, and replace it as needed to ensure optimal filtration.

3. Pool Cover and Ladder

Use the included pool cover when the pool is not in use to keep out debris and reduce evaporation. The ladder is removable for added safety and can be stored when not needed. Ensure the ladder is stable and securely placed before use.



Figure 6: All accessories included with the pool set.

Troubleshooting

If you encounter issues such as cloudy water, reduced pump flow, or leaks, first check all connections and ensure the pump is operating correctly. For cloudy water, perform a backwash and check your water chemistry. For leaks, inspect the liner for punctures and the connections for tightness. Many common issues can be resolved by referring to the detailed user manual PDF provided by Intex.
For more in-depth troubleshooting, please refer to the officialUser Manual (PDF).

Specifications

Feature	Detail
Brand	Intex
Model	Ultra XTR 26ft x 52in

Capacity	14,667 Gallons
Shape	Round
Color	Blue (Liner), Graphite (Exterior)
Material	Polyester, Mesh, Galvanized Steel, PVC
Included Components	Ladder, Filter Pump, Ground Cloth, Pool Cover
Manufacturer	Intex Recreational Inc.
Product Dimensions	312 x 312 x 51.6 inches

Warranty and Support

This product is backed by a 30-day easy returns policy. For any product-related inquiries, technical assistance, or warranty claims, please contact Spreetail customer support. You can also refer to the official User Manual (PDF) for detailed information and contact options.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07QFBXJ4Y

More documents and user manuals: **https://manuals.plus/**