

WAGO 284-681

WAGO 284-681 3-Conductor Through Terminal Block User Manual

Model: 284-681

1. PRODUCT OVERVIEW

The WAGO 284-681 is a 3-conductor through terminal block designed for reliable electrical connections. This terminal block facilitates secure wiring within control cabinets and industrial applications, offering a compact and efficient solution for distributing electrical potential.

Key features include its DIN rail mount compatibility and screw-type connection, ensuring robust and stable installations.




Figure 1: Cross-section view of the WAGO 284-681 3-Conductor Through Terminal Block, showing the internal spring clamp mechanism and conductor pathways. The grey housing encases the metallic current bar and the spring-loaded clamping units for secure wire termination.

2. SAFETY INFORMATION

Read all instructions carefully before installation and operation. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Installation must be performed by qualified personnel only.
- Ensure power is disconnected before working on electrical circuits.
- Use appropriate personal protective equipment (PPE).
- Verify correct wire gauge and insulation for the application.
- Do not exceed the specified voltage and current ratings of the terminal block.
- Inspect terminal blocks for damage before installation. Do not use damaged products.

3. SETUP AND INSTALLATION

The WAGO 284-681 terminal block is designed for DIN rail mounting. Follow these steps for proper installation:

1. Mounting on DIN Rail:

Align the terminal block with the DIN rail. Press the block firmly onto the rail until it clicks into place. Ensure it is securely seated and does not wobble.

2. Wire Preparation:

Strip approximately 9-10 mm (0.35-0.39 inches) of insulation from the conductor ends. Ensure the conductor strands are not damaged during stripping.

3. Conductor Connection (Screw Type):

Insert the prepared conductor into the designated clamping unit. Use an appropriate screwdriver to tighten the screw firmly. Ensure the conductor is fully seated and the screw is tightened to the recommended torque (refer to technical specifications for exact values, typically found on product packaging or WAGO's official documentation). Gently pull on the wire to confirm a secure connection.

4. Testing:

After all connections are made, perform continuity and insulation resistance tests to verify proper wiring and prevent short circuits.

4. OPERATING INSTRUCTIONS

Once installed and wired, the WAGO 284-681 terminal block functions as a passive component for electrical distribution. No active operation is required beyond ensuring proper connections and adherence to electrical safety standards.

- **Voltage and Current:** Ensure that the applied voltage and current do not exceed the maximum ratings specified for the terminal block.
- **Environmental Conditions:** Operate the terminal block within its specified environmental conditions (temperature, humidity) to ensure optimal performance and longevity.

5. MAINTENANCE

The WAGO 284-681 terminal block is designed for maintenance-free operation under normal conditions. However, periodic inspection is recommended to ensure continued reliability.

- **Visual Inspection:** Periodically inspect the terminal blocks for any signs of physical damage, discoloration, or loose connections.
- **Connection Integrity:** If accessible and safe to do so (with power disconnected), gently check the tightness of screw connections, especially in environments subject to vibration or significant temperature fluctuations.
- **Cleaning:** If necessary, clean the exterior of the terminal block with a dry, lint-free cloth. Do not use solvents or abrasive cleaners.

6. TROUBLESHOOTING

Most issues related to terminal blocks stem from improper installation or exceeding operational limits. Refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Loose connection / Intermittent contact	Insufficient tightening of screw; improper wire stripping; wire pull-out.	Disconnect power. Re-strip wire if necessary. Re-insert and tighten screw to recommended torque. Verify connection by gently pulling the wire.
Overheating / Discoloration	Overcurrent; loose connection; environmental factors.	Disconnect power immediately. Check circuit for overcurrent conditions. Inspect connections for looseness. Ensure ambient temperature is within specified limits. Replace damaged terminal block.
Difficulty inserting wire	Wire gauge too large; screw not sufficiently loosened.	Ensure wire gauge matches terminal block specifications. Loosen the screw completely before attempting to insert the wire.

If problems persist, consult a qualified electrician or contact WAGO technical support.

7. TECHNICAL SPECIFICATIONS

The following specifications apply to the WAGO 284-681 3-Conductor Through Terminal Block:




- **Model:** 284-681
- **Brand:** WAGO
- **Number of Poles:** 3
- **Connector Type:** Screw
- **Mounting Type:** DIN Rail Mount
- **Specification Met:** DIN
- **ASIN:** B07QJB7CTQ
- **Manufacturer:** Wago
- **First Available:** February 9, 2020
- *Note: For detailed electrical ratings (voltage, current, wire size range), please refer to the product packaging or official WAGO datasheets.*

Related Documents - 284-681



[RS PRO Hot Plates & Stirrers - Features, Specifications, and Product Range](#)

Comprehensive details on RS PRO Hot Plates & Stirrers, covering features, technical specifications, accessories, and a full product range. Includes information on temperature control, safety, and antimicrobial protection for laboratory use.

TONSTAD 	TONSTAD Side Table Assembly Instructions Comprehensive assembly guide for the IKEA TONSTAD side table, detailing each step with clear instructions and visual descriptions. Learn how to build your TONSTAD furniture safely and correctly.
	WAGO LPW 13-Terminal Measurement Box: Operating Manual & Technical Data Comprehensive guide to the WAGO LPW 13-terminal measurement box, covering installation, wiring, current/voltage measurement procedures, technical specifications, and wiring diagrams. Essential for electrical professionals.
	WAGO 281-611/281-418: 2-Conductor Fuse Terminal Block with Neon Indicator Datasheet for the WAGO 281-611/281-418 2-conductor fuse terminal block. Features CAGE CLAMP® connection, pivoting fuse holder for 5x20mm fuses, neon blown fuse indication, 120V rating, and suitability for aluminum conductors with Alu-Plus Contact Paste.
	Leetop ALP-681-F User Guide: Embedded AI Computer Specifications and Setup Comprehensive user guide for the Leetop ALP-681-F embedded artificial intelligence computer, detailing specifications, setup, system configuration, developer tools, and FCC compliance. Features NVIDIA Jetson AGX Orin.
	WAGO Anwendungshinweis: Serial_Interface_01.lib für Feldbus-Controller Serie 750 Anwendungshinweis von WAGO zur Bibliothek Serial_Interface_01.lib. Detaillierte Anleitung für Feldbus-Controller Serie 750, Konfiguration serieller Klemmen (RS232C, TTY, RS485/RS422) und Beispielanwendungen.


Documents - WAGO – 284-681



[\[pdf\] Datasheet](#)

Datasheet WAGO 284 681 IBS Electronics datasheet octopart 65713292 |||

Printview: 3-conductor through terminal block - Item No. **284-681** . 3-conductor through terminal block Item No.: **284-681** . 3-conductor through terminal block Item no. GTIN / EAN Content Order amount Customer item number . Notes WAGO **284-681** 4044918447379 1 25 T... lang:en score:30 filesize: 157.57 K page_count: 4 document date: 2016-01-08



[\[pdf\] Datasheet](#)

284 681 EN WAGO GmbH Co KG PKC Компоненти РАДІОМАГ wago 681en static6 arrow aro conversion 2bf89fad0981a0479b8db7ad5fa6abaf2df2ed77 ||| Data Sheet Item Number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CA **681** Color: gray Similar to illustration Electrical data Ratings per Overvoltage category Pollution degree Nominal volt... lang:en score:28 filesize: 1.12 M page_count: 8 document date: 2024-06-04

284 681 EN WAGO GmbH Co KG Corporation PKC Компоненти РАДИОМАГ wago 681en static6 arrow aro conversion e84bd974b9774ca2881b348e032cd1a0f80
Data Sheet Item Number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CA/...
681 Color: gray Similar to illustration Electrical data Ratings per Overvoltage category Pollution degree Nominal volt...
lang:en score:28 filesize: 1.1 M page_count: 8 document date: 2024-03-28


284 681 EN WAGO GmbH Co KG PKC:компоненти РАДИОМАНІТРАЖУ конверсія d1bc9011d687db1be3c240bac1123d2ac555e832 wago284681en
Data Sheet Item Number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CA
681 Color: gray Similar to illustration Through terminal block, 284 Series, operating tool Our through terminal block ...
lang:en score:27 filesize: 3.17 M page count: 8 document date: 2025-06-22

284 681 EN WAGO GmbH Co KG Corporation RADIOMAG wago 681en static6 arrow aro conversion 12a2a5cc6b753cd96d715039246ec0f5d6c06adb 3 conductor
Data Sheet Item Number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CA
681 Color: gray Similar to illustration Electrical data Ratings per Overvoltage category Pollution degree Nominal volt...
lang=en score:27 filesize: 1.16 M page count: 8 document date: 2024-08-05

Data Sheet Item number: **284-681** 3-conductor through terminal block; 10 mm; current marking; for DIN-rail 35 x 15 and 35 x 7.5; CA0 per IEC/EN 60664-1 Rated voltage III / 3 Rated impulse voltage III / 3 Rated current Connection data 800 V 8 kV...
lang:en score:27 filesize: 279.39 K page count: 8 document date: 2019-06-28


C Program Files x86 Wago ProServe layouts A4 productLocator W technical data Ist kuzmova 284 681 WAGO Svorkovnice na DIN lištu CAGE SOS electronic cdy
WAGO product LOCATOR 4.1 Data sheet **284-681** 3-CONDUCTOR THROUGH TERMINAL BLOCK CROSS SECTION MARKING FRONT-E
TYPE Technical data Package size 25 pieces. Cross section from mm2 Cross section to mm2 Cross section from AWG Cross section
lang:en **score:26** filesize: 90.38 K page count: 5 document date: 2012-09-13

284 681 EN WAGO GmbH Co KG Datasheet WAGO284 1 Series Terminal Block 10mm² 3 Level Cage Clamp Termination RS A700000011331310 docs rs online
Data Sheet Item Number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CA
681 Color: gray Similar to illustration Electrical data Ratings per Overvoltage category Pollution degree Nominal volt...
lang=en score:25 filesize: 1.06 M page count: 8 document date: 2023-10-10



[pdf] Datasheet

284 681 РАДИОМАГ ПКС КОМПОНЕНТЫ Manufacturer WAGO Innovative Connections Conn Terminal Block 3 POS Clamp T DIN Rail 57A Box wago 681en stat 7576b6d6b7d15c9086ce8b53ce784b88c869000d |||
 Data Sheet Item Number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAI
681 Color: gray Similar to illustration Electrical data Ratings per IEC/EN Ratings per Nominal voltage III/3 Rated i...
 lang:en score:25 filesize: 1.28 M page_count: 8 document date: 2023-02-13



[pdf] Instructions Accessories

wago Tomek ZŁĄCZKA SZYNOWA 3 PRZEWODOWA 10MM2 SZARA 284 681 WAGO złączka szara20 elektrykasklep pl file 314688 |||
 880 Series Features With/without shield contact Features r 2-, 3- and 4-conductor terminal blocks, o ... ght gray 4 284-992 3 Pack. U
 block gray **284-681** blue 284-684 orange 284-682 light gray 4 284-993 3 Pack. Unit 25 25 25 25 2-condu...
 lang:en score:22 filesize: 519.87 K page_count: 5 document date: 2015-06-16




[pdf] User Manual Accessories

PSF 3 Umschlag Mac 1 wago innovative 282 siliconexpert s 2012 21 0 42 12 469 wkg manual |||
 PRODUCT SHORTFORM P S F 3.3 PSF 3.3 Product Short Form Contents Over 50 years of innovations w ... ow 284-907/999-950 2
 terminal blocks grey **284-681** 25 blue 284-684 25 orange 284-682 25 4 light grey 284-993 25 3-conductor ground ...
 lang:en score:18 filesize: 12.96 M page_count: 167 document date: 2008-07-25




[pdf] Accessories

82000001 wago infomaterial ebook resources s |||
 Network Rail Approved Terminal Blocks from WAGO Limited 2 Contents Spring Connection The Univers ... 328, orange Intermediate
 0088/201003 WAGO Part No. **284-681**, grey DIN Rail mounted 3-conductor carrier terminal block, 0.2 - 10mm, 10mm wide. PADS N
 lang:en score:17 filesize: 29.63 M page_count: 24 document date: 2023-02-13



[pdf] Datasheet

284 682 EN WAGO GmbH Co KG Corporation RADIOMAG wago 682en static6 arrow aro conversion 365119e33580f9275331ff9fdddb13bf0e39ebe |||
 Data Sheet Item Number: 284-682 3-conductor through terminal block; 10 mm; center marking; for DIN ... 2 mm thick; oversized; ora
 thick; for 3conductor **284-681** terminal blocks; gray Page 3/8 Downloaded from Arrow.com. Item No.: 284-368 Step-down cover...
 lang:en score:16 filesize: 1.06 M page_count: 8 document date: 2024-03-28



[pdf] Datasheet

284 684 EN WAGO GmbH Co KG Corporation RADIOMAG wago 684en static6 arrow aro conversion 1a63c975b006b0db2ec48d3fe61ae3b093fb7357 |||
 Data Sheet Item Number: 284-684 3-conductor through terminal block; 10 mm; center marking; for DIN ... 2 mm thick; oversized; ora
 thick; for 3conductor **284-681** terminal blocks; gray Page 3/8 Downloaded from Arrow.com. Item No.: 284-368 Step-down cover...
 lang:en score:16 filesize: 1.21 M page_count: 8 document date: 2024-03-28



[\[pdf\]](#) Datasheet

[\[pdf\]](#) Datasheet

[\[pdf\]](#) Datasheet

[\[pdf\]](#) Datasheet

[\[pdf\]](#) Datasheet


284 684 EN WAGO GmbH Co KG Download Datasheet by Connector Terminal Blocks Arrow wago 684en stat6c arrow aro conversion 5076687b0c1b7656fd1603
Data Sheet Item Number: 284-684 3-conductor through terminal block; 10 mm; center marking; for DIN ... 2 mm thick; oversized; ora
titled: 3-conductor **284-681** terminal blocks; gray Page 3/8 Downloaded from Arrow.com. Item No.: 284-368 Step-down cover...
lang:en score:16 filesize: 1.06 M page_count: 8 document date: 2023-12-21



[pdf]

PD379688 objects eanixter

Printview: 3-conductor through terminal block - Item No.: **284-681** . 3-conductor through terminal block Item No.: **284-681** . 3-conduct Supplier Item no. EAN Content Order amount Customer item number . Notes WAGO **284-681** 4044918447379 1 25 Technica... lang:en score:15 filesize: 75.91 K page_count: 9 document date: 2014-01-14




[pdf] Catalog

Catalog Page 284 339 Wago End Plates endplates 2cat245 cp pim galco Manufacturer TechDocument |||

Volume 1, Section 5 WAGO Rail-Mount Terminal Blocks Classic 35 mm/ 1.38 in 35 mm/ 1.38 in Throug ... conductor through termin gray Item No. **284-681** Pack. Unit 25 5 blue 284-904 25 blue 284-684 25 orange 284-902 25 orange 284-68...

lang:en score:15 filesize: 359.73 K page_count: 1 document date: 2019-06-19



[pdf] Datasheet Documentation

3014519 farnell datasheets

Data sheet Item number: **284-681** 3-conductor through terminal block; 10 mm; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAC Color: Data Electrical data Subject to changes. Please also observe the further product documentation WAGO Kontakttechni...


lang:en score:15 filesize: 1.35 M page_count: 12 document date: 0000-00-00



[pdf]

DOC011627604 static chipdip ru lib 627 |||


Printview: 3-conductor through terminal block - Item No.: **284-681** . 3-conductor through terminal block Item No.: **284-681** . 3-conduct Supplier Item no. GTIN / EAN Content Order amount Customer item number . Notes WAGO **284-681** 4044918447379 1 25 T... lang:en score:15 filesize: 158.56 K page_count: 4 document date: 2016-01-08



[pdf] Datasheet

284 682 EN WAGO GmbH Co KG Corporation ПКК Компоненти РАДІОМАГ v1static6 arrow aro conversion c81de0a06a8ae6198b0d4f310ed824be36fd7db wago Data Sheet Item Number: 284-682 3-conductor through terminal block; 10 mm; center marking; for DIN ... 2 mm thick; oversized; ora thick; for 3conductor **284-681** terminal blocks; gray Item No.: 284-368 Step-down cover plate; 1 mm thick; for 3conductor 2...


lang:en score:15 filesize: 3.07 M page_count: 8 document date: 2025-06-10



[pdf] Datasheet


284 684 EN WAGO GmbH Co KG Corporation ПКК Компоненти РАДІОМАГ wago284684en statio6 arrow aro conversion 3a228220a4ad8e4333c46acc94431c92 Data Sheet Item Number: 284-684 3-conductor through terminal block; 10 mm; center marking; for DIN ... 2 mm thick; oversized; ora thick; for 3conductor **284-681** terminal blocks; gray Item No.: 284-368 Step-down cover plate; 1 mm thick; for 3conductor 2...

lang:en score:15 filesize: 3.07 M page_count: 8 document date: 2025-06-10



[\[pdf\]](#) Datasheet

Datasheet 537110 WAGO 284 368 Reducer 25 pc s 4017332337205 datasheet wago reducer pcs asset conrad media10 add 160267 c1 en 000537110DS01 |||
COVER PLATE 1 MM / 0.039 IN THICK in connection with 3-conductor terminal blocks **284-681** 284-358 PDF Datasheet 1992 - 2011
THICK in connection with 3-conductor terminal blocks **284-681** 284-358 PDF Datasheet 1992 - 2011 CADENAS GmbH ITEM-NO. IT
lang:sw **score:12** filesize: 1.09 M page_count: 2 document date: 2011-09-19




[\[pdf\]](#)

1 rail mount kuzmina prosoft ru 80 Content files WAGO |||
10 DIN- CAGE CLAMP CAGE CLAMP CAGE CLAMP Compact 284-901 284-904 . 284-902 25 25 25 _____
25 25 ____ 33,5 ____ 35 ____ 35 ____ 69 ...
lang:i-klngon **score:12** filesize: 2.85 M page_count: 24 document date: 2007-08-22




[\[pdf\]](#) User Manual Accessories Catalog Label

Untitled And labelling systems MANUAL SYSTEMS RINGcablesys provides simple and rapid solutions for the identification of cables electrical components with four
cablejoints co uk upload
CABLE JOINTS, CABLE TERMINATIONS, CABLE GLANDS, CABLE CLEATS FEEDER PILLARS, FUSE LINKS, ARC FLASH, ... ir
283-902 283-904 283-907 284-601 284-604 284-607 **284-681** 284-682 284-684 284-687 284-901 284-902 284-904 284-907 285-60
lang:en **score:12** filesize: 9.06 M page_count: 116 document date: 2009-07-08



[\[pdf\]](#) Instructions Accessories

wago Tomek ZŁĄCZKA 2 PRZEWODOWA PRZELOTOWA 10MM2 SZARA 284 901 WAGO złączka szara1 elektrykasklep pl file 312687 |||
880 Series Features With/without shield contact Features r 2-, 3- and 4-conductor terminal blocks, o ... ght gray 4 284-992 3 Pack. U
block gray **284-681** blue 284-684 orange 284-682 light gray 4 284-993 3 Pack. Unit 25 25 25 25 2-condu...
lang:en **score:12** filesize: 519.87 K page_count: 5 document date: 2015-06-11



[\[pdf\]](#) Instructions Accessories

wago Tomek ZAŚLEPKA OSTRZEGAWCZA ŻÓŁTA Z NADRUKIEM BŁYSKAWICY 25 SZTUK 284 415 WAGO zaslepka elektrykasklep pl file 311307 |||
880 Series Features With/without shield contact Features r 2-, 3- and 4-conductor terminal blocks, o ... ght gray 4 284-992 3 Pack. U
block gray **284-681** blue 284-684 orange 284-682 light gray 4 284-993 3 Pack. Unit 25 25 25 25 2-condu...
lang:en **score:12** filesize: 519.87 K page_count: 5 document date: 2015-06-09

[\[pdf\]](#) Datasheet Documentation

3014491 farnell datasheets |||

Data sheet Item number: 284-684 3-conductor through terminal block; 10 mm; center marking; for DIN ... ht gray www.wago.com/284-684
thick; for 3-conductor **284-681** terminal blocks; gray www.wago.com/284-358 check Carrier rail Item no.: 284-368 Step-down...
lang:en score:12 filesize: 1.3 M page_count: 11 document date: 0000-00-00

[\[pdf\]](#) Instructions Accessories

wago Tomek ZŁĄCZKA 2 PRZEWODOWA PE 10MM2 ŻÓŁTO ZIELONA 284 907 WAGO zlaczka zolto zielona9 elektrykasklep.pl file 312397 |||

880 Series Features With/without shield contact Features r 2-, 3- and 4-conductor terminal blocks, o ... ght gray 4 284-992 3 Pack. U
block gray **284-681** blue 284-684 orange 284-682 light gray 4 284-993 3 Pack. Unit 25 25 25 25 2-condu...
lang:en score:12 filesize: 519.87 K page_count: 5 document date: 2015-06-10

[\[pdf\]](#) Instructions Accessories

wago Tomek ZŁĄCZKA 3 PRZEWODOWA PE 10MM2 ŻÓŁTO ZIELONA 284 687 WAGO zlaczka zolto zielona1 elektrykasklep pl file 317578 |||

880 Series Features With/without shield contact Features r 2-, 3- and 4-conductor terminal blocks, o ... ght gray 4 284-992 3 Pack. U
block gray **284-681** blue 284-684 orange 284-682 light gray 4 284-993 3 Pack. Unit 25 25 25 25 2-condu...
lang:en score:12 filesize: 519.87 K page count: 5 document date: 2015-06-23


[\[pdf\]](#) Instructions Accessories

wago Tomek MOSTEK POPRZECZNY Z IZOLACJĄ 57A SZARY OPK 25SZT 284 402 WAGO mostek poprzeczny elektrykasklep.pl file 314708 |||

880 Series Features With/without shield contact Features r 2-, 3- and 4-conductor terminal blocks, o ... ght gray 4 284-992 3 Pack. U
block gray **284-681** blue 284-684 orange 284-682 light gray 4 284-993 3 Pack. Unit 25 25 25 25 2-condu...
lang:en score:12 filesize: 519.87 K page_count: 5 document date: 2015-06-16


[\[pdf\]](#) Datasheet

Datasheet 537140 WAGO 284 682 Continuity 10 mm Pull spring Orange 25 pc s 4044918447454 datasheet wago continuity pull orange pcs asset conrad media1C
3-CONDUCTOR THROUGH TERMINAL BLOCK CENTRE MARKING for DIN 35 rail **284-681** PDF Datasheet 1992 - 2011 CADENA
BLOCK CENTRE MARKING for DIN 35 rail **284-681** PDF Datasheet 1992 - 2011 CADENAS GmbH ITEM-NO. ITEM-NO. Cross sec:
lang:en score:12 filesize: 1.16 M page_count: 2 document date: 2011-09-19




[\[pdf\]](#) Datasheet

WAGO 284 993 Continuity 10 mm Pull spring Configuration L Grey 25 pc s Conrad datasheet 537156 wago continuity pull configuration l grey pcs asset conrad me 3-CONDUCTOR THROUGH TERMINAL BLOCK CENTRE MARKING for DIN 35 rail **284-681** PDF Datasheet 1992 - 2011 CADENA BLOCK CENTRE MARKING for DIN 35 rail **284-681** PDF Datasheet 1992 - 2011 CADENAS GmbH ITEM-NO. ITEM-NO. Cross sec lang:nl score:12 filesize: 1.13 M page_count: 2 document date: 2011-09-19



[\[pdf\]](#) Datasheet

Datasheet 537141 WAGO 284 684 Continuity 10 mm Pull spring Configuration N Blue 25 pc s 4044918447485 datasheet wago continuity pull configuration n blue 3-CONDUCTOR THROUGH TERMINAL BLOCK CENTRE MARKING for DIN 35 rail **284-681** PDF Datasheet 1992 - 2011 CADENA BLOCK CENTRE MARKING for DIN 35 rail **284-681** PDF Datasheet 1992 - 2011 CADENAS GmbH ITEM-NO. ITEM-NO. Cross sec lang:en score:12 filesize: 1.15 M page_count: 2 document date: 2011-09-19



[\[pdf\]](#) Datasheet

284 681 Iramon Datasheet 0 42MB Rail Terminal Block 3 Wire 10mm Grey PA66 MM Electrical Merchandising Wago media mmem au Datasheets ||| PDF DATASHEET 1992 - 2011 CADENAS GmbH PDF DATASHEET 1992 - 2011 CADENAS GmbH # 0 1 0 1 ... lang:i-klngon score:12 filesize: 412.83 K page_count: 2 document date: 2015-07-10