Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

XIHADA ML999-05

XIHADA Universal Garage Door Opener Remote Cloner

MODEL: ML999-05

Brand: XIHADA

Product Overview

The XIHADA Universal Remote Cloner is designed to replace your original garage door and gate opener remotes. It features 4 independent buttons, allowing you to pair and control up to four different doors or gates separately. This compact remote supports a wide range of frequencies from 280MHz to 868MHz, making it compatible with most major brands and models of dip switches, fixed code, and rolling code systems.

The duplicator for copy rolling code remote

Brand	model	Brand	model
ACM	TX2, TX2 COLOR, TX4	LABEL	SPYCO
ADYX	TE4433H BLUE, 433-HG BRAVO	LIFE	FIDO
AERF	COMPACT, HY-DOM, MERCURI B, MERCURI C, ABUTON, MARS, SATURN, ST3/N, TERRA, TMP-1, TMP-2, UNITECH	LINEAR	MCT-11, ACT-21, ACT-22, STING RAY ACT-31, STING RAY ACT-34B
ALLMATIC	BROWN, BROWN RED, BRO.OVER, PASS, MINIPASS, TECH3	MERLIN	2.0 E945M, E943M, E940M MERLIN/PROLIFT C945, C940, C943, M842, M844
APERIO	GO, GO PRO, GO MINI APERTO (Sommer) 4020-TX03-434, TX02-434-2, TX02-868-2	MHOUSE	TX3, TX4, GTX4
APRIMATIC	TR, TM4, TXM	MOOVO	MT4G
ATA	PTX4 BLU, PTX4 PINK	NICE	SMILO, FLOR-S, VERY-VR, FLOR-S ERA . ONE (ON), ON ERA, INTI, ERGO, PLANO, ONE (ON FM)
AVIDSEN	104251, 104250, 104250 OLD, 104250 RED, 104257, 104350, 654250 BALLAN FM400, FM400E	NORTON	NEO, TXCD GO NORTON, GO MINI NORTON
BENINCA	TO. GO. WV, TWV, ROLLKEY, APPLE, LOT WCV, CUPIDO, TO.GO. QV,IO	NOVOFERM	MCHS, MICRO-NOVOTRON 502, MINI-NOVOTRON 504, MICRO-NOVOTRON 502, MICRO-NOVOTRON 504, MICRO-NOVOTRON 31, MICRO-NOVOTRON 51, MINI-NOVOTRON 30, MINI-NOVOTRON 50, MNHS
BFT	MITTO, MITTO M, MITTO RCB, MITTO A, TRC, GHIBLI, MURALE, KLEIO	O&O	TX, T.COM R4-2, T.COM R8-2, TWIN, TX (NEO)
CARDIN	TRQ S449, TRQ S449 GREEN (PRECODE), TXQ S449, TXQ S449 GREEN, TRQ S486, TXQ S486, S437 TX, XRADO	PECCININ	TX MENBRANA
CASALI	JA33 AMIGO GENIUS/CASALI A252RC	PRASTEL	MTE, MPSTLE, MPSTP2E, TCE, BFOR, TRQ-P, SLIM-E
CHAMBERLAIN/ LIFT MASTER/ MOTOR LIFT	953ESTD, 371 LM, 971LM, 84330E, 94334CE, 94333E/94334E/94335E, 9747E, 1A5639-7, 1A5477, 1A6487, 132B2372, 94330EML/9333EML/94335EML, 84330EML/84333EML/84335EML, 8747EML	PUJOL	TWIN, VARIO, VARIO MARS, VARIO OCEAN, NEO
CLEMSA	MUTANCODE, T, T-8, E-CODE N MASTERCODE MV	RIB	LITHIO
DASPI	ZERO RC	ROPER	NEO ,GO ROPER, GO MINI ROPER\ SABUTOM BROOVER, BROSTAR
DEA	SYSTEM PUNTO 278, GOLDR, GENIE R 273	SEA	HEAD, SMART DUAL ROLL, SMART-3 ROLLING CODE, COCCINELLA ROLL
DITEC	BIXLP, GOL4, BIXLG	SEAV	BE HAPPY RS
DOORHAN	TRANSMITTER 4	SECULUX	NEO
DOORMATIC	MILENY, MILENY-EVO	SILVELOX	Mhz 2007, QUARZ SAW
ECOSTAR	RSC, RSE, RSZ	SIMINOR	CVXNL, MITTO ,SIM433
ERREKA	IRIS, ROLLER 2, ROLLER 433, ROLLER 868, SOL433, SOL868, VEGA 433, VEGA 868	SOMFY	K-EASY, K-EASY NEW, K-EASY OLD, MITTO, KEY GO RTS, TELIS RTS, KEYTIS RTS, KEYTIS RTS NS, ALARMA
FAAC	TML 433SLH, DL 868 SLH, XT 868 SLH, XT 433 SLH, T 868 SLH, T 433 SLH, XT 868 SLH BLACK, XT 433 SLH BLACK,XT 433 RC, TE433HG, XT4 433 RCBE	SOMMER	4010, 4011, 4014 TX03-434-2, 4013 TX03-434-4, 4020 TX03-868-4, 4026 TX03-868-2, 4022 TX02-434-2, 4025 TX02-868-2, 4031 TX08-868-4 .
FADINI	JUBI-SMALL, JUBI 433	STAGNOLI	KALLISTO, VENUS AV223
GENIE	GITR-3, GIT, GICT390, GIFT390-1, G3T-BX, G1T-BX, GM3T, GICTD, GIFTD	TAU	250K-SLIMRP, 250K-SLIMR, 250T-4RP
GENIUS	AMIGOLD, AMIGO, KILO BRAVO, ECHO	TELCOMA	FM400E, FM400
GIBIDI	AU1600, AU1600 WOOD, AU1680, AU1680 WOOD, DOMINO	TOR LIFT	TORMIT4
JCM	NEO, TWIN ,GO, GO PORTIS, GO NORTON, KBLUE ETH-TEL01	V2	TSC, TXC, TRC, HANDY, PHOENIX, PHOX 433
KEY	900TXB-42R, TXB 44R, SUB 44R .KING GATES CLIPPER, STYLO KLING KUA, KUA E, KUA S	VDS	ECO-R, TRQ P

Image: The XIHADA Universal Remote in various usage scenarios, demonstrating its ability to control multiple types of gates and garage doors.

Compatibility Information

Before purchasing and programming, please verify the compatibility of your existing garage door or gate opener remote with the XIHADA Universal Remote. This device is designed to clone most major brands and models. Your original remote must be functional for successful cloning.

Compatible Brands and Models:

The XIHADA Universal Remote is compatible with a broad range of brands and models, including those using dip

switches, fixed code, and rolling code technologies. For a detailed list, please refer to the compatibility tables below. If your brand or model is not explicitly listed, please consult the manufacturer's website or support for further assistance.

The duplicator for copy rolling code remote

Brand	model	Brand	model
ACM	TX2, TX2 COLOR, TX4	KLING	KUA, KUA E, KUA S
ADYX	TE4433H BLUE, 433-HG BRAVO	LABEL	SPYCO
AERF	COMPACT, HY-DOM, MERCURIB, MERCURIC, SABUTON, MARS, SATURN, ST3/N, TERRA, TMP-1, TMP-2, UNITECH	LIFE	FIDO
ALLMATIC	BROWN, BROWN RED, BRO. OVER, PASS, MINIPASS, TECH3	LINEAR	MCT-11, ACT-21, ACT-22, STING RAY ACT-31, STING RAY ACT-34B
APERIO	GO, GO PRO, GO MINI APERTO (Sommer) 4020-TX03-434, TX02-434-2, TX02-868-2	MERLIN 2.0	E945M, E943M, E940M
APRIMATIC	TR, TM4, TXM	MERLIN/PROLIFT	C945, C940, C943, M842, M844
ATA	PTX4 BLU, PTX4 PINK	MHOUSE	TX3, TX4, GTX4
AVIDSEN	104251, 104250, 104250 OLD, 104250 RED, 104257, 104350, 654250	MOOVO	MT4G
BALLAN	FM400, FM400E	NICE	SMILO, FLOR-S, VERY-VR, FLOR-S ERA ONE (ON), ON ERA, INTI, ERGO, PLANO, ONE (ON FM)
BENINCA	TO. GO. WV, TWV, ROLLKEY, APPLE, LOT WCV, CUPIDO, TO. GO. QV, IO	NORTON	NEO, TXCD, GO NORTON, GO MINI NORTON
BFT	MITTO, MITTO M, MITTO RCB, MITTO A, TRC, GHIBLI, MURALE, KLEIO	NOVOFERM	MCHS, MICRO-NOVOTRON 502, MINI-NOVOTRON 504, MICRO-NOVOTRON 502, MICRO-NOVOTRON 504, MICRO-NOVOTRON 31, MICRO-NOVOTRON 51, MINI-NOVOTRON 30, MINI-NOVOTRON 50, MNHS
CARDIN	TRQ S449, TRQ S449 GREEN (PRECODE), TXQ S449, TXQ S449 GREEN, TRQ S486, TXQ S486, S437TX, XRADO	O&O	TX, T. COMR4-2, T. COMR8-2, TWIN, TXI (NEO)
CASALI	GENIUS/CASALI A252RC	PECCININ	TX MENBRANA

Image: Page 1 of the compatibility list, showing various brands and models that are compatible with the XIHADA Universal Remote.

CHAMBERLAIN LIFT MASTER/ MOTOR LIFT	953ESTD, 371LM, 971LM, 84330E, 94334CE, 94333E/94334E/94335E, 9747E, 1A5639-7, 1A5477, 1A6487, 132B2372, 94330EML/9333EML/94335EML, 84330EML/84333EML/84335EML, 8747EML	PRASTEL	MTE, MPSTLE, MPSTP2E, TCE, BFOR, TRQ-P, SLIM-E
CLEMSA	MUTANCODE, T, T-8, E-CODE N MASTERCODE MV (FIXED CODE)	PUJOL	TWIN, VARIO, VARIO MARS, VARIO OCEAN, NEO
DASPI	ZERO RC	RIB	LITHIO
DEA SYSTEM	PUNTO 278, GOLDR, GENIE R 273, GENIE R-GT2N, MIO TR, GT2M, TRN	ROPER	NEO, GO ROPER, GO MINI ROPER
DITEC	BIXLP, GOL4, BIXLG	SABUTOM	BROOVER, BROSTAR
DOORHAN	TRANSMITTER 4	SEA	HEAD, SMART DUAL ROLL, SMART-3ROLLING CODE, COCCINELLA ROLL
DOORMATIC	MILENY, MILENY-EVO	SEAV	BE HAPPY RS
ECOSTAR	RSC, RSE, RSZ	SECULUX	NEO
ERREKA	IRIS, ROLLER 2, ROLLER433, ROLLER 368, SOL433, SOL868, VEGA 433, VEGA 868	SILVELOX	Mhz 2007, QUARZ SAW
FAAC	TML433SLH, DL868 SLH, XT 868 SLH, XT 433 SLH, T 868 SLH, T 433 SLH, XT 868 SLH BLACK, XT 433 SLH BLACK, XT 433 RC, TE433HG, XT4 433 RCBE	SIMINOR	CVXNL, MITTO, SIM433
FADINI	JUBI-SMALL, JUBI433	SOMFY	K-EASY, K-EASY NEW, K-EASY OLD, MITTO, KEY GO RTS, TELIS RTS, KEYTIS RTS, KEYTIS RTS NS, ALARMA
GENIE	G1TR-3, G1T, G1CT390, G1FT390-1, G3T-BX, G1T-BX, GM3T, G1CTD, G1FTD	SOMMER	4010, 4011, 4014TX03-434-2, 4013TX03-434-4, 4020 TX03-868-4, 4026TX03-868-2, 4022TX02-434-2, 4025 TX02-868-2, 4031TXC8-868-4
GENIUS	AMIGOLD, AMIGO, KILO BRAVO, ECHO	STAGNOLI	KALLISTO, VENUS AV223
GIBIDI	AU1600, AU1600 WOOD, AU1680, AU1680 WOOD, DOMINO	TAU	250K-SLIMRP, 250K-SLIMR, 250T-4RP
JCM	NEO, TWIN, GO, GO PORTIS, GO NORTON	TELCOMA	FM400E, FM400
KBLUE	ETH-TEL01	TORLIFT	TORMIT4
KEY	900TXB-42R, TXB 44R, SUB 44R	V2	TSC, TXC, TRC, HANDY, PHOENIX, PHOX 433
KING GATES	CLIPPER, STYLO	VDS	ECO-R, TRQ P

Image: Page 2 of the compatibility list, providing additional compatible brands and models for the XIHADA Universal Remote.

Non-Compatible Brands and Models:

The following brands and models are generally not compatible with the XIHADA Universal Remote. Please review this list

carefully to avoid compatibility issues:

- Chamberlain / Liftmaster Security 2.0, 2.0+ Garage Door Opener
- Chamberlain Garage door Opener with MYQ / Liftmaster Garage Door Opener with MYQ / AccessMaster Garage with MYQ
- LiftMaster 8500W Garage Door Opener, Liftmaster 892LT, LiftMaster 811LMX, LiftMaster 893LM
- Chamberlain B 6713T Garage Opener / Chamberlain B 6753T Smart Garage Opener
- Genie Pro Screw Drive
- Condo's garage door opener, Ryobi, Softens Doors, Blue Sea, Allister, Amarr, Atoms, Doorking/DKS, Lynx, Merik, Stanley, Skylink, Wayne Dalton, Martin, Saco Gate Opener.




Image: A table listing specific brands and models that are not compatible with the XIHADA Universal Remote.

Setup and Programming

The XIHADA Universal Remote is designed for simple programming. Follow the steps below to clone your existing remote. Note that your original remote must be working to transfer its codes.

Programming Steps (Direct Cloning for Rolling Code Remotes):

1. **Clear Existing Codes:** Hold down button 1 and press button 2 four times. Release both buttons. The LED on the universal remote will emit a quick flash every 2 seconds, indicating it is ready to learn codes.
2. **Position Remotes:** Place your original remote very close to the universal remote, or have them face-to-face (about 2-3 cm apart).
3. **Initiate Cloning:** Hold down the button on your original remote that you wish to copy. The LED on the universal remote will start to flash quickly, indicating it is learning codes.
4. **Store Code:** While the universal remote's LED is flashing, press any button on the universal remote where you want to store the copied code. The LED will turn off once the code is successfully stored.

Additional Step for Garage Door Openers (Learning Button):

For some garage door openers, an additional step involving the opener's "LEARN" button is required after direct cloning:

5. **Activate Learn Mode:** On your garage door opener (the mechanical unit that opens the door), press the "LEARN" button. The LED on your garage door opener should turn ON.
6. **Confirm Programming:** Immediately press the same button you programmed on the universal remote. The lights on your garage door opener should either flash or go on/off, depending on the brand of the opener, confirming successful programming.
7. You can now use the universal remote to open your garage door.




Image: A visual guide illustrating the steps for cloning an existing remote to the XIHADA Universal Remote.

Programming Video Tutorial:

[redacted]

Video: Detailed programming and duplication instructions for the XIHADA Universal Remote. This video demonstrates the step-by-step process for cloning your existing remote.

Operating Instructions

Once programmed, the XIHADA Universal Remote operates similarly to your original remote. Each of the four buttons can control a different device (garage door, gate, etc.).

- **Opening/Closing:** Press the programmed button corresponding to the desired garage door or gate.
- **Range:** The remote has a maximum operating range of approximately 50 feet. Optimal performance may vary based on environmental factors and the receiver's location.

Brands & Models Not Compatible with XIHADA

1	Chamberlain / Liftmaster Security 2.0 Garage Door Opener	2	Chamberlain / Liftmaster 2.0+ Garage Door Opener
3	Chamberlain Garage door Opener with MYQ System	4	Liftmaster Garage Door Opener with MYQ System
5	LiftMaster 8500W Garage Door Opener	6	Liftmaster 892 LT
7	LiftMaster 811 LMX	8	LiftMaster 893 LM
9	Chamberlain B 6713T Garage Door Opener	10	Chamberlain B 6753T Smart Garage Door Opener
11	Genie Pro Screw Drive	12	AccessMaster garage with MyQ
13	Door king System / DKS Gate Opener	14	Stanley
15	Condo's garage door opener	16	Ryobi
17	Softens Doors	18	Blue Sea
19	Allister	20	Amarr
21	Atoms	22	Merik
23	Lynx	24	Skylink
25	Wayne Dalton	26	Martin
27	Saco Gate Opener		

Image: A hand holding the XIHADA Universal Remote, with a garage door opening in the background, illustrating typical operation.



Image: A close-up view of the XIHADA Universal Remote, highlighting its four distinct buttons labeled Key 1 through Key 4.

Product in Action Video:

[redacted]

Video: This video demonstrates the XIHADA Universal Remote controlling multiple garage doors and gate openers, showcasing its versatility.

Maintenance

Battery Replacement:

The XIHADA Universal Remote uses one CR2032 battery (included). When the remote's range decreases or it stops responding, it may be time to replace the battery.

1. Carefully open the remote casing.
2. Remove the old CR2032 battery.
3. Insert a new CR2032 battery, ensuring correct polarity.
4. Close the remote casing securely.



Image: A diagram illustrating the location and type of battery (CR2032) used in the XIHADA Universal Remote.

Troubleshooting

- **Remote Not Programming:**
  - Ensure your original remote is fully functional and has a strong battery.
  - Verify that your original remote's brand and model are listed as compatible (refer to the Compatibility section).
  - Make sure the universal remote's LED flashes quickly after clearing codes, indicating it's in learning mode.
  - Ensure the remotes are placed very close to each other (2-3 cm) during the cloning process.
  - For garage door openers, remember the additional step of pressing the "LEARN" button on the opener unit.
- **Limited Range:**
  - Replace the CR2032 battery in the universal remote.
  - Ensure there are no obstructions between the remote and the receiver.
- **Accidental Button Presses:** The remote features tactile buttons designed to prevent accidental activation. However, ensure it is stored in a way that minimizes pressure on the buttons.

Specifications

Brand	XIHADA
Model Name	ML999-05
Special Feature	Universal Cloning
Max Number of Supported Devices	4
Compatible Devices	Garage Door, Gate Openers
Connectivity Technology	Radio Frequency (280MHz-868MHz)
Button Quantity	4
Maximum Range	50 Feet
Battery Type	1 x CR2032 (included)
Item Weight	27.22 g

Item Dimensions (L x W x H)	2.36"L x 1.38"W x 0.39"H



Image: A visual representation of the XIHADA Universal Remote with its dimensions labeled.

Warranty and Support

This XIHADA Universal Remote Cloner comes with a**1-Year Manufacturer Warranty**. For any support inquiries, troubleshooting assistance, or warranty claims, please contact the manufacturer, Xiamen Xihada Information Technology Co., Ltd, through your purchase platform or their official support channels.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for

conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07QXNSTX3

More documents and user manuals: **https://manuals.plus/**