

ALINCO EBP-87

ALINCO EBP-87 Li-ion Battery Pack Instruction Manual

Model: EBP-87

1. INTRODUCTION

This instruction manual provides essential information for the safe and effective use of your ALINCO EBP-87 Li-ion Battery Pack. The EBP-87 is a 7.4V, 1500mAh (11.1Wh) Lithium-ion battery designed for use with various ALINCO radio models, including DJ-A10, DJ0140, DJ-100, DJ-500, DJ-MD5T, and DJ-MD5TGP. Please read this manual thoroughly before using the battery pack to ensure proper operation and to prevent damage or injury.

2. SAFETY INFORMATION AND WARNINGS

Your safety is paramount. Please observe the following warnings and precautions to prevent fire, electric shock, injury, or damage to the battery pack or associated equipment.

Important Safety Precautions:

- **DO NOT DISASSEMBLE:** Attempting to disassemble the battery pack can lead to short circuits, fire, or exposure to hazardous materials.
- **DO NOT DISPOSE IN FIRE:** Lithium-ion batteries can explode or ignite when exposed to fire.
- **DO NOT CHARGE OR CHARGE THE BATTERY IN HAZARDOUS LOCATIONS:** Charging should only occur in safe, well-ventilated areas, away from flammable materials.
- **DO NOT SHORT CIRCUIT THE TERMINALS:** Avoid contact between the battery terminals and metallic objects, as this can cause short circuits, overheating, and fire.
- **CHARGE THE BATTERY PACK ONLY WITH ALINCO SPECIFIED CHARGERS:** Using unauthorized chargers can damage the battery, lead to overheating, or cause fire.
- **Limited Charge Voltage:** The maximum charge voltage for this battery is 8.4V. Do not exceed this voltage.
- **Charging Temperature Range:** Charge the battery only within the temperature range of 5°C to 40°C (41°F to 104°F). Charging outside this range can reduce battery life or cause damage.
- Keep the battery away from water, moisture, and extreme temperatures.

- If the battery pack shows signs of damage, swelling, or leakage, discontinue use immediately and dispose of it properly.

3. PRODUCT OVERVIEW

The ALINCO EBP-87 is a robust Li-ion battery pack designed for reliable power to your compatible ALINCO devices. Below are images illustrating the battery pack's features.



Figure 3.1: Front view of the ALINCO EBP-87 Li-ion Battery Pack. The label clearly displays the model number (EBP-87), voltage (DC7.4V), capacity (1500mAh, 11.1Wh), and critical safety warnings regarding disassembly, disposal, charging, and short-circuiting. It also indicates the charging temperature range and the requirement to use ALINCO specified chargers. The battery features two gold-plated contact points for connection to the device.



Figure 3.2: Rear view of the ALINCO EBP-87 Li-ion Battery Pack. This side shows the three main connection terminals: negative (-), temperature (T), and positive (+). These terminals facilitate charging and power delivery to the compatible radio device. Two screw holes are visible at the top for secure attachment to the radio.

4. SETUP AND INSTALLATION

Follow these steps to properly install the EBP-87 battery pack into your compatible ALINCO radio.

1. Ensure your ALINCO radio is powered off before attempting to install or remove the battery pack.
2. Locate the battery compartment on the back of your radio.
3. Align the battery pack with the compartment, ensuring the metal contacts on the battery align with the corresponding terminals on the radio.
4. Gently slide the battery pack into the compartment until it clicks securely into place. Some models may require fastening with screws (refer to your radio's specific manual).
5. Verify that the battery pack is firmly seated and does not wobble.

5. OPERATING THE BATTERY PACK (CHARGING AND USAGE)

To maximize the performance and lifespan of your EBP-87 battery pack, adhere to the following guidelines for charging and usage.

Charging:

- Always use an ALINCO specified charger for the EBP-87 battery pack. Using third-party chargers may damage the battery and void its warranty.
- Connect the charger to a power source and then connect the battery pack (or the radio with the battery installed) to the charger.
- Observe the charging indicator on your charger or radio. Charging times may vary depending on the charger model and the battery's remaining capacity.
- Do not overcharge the battery. Once fully charged, disconnect it from the charger.
- Charge the battery within the recommended temperature range of 5°C to 40°C (41°F to 104°F).

Usage:

- The EBP-87 provides 7.4V of power. Ensure your device is compatible with this voltage.
- Avoid completely draining the battery pack regularly, as this can shorten its lifespan. It is generally better to recharge Li-ion batteries before they are fully depleted.
- If the radio indicates low battery, recharge the pack as soon as possible.
- Operating the radio in extremely cold or hot environments may temporarily affect battery performance.

6. MAINTENANCE AND STORAGE

Proper maintenance and storage will help extend the life of your EBP-87 battery pack.

- **Cleaning:** Use a soft, dry cloth to clean the battery pack and its terminals. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** If storing the battery for an extended period, charge it to approximately 50-70% capacity. Store it in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Avoid Full Discharge:** Do not store the battery in a fully discharged state, as this can lead to irreversible damage.
- **Regular Use:** For optimal performance, use and recharge the battery periodically, even if not in regular use.

7. TROUBLESHOOTING

If you encounter issues with your EBP-87 battery pack, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Battery not charging.	• Charger not connected properly. • Faulty charger. • Battery terminals are dirty. • Battery is too hot or too cold. • Battery is damaged.	• Ensure charger is securely plugged in and connected to the battery/radio. • Try a different ALINCO specified charger if available. • Clean battery terminals with a dry cloth. • Move battery to a room temperature environment (5°C to 40°C) and try again. • If damaged, replace the battery.
Short operating time after full charge.	• Battery nearing end of its lifespan. • Operating in extreme temperatures. • Heavy usage (e.g., continuous transmission).	• Consider replacing the battery if it's old. • Operate within recommended temperature ranges. • Reduce continuous heavy usage if possible.
Battery feels hot during charging/use.	• Normal during charging, but excessive heat is a concern. • Faulty charger. • Internal battery issue.	• Disconnect immediately. • Ensure charging is within temperature limits. • Use only ALINCO specified chargers. • If excessive heat persists, discontinue use and replace the battery.

If the problem persists after trying these solutions, please contact ALINCO customer support or your authorized dealer.

8. SPECIFICATIONS

Key technical specifications for the ALINCO EBP-87 Li-ion Battery Pack:

Model Number	EBP-87
Battery Type	Lithium-ion (Li-ion)
Nominal Voltage	7.4 Volts (DC7.4V)
Capacity	1500 mAh (Milliamp Hours)
Energy	11.1 Wh (Watt-hours)
Limited Charge Voltage	8.4 Volts
Charging Temperature Range	5°C to 40°C (41°F to 104°F)

Compatible ALINCO Models	DJ-A10, DJ0140, DJ-100, DJ-500, DJ-MD5T, DJ-MD5TGP
Item Weight	3.2 ounces
Manufacturer	Alinco

9. WARRANTY AND SUPPORT

For information regarding the warranty period and terms for your ALINCO EBP-87 Li-ion Battery Pack, please refer to the warranty card included with your product or visit the official ALINCO website. Warranty coverage typically addresses manufacturing defects.


For technical support, service, or inquiries about compatible accessories, please contact your authorized ALINCO dealer or the ALINCO customer service department directly. Contact information can usually be found on the ALINCO official website or in the documentation provided with your radio device.

Note: The product description mentions optional protection plans available for purchase. These are separate from the manufacturer's standard warranty and offer extended coverage. Please review the terms of any such plans carefully.

© 2024 ALINCO. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - EBP-87

	ALINCO DJ-F1, DJ-S1, DJ-F4, DJ-S4 Series Instruction Manual Instruction manual for ALINCO DJ-F1, DJ-S1, DJ-F4, and DJ-S4 series VHF/UHF FM handheld transceivers, covering specifications, operation, controls, and accessories.
	Alinco DJ-V17T/E/R/TFH VHF FM Transceiver Instruction Manual Comprehensive instruction manual for the Alinco DJ-V17T/E/R/TFH VHF FM Transceiver, covering features, operation, safety, and maintenance.
	Alinco DJ-175 T/E/TFH VHF FM Transceiver Instruction Manual User manual for the Alinco DJ-175 T/E/TFH VHF FM Transceiver, providing essential safety, operating instructions, and specifications for optimal use.

	Alinco DJ-S41T/T2/(J)/(G) EC10 & DJ-S11T/E Service Manual Comprehensive service manual for Alinco DJ-S41T/T2/(J)/(G) EC10 and DJ-S11T/E two-way radio transceivers. Includes detailed specifications, circuit descriptions, semiconductor data, exploded views, parts lists, adjustment procedures, PC board views, and circuit diagrams.
	ALINCO DJ-S45 CQ/T/E UHF FM Transceiver Instruction Manual Comprehensive instruction manual for the ALINCO DJ-S45 CQ/T/E UHF FM Transceiver, covering functions, features, operation, and maintenance.
	Alinco DJ-V17/V27/V47 Transceiver Instruction Manual Comprehensive instruction manual for Alinco DJ-V17, DJ-V27, and DJ-V47 transceivers, covering features, operation, installation, maintenance, and specifications.

Documents - ALINCO – EBP-87



[\[pdf\]](#) User Manual

DJ 446 4 26 indd Alinco A446 Instruction manual 7340726 archive org manualzilla id

A1.0-13/04 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku, Osaka 541-0043 Japan Ph ... PF2key to confirm and exit. 16 Professional FM Transceiver OPTIONAL ACCESSORIES EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en score:39 filesize: 1.13 M page_count: 40 document date: 2014-03-18



[\[pdf\]](#) User Manual Instructions

PNI DJ 500 Emypni eu products 9161 manuals EN Alinco Twinband VHF UHF Handheld Transceiver


Unicom Radiodj500 2inswebPNI Eunicomradio 2023 11 dj500 2inswebmynpi Instructions 1 3 MBAlinco

500T Dual Band Transceivers DX EngineeringAlinco Radioalo dj 500tdj500 Estatic dxengineering global

images instructions alo 500tunicomradio |||

A1.131121 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku, Osaka 541-0043 Japan Pho ... Auto Orange 1750Hz 1:2 ON OPTIONAL ACCESSORIES EA-228 VHF/UHF FM radio Antenna EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en score:34 filesize: 1.4 M page_count: 69 document date: 2013-11-21



[\[pdf\]](#) User Manual

VHF UHF DUAL BAND DIGITAL TRANSCEIVER DJ MD5 ALINCO 5 Notice RADIO FREQUENCY ENERGY SAFETY INFORMATION This Alinco transceiver has been tested and complies with the standards listed below in regards to Radio Frequency RF energy electromagnetic EME generated by manual alinco files Instruction Business |||

VHF/UHF DUAL BAND DIGITAL TRANSCEIVER DJ-MD5 User Manual DJ-MD5 Thank you for purchasing your new Al ... nlock. 20 4 Options EME-56A Earphone Microphone EMS-76 Speaker Microphone Spares: EA-228 EBC-34 **EBP-87** EBP-88 EDC-189A EDC-191E EDC-191T ERW-21 Antenna Belt Clip Li-ion Battery Pack DC 7.4V 1500...

lang:en **score:34** filesize: 1.83 M page_count: 52 document date: 2021-01-12




[\[pdf\]](#) User Manual

dj500te new manual Alinco Inc ALINCO INC Thank you for purchasing your transceiver Please read this carefully before using the product to ensure full performance and keep future reference as it contains information on after sales service In case addendum or errata sheets are included with please dj500 2insweb rigpix alinco files Instruction Handheld 80

A1.131121 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku, Osaka 541-0043 Japan Pho ... Auto Orange 1750Hz 1:2 ON OPTIONAL ACCESSORIES EA-228 VHF/UHF FM radio Antenna EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...


lang:en **score:32** filesize: 1.4 M page_count: 69 document date: 2013-11-21



[\[pdf\]](#) User Manual

DJ G46 10 mars 2024 — Instruction Manual UHF FM Transceiver the battery when radio displays low please charge Slide or transceiver remtronix index dispatch attachments getfile attachment id 85 ||| GMRS TRANSCEIVER UHF FM Transceiver DJ-G46 Instruction Manual Thank you for purchasing your new Al ... ofessional FM Transceiver STANDARD ACCESSORIES/OPTIONAL ACCESSORIES Standard Accessories Battery **EBP-87** Battery Charger EDC-314 AC Adaptor EDC-191T Belt Clip EBC-34 Instruction Manual Hand Str...

lang:en **score:31** filesize: 530.93 K page_count: 51 document date: 2023-09-19




[\[pdf\]](#) User Manual Instructions

Vhf Uhf Dual Band Digital Transceiver Dj md5 User Manual Thank you for purchasing your new Alinco transceiver Please read this manual carefully before using the product to ensure full performance and keep future reference as it contains information on after sales service In case addendum or errata sheets are included with please those alo dj md5tp kd static dxengineering global images instructions VHF UHF DUAL BAND DIGITAL TRANSCEIVER DJ MD5 180731 t1 daumcdn net cfile blog 997354365CEE096104 cfile207 uf daum attach 997354365CEE096104F09

VHF/UHF DUAL BAND DIGITAL TRANSCEIVER DJ-MD5 User Manual DJ-MD5 Thank you for purchasing your new Al ... nlock. 20 4 Options EME-56A Earphone Microphone EMS-76 Speaker Microphone Spares: EA-228 EBC-34 **EBP-87** EBP-88 EDC-189A EDC-191E EDC-191T ERW-21 Antenna Belt Clip Li-ion Battery Pack DC 7.4V 1500...

lang:en **score:31** filesize: 1.4 M page_count: 24 document date: 2018-08-17




[\[pdf\]](#) User Manual Declaration of Conformity

Alinco DJ A11 A41 A36 manual List of user manuals tehnoturg ee pub media |||

VHF FM Transceiver UHF FM Transceiver Instruction Manual Thank you for purchasing your new Alinco tr ... ler programming. 26 Professional FM Transceiver OPTIONAL ACCESSORIES EA-211 EA-212 EA-218 EBC-34 **EBP-87** EBP-88 EDC-189 EDC-190E EDC-191E EDC-191T EME-56A EMS-76 VHF FM radio Antenna DJ-A11 UHF ...


lang:en **score:30** filesize: 511.39 K page_count: 55 document date: 2021-01-13



[\[pdf\]](#) User Manual

DJ MD5 Rigpix Thank you for purchasing your new Alinco transceiver MODEL 3070C DJMD5 Hereby ALINCO INC declares that the radio equipment type djmd5 manual rigpix alinco VHF/UHF DUAL BAND DIGITAL TRANSCEIVER DJ-MD5 User Manual DJ-MD5 Thank you for purchasing your new Al ... nlock. 20 4 Options EME-56A Earphone Microphone EMS-76 Speaker Microphone Spares: EA-228 EBC-34 **EBP-87** EBP-88 EDC-189A EDC-191E EDC-191T ERW-21 Antenna Belt Clip Li-ion Battery Pack DC 7.4V 1500...


lang:en **score:29** filesize: 1.41 M page_count: 24 document date: 2019-07-28



[\[pdf\]](#) User Manual

ALINCO INC Copyright Alinco Inc PS0800 FNEG EF Printed in China Please read this manual carefully before using the product to ensure full performance and keep for DJ 500TB Users Manual Division ph3dj 500tb ex 1 15 electric garden alinco division ph3 manuals A1.131121 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku, Osaka 541-0043 Japan Pho ... Auto Orange 1750Hz 1:2 ON OPTIONAL ACCESSORIES EA-228 VHF/UHF FM radio Antenna EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en **score:29** filesize: 1.38 M page_count: 71 document date: 2014-08-12



[\[pdf\]](#) User Manual


ALINCO INC DJ A41 English Manual maas elektronik data shop 3314 A1.0-13/06 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku, Osaka 541-0043 Japan Ph ... OPTIONAL ACCESSORIES EA-211 VHF FM radio Antenna EA-212 UHF FM radio Antenna EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li... lang:en **score:28** filesize: 1.05 M page_count: 51 document date: 2013-09-20

[\[pdf\]](#) User Manual Instructions

Alinco Incorporated Electronics Division Form 605 and Form 159 remittance fee advice are available for ing at fcc gov formpage html Applications may be mailed to Federal alo dj g46t dnstatic dxengineering global images instructions alo dn |||

A1.230712 Alinco Incorporated, Electronics Division Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo ... 0Hz / 2100Hz by PC software. 23 Professional FM Transceiver OPTIONAL ACCESSORIES EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en **score:27** filesize: 1.34 M page_count: 53 document date: 2023-07-12





[\[pdf\]](#) User Manual

DJ MD5 DE final 2mm Buy %product title% Conrad Electronic manual 2206409 alinco 1226 dj md 5 gps

dmr vhfuhf handheld cb radio asset conrad media10 add 160267 c1 de 002206409ML00 |||

VHF/UHF-DUALBAND-DIGITAL/FMBETRIEBSFUNKGERT DJ-MD5

Bedienungsanleitung DJ-MD5 Vielen Dank dafr, dass ... ung 1.2 Optionales Zubehr

EME-56A Ohrhrermikrofon EMS-76 Lautsprechermikrofon 1.3 Ersatzteile **EBP-87**

EBP-88 EDC-189A EDC-191E EA-228 EBC-34 ERW-21 Li-Ion-Akkupack 7,4 V / 1500

mAh Li-Io...

lang:de **score:25** filesize: 1.56 M page_count: 16 document date: 2018-10-18



[\[pdf\]](#) User Manual

Alinco 1203 DJ 500E Handheld CB radio Manual 001196340ML02 asset conrad media10 add 160267 c1

en |||


VHF/UHF FM Transceiver DJ-500 Instruction Manual Thank you for purchasing your

new Alinco transceiver ... Auto Orange 1750Hz 1:2 ON OPTIONAL ACCESSORIES

EA-228 VHF/UHF FM radio Antenna EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack

DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en **score:25** filesize: 1.36 M page_count: 69 document date: 2014-05-13



[Alinco DJ-G46T UHF FM Transceiver Instruction Manual](#)

This comprehensive instruction manual guides users through the features, operation, safety, and compliance of the Alinco DJ-G46T UHF FM Transceiver. Learn about GMRS frequencies, IP54 rating, and MIL-STD-810G compliance.

lang:en **score:25** filesize: 1.34 M page_count: 53 document date: 2023-07-12



[\[pdf\]](#) User Manual

manual 2206408 alinco 1228 dj vx 50e vhfuhf handheld cb radio asset conrad media10 add 160267 c1 de

002206408ML00 |||

VHF/UHF-FM-Handfunkgert DJ-VX50HE Bedienungsanleitung Vielen Dank fr den

Kauf dieses Alinco-Handfunk ... HF-FMamateurfunkgert 37 OPTIONALES ZUBEHR

UND ERSATZTEILE EA-228 VHF/UHF- und FM-Rundfunkantenne **EBP-87** Lithium-


ionen-Akkupack DC 7,4 V/1500 mAh EBP-88 Lithium-Ionen-Akkupack DC 7,4 V/1700

mAh ...

lang:de **score:24** filesize: 3.21 M page_count: 60 document date: 2019-11-28

Datenblatt
Artikelnummer: 3307
Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheet/3307.zip>

ALINCO DJ-A-446-E Handfunkgerät PMR-446



Das Alinco DJ-A-446 ist ein vielseitiges und robustes PMR-446 Funkgerät, das sich ideal für professionelle und anspruchsvolle Anwendungen eignet. Mit seiner robusten und professionellen Bauweise (IP-54 & MIL-STD-883C) ist es bestens für den Einsatz in rauen Umgebungen geeignet. Die integrierte Sprachverstärkung (Power) sorgt für einen verlässlichen Abschlussschutz, während der eingebaute LFP-Akku (2000mAh) für ausdauernde Funkkommunikation sorgt.

Dank der bereits vorgeprogrammierten 12 Kanäle ist das Gerät sofort einsatzbereit. Die Programmierung ist zudem komfortabel mit verschiedenen Fern- und Handfunktionen, sodass es problemlos in bestehende Kommunikationssysteme integriert werden kann.

Technische Daten
PMR-446 Funkgerät
Bau- und Schutzklasse geschützt (IP-54 & MIL-STD-883C)
128 Kanäle (12 vorgeprogrammiert, 116 Kanäle fernsteuert analog, 16 Kanäle WOTX LP-4902)
Fernsteuerung mit Fernbedienung (FS-2002/2702), Maas PT-4800PT-120 und mehreren anderen Geräten
Frequenzbereich: 446 MHz


[pdf] Datasheet

Produkt ALINCO DJ A 446 E Handfunkgerät PMR 20 февр 2025 г — Das Alinco ist ein vielseitiges und robustes Funkgerät das sich ideal für professionelle anspruchsvolle Anwendungen eignet podatkovna tablica 1168927 alinco pmr radio dj a446e 3307 asset conrad media10 add 160267 c1 de 001168927DS02 |||

Datenblatt Artikelnummer: 3307 Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheet/3307.zip> r Lautsprecher Programmierkabel / 2,5 mm Buchse fr Mikrofon Stromversorgung 7,4 V DC mit Akkupack **EBP-87** im Lieferumfang enthalten Alternativ: 12 V DC Betrieb mit KFZ-Adapter EDH-40 Option Abmes... lang:de score:24 filesize: 562.08 K page_count: 2 document date: 2025-02-19

Datenblatt
Artikelnummer: 150106
Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheet/150106.zip>

ALINCO 5er Team-Set DJ-A-446 mit EMS-76 im Funkkoffer



ALINCO 5er Team-Set DJ-A-446 mit EMS-76 im Funkkoffer
Das ALINCO 5er Team-Set bietet eine vollständige Komplettlösung für professionelle Anwender, die auf eine sichere und klare Funkkommunikation angewiesen sind. Das Set umfasst fünf leistungsstarke Alinco DJ-A-446 PMR-446 Funkgeräte sowie eine EMS-76 Ladestation, die für eine klare und zuverlässige Kommunikation sorgen. Alles ist sicher und griffbereit in einem hochwertigen Koffer mit Schaumstoffpolsterung verpackt - perfekt für den Einsatz bei Veranstaltungen, Sicherheitsdiensten, Industrie, Bauwesen oder Outdoor-Aktivitäten.

Alinco DJ A-446 - Robustes PMR-446 Funkgerät mit Abschlussschutz & UKW-Radio
Das Alinco DJ-A-446 ist ein professionelles, analoges PMR-446 Funkgerät mit einer Vielzahl nützlicher Funktionen. Es bietet 128 Kanäle, eine eingebaute Sprachverstärkung (Power) für besseren Abschlussschutz sowie einen LFP-Akku (2000mAh) im Frequenzbereich 446 MHz. Dank der Schutzklasse IP54 und der Erfüllung des MIL-STD-883C Standards ist es stoß- und spritzwassergeschützt, wodurch es sich ideal für den anspruchsvollen Einsatz in rauen Umgebungen eignet.


[pdf] Datasheet

Produkt Podatkovna tablica 3386488 Alinco Team Set DJ A 446 EMS 76 150106 PMR ručna radio stanica 5 dijelni komplet MegaShop spletna trgovina Megashop hr podatkovna alinco team set dj a ems pmr rucna asset conrad media10 add 160267 c1 de 003386488DS00 |||

Datenblatt Artikelnummer: 150106 Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheet/150106.zip> r Lautsprecher Programmierkabel / 2,5 mm Buchse fr Mikrofon Stromversorgung 7,4 V DC mit Akkupack **EBP-87** im Lieferumfang enthalten Alternativ: 12 V DC Betrieb mit KFZ-Adapter EDH-40 Option Abm... lang:de score:23 filesize: 1022.55 K page_count: 3 document date: 2025-02-19

Datenblatt
Artikelnummer: 150108
Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheet/150108.zip>

ALINCO 10er Team-Set DJ-A-446 mit EMS-76 im Funkkoffer



ALINCO 10er Team-Set DJ-A-446 mit EMS-76 im Funkkoffer
Das ALINCO 10er Team-Set bietet eine vollständige Komplettlösung für professionelle Anwender, die auf eine sichere und klare Funkkommunikation angewiesen sind. Das Set umfasst zehn leistungsstarke Alinco DJ-A-446 PMR-446 Funkgeräte sowie eine EMS-76 Ladestation, die für eine klare und zuverlässige Kommunikation sorgen. Alles ist sicher und griffbereit in einem hochwertigen Koffer mit Schaumstoffpolsterung verpackt - perfekt für den Einsatz bei Veranstaltungen, Sicherheitsdiensten, Industrie, Bauwesen oder Outdoor-Aktivitäten.

Alinco DJ A-446 - Robustes PMR-446 Funkgerät mit Abschlussschutz & UKW-Radio
Das Alinco DJ-A-446 ist ein professionelles, analoges PMR-446 Funkgerät mit einer Vielzahl nützlicher Funktionen. Es bietet 128 Kanäle, eine eingebaute Sprachverstärkung (Power) für besseren Abschlussschutz sowie einen LFP-Akku (2000mAh) im Frequenzbereich 446 MHz. Dank der Schutzklasse IP54 und der Erfüllung des MIL-STD-883C Standards ist es stoß- und spritzwassergeschützt, wodurch es sich ideal für den anspruchsvollen Einsatz in rauen Umgebungen eignet.


[pdf] Datasheet

Produkt Podatkovna tablica 3386489 Alinco Team Set DJ A 446 EMS 76 150108 PMR ručna radio stanica 10 dijelni komplet MegaShop spletna trgovina Megashop hr podatkovna alinco team set dj a ems pmr rucna asset conrad media10 add 160267 c1 de 003386489DS00 |||

Datenblatt Artikelnummer: 150108 Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheet/150108.zip> r Lautsprecher Programmierkabel / 2,5 mm Buchse fr Mikrofon Stromversorgung 7,4 V DC mit Akkupack **EBP-87** im Lieferumfang enthalten Alternativ: 12 V DC Betrieb mit KFZ-Adapter EDH-40 Option Abm... lang:de score:23 filesize: 1.03 M page_count: 3 document date: 2025-02-19

Arskelnummer: 150107
Download Link för bilddata: <https://maas-elektronik.com/media/datasheet/150107.jpg>

ALINCO 10er Team-Set Dj-A-446 mit KEP-24-AL im Funkkoffer



ALINCO 10er Team-Set DJ-A-446 mit KEP-24-AL im Funkkoffer

Das ALINCO 10er Team-Set bietet eine erschwingliche Komplettlösung für professionelle Anwender, die auf eine sichere und klare Funkkommunikation angewiesen sind. Das Set umfasst zehn leistungsstarke Alinco DJ-4-44G 10W-446-Funkgeräte sowie zehn KEP-24-AL-Schallstauch-Headsets, die für diskrete und zuverlässige Kommunikation sorgen. Als ist es sicher und griffbereit in einem hochwertigen Alu-Koffer mit Schaumstofflage verstaut - perfekt für den Einsatz bei Veranstaltungen, Sicherheitsdiensten, Industrie, Bauwesen oder Outdoor-Aktivitäten.


Alinco DJ-A-445 - Robustes PMR-445 Funkgerät mit Alarmschutz & UKW-Radio

Das Alinco DJ-A44 ist ein professionelles, analoges P448-446 Funkgerät mit einer Vielzahl nützlicher Funktionen. Es bietet 120 Kanäle, eine eingebaute Sprachschlüsselung (Inverter) für besseren Abhörschutz sowie einen UKW-Radiosender im Frequenzbereich 88-108 MHz. Dank der Schutzklasse IP54 und der Erfüllung des MIL-STD-883C Standards ist es staub- und spritzwassergeschützt, wodurch es ideal für den anspruchsvollen Einsatz in rauen Umgebungen eignet.

Datenblatt

Download Link for Bildzitat: <https://www.elektronik.com/media/datasheet/150105.xls>

ALINCO Ser Team-Set DJ-A-446 mit KEP-24-AL im Funkkoffer



ALINCO Ser Team Set DJ-A-446 mit KEP-24-AL im Funkkoffer

Das ALINCO SE Team-Set bietet eine erstklassige Komplettlösung für professionelle Anwender, die auf eine sichere und klare Funkkommunikation angewiesen sind. Das Set umfasst: Ein leistungsstarke Alinco DJ-446 F88-446 Funkgeräte sowie fünf KCP-24-AL Schallschlauch-Headsets, die für diskrete und zuverlässige Kommunikation sorgen. Alles ist sicher und griffbereit in einem hochwertigen Alu-Koffer mit Schaumstoffliner verstaub - perfekt für den Einsatz bei Veranstaltungen, Sicherheitsdiensten, Industrie, Bauwesen oder Outdoor-Aktivitäten.

Alinco DJ-A-446 - Robustes PMR-446 Funkgerät mit Abhörschutz & UKW-Radio

Das Alnico DJ-A446 ist ein professionelles, analoges P446-446 Funkgerät mit einer Vielzahl nützlicher Funktionen. Es bietet 220 Kanäle, eine eingebaute Sprachverschlüsselung (Inverter) für besseren Abhörschutz sowie einen UKW-Radiopfänger im Frequenzbereich 88-108 MHz. Dank der Schutzklasse IP54 und der Erfüllung des MIL-STD-883C Standards ist es staub- und spritzwassergeschützt, wodurch es ideal für den anspruchsvollen Einsatz in rauen Umgebungen eignet.

[\[pdf\]](#) Datasheet

Produkt Podatkovna tablica 3386651 Alinco Team Set DJ A 446 KEP 24 AL 150107 PMR ručna radio stanica 10 dijelni komplet AC group webshop podatkovna alinco team set dj a kep al pmr rucna asset conrad media10 add 160267 c1 de 003386651DS00 |||

Datenblatt Artikelnummer: 150107 Download Link fr Bilddaten: [https://maas-elektronik.com/media/datas ...](https://maas-elektronik.com/media/datas...) r Lautsprecher Programmierkabel / 2,5 mm Buchse fr Mikrofon Stromversorgung 7,4 V DC mit Akkupack **EBP-87** im Lieferumfang enthalten Alternativ: 12 V DC Betrieb mit KFZ-Adapter EDH-40 Option Abmes...

lang:de score:23 filesize: 1011.54 K page_count: 3 document date: 2025-02-19

[\[pdf\]](#) Datasheet

Produkt Podatkovna tablica 3386487 Alinco Team Set DJ A 446 KEP 24 AL 150105 PMR ručna radio
stanica 5 dijelni komplet MegaShop spletna trgovina Megashop hr podatkovna alinco team set dj a kep
al pmr rucna asset conrad media10 add 160267 c1 de 003386487DS00 |||

Datenblatt Artikelnummer: 150105 Download Link fr Bilddaten: <https://maas-elektronik.com/media/datasheets/150105.pdf> r Lautsprecher Programmierkabel / 2,5 mm Buchse fr Mikrofon Stromversorgung 7,4 V DC mit Akkupack **EBP-87** im Lieferumfang enthalten Alternativ: 12 V DC Betrieb mit KFZ-Adapter EDH-40 Option Abmes...

lang:de score:23 filesize: 1 M page_count: 3 document date: 2025-02-19

[\[pdf\]](#) User Manual

DJ 500E dt indd VHF UHF FM Handfunkgerät Vielen Dank für den Kauf dieses Alinco Handfunkgeräts
Diese Bedienungsanleitung enthält wichtige Sicherheits und Bedienhinweise Bitte lesen Sie sie sorgfältig
manual 1196340 alinco 1203 dj 500e handheld cb radio 001196340 an 01 de ALINCO DUAL AMATUER
asset conrad media10 add 160267 c1 001196340ML01 produktinfo datenblaetter 1100000 1199999
VHF/UHF-FM-Handfunkgert DJ-500E Bedienungsanleitung Vielen Dank fr den Kauf
dieses Alinco-Handfunkge ... funkgert nicht relevant OPTIONALES ZUBEHR EA-228
VHF/UHF- und FM-Rundfunkantenne EBC-34 Grtelclip **EBP-87** Lithium-Ionen-
Akkupack DC 7,4 V/1500 mAh EBP-88 Lithium-Ionen-Akkupack DC 7,4 V/1700 mAh
...

lang:de score:21 filesize: 1.34 M page count: 72 document date: 2014-05-13


[\[pdf\]](#)

PROD REV indd mweinberg static dxengineering global images technicalarticles alo dj md5tgp ch Alinco
Dj Md5 Cps Dmr Programming Software |||

Mark J. Wilson, K1RO, k1ro arrl.org Product Review Alinco DJ-MD5TGP DMR and Analog FM Handheld Trans *1,700 mAh, 7.4 V Li-ion battery EBP-88 and drop-in charger supplied. Replacement EBP-88, 40. **EBP-87** 1,500 mAh, 7.4 V Li-ion battery, 35. MD-380 code plug as a starting point for the Alinco. ...

lang:en score:19 filesize: 281.2 K page count: 4 document date: 2019-11-06





[pdf]

1 Кирилл Радиостанция носимая Alinco DJ 500 купить в Сочи Адлере 8fde8668 b5b2 11e4 80d9

50e54950a12a b474506b d9bf 11e7 bb9a 00259084ed28 profbez pro upload iblock 04f

8ydI467rpoyeoujd86wtlx2brjrxzd9u |||

VHF/UHF FM DJ-500 Alinco. . , , . Alinco. ... F Tone Pulse FM 50 3 5 Function 1750

1:2 ON EA-228 VHF/UHF FM EBC-34 **EBP-87** Li-ion DC 7.4 1500 EBP-88 Li-ion DC

7.4 1700 EDC-189 Li-ion EDC-190E AC 220 EDC-...

lang:fr **score:19** filesize: 2.36 M page_count: 69 document date: 2015-12-01

[pdf] User Manual

ALINCO INC 0729283001497715892 on radio shop de media products

A1.131218 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku,

Osaka 541-0043 Japan Pho ... ime A and flyback time B . 20 Professional FM

Transceiver OPTIONAL ACCESSORIES EBC-34 Belt Clip **EBP-87** Li-ion Battery

Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en **score:19** filesize: 880.27 K page_count: 40 document date: 2013-12-18

[pdf] User Manual

DJ 446 4 26 indd ALINCO INC 0136191001497713522 on radio shop de media products

A1.0-13/04 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku,

Osaka 541-0043 Japan Ph ... PF2key to confirm and exit. 16 Professional FM

Transceiver OPTIONAL ACCESSORIES EBC-34 Belt Clip **EBP-87** Li-ion Battery

Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li...

lang:en **score:18** filesize: 1.13 M page_count: 40 document date: 2017-06-17

[pdf] Datasheet

Produkt asset conrad media10 add 160267 c1 de 003386487DS00 |||

Datenblatt Artikelnummer: 150105 Download Link fr Bilddaten: https://maas-

elektronik.com/media/datas ... r Lautsprecher Programmierkabel / 2,5 mm Buchse fr

Mikrofon Stromversorgung 7,4 V DC mit Akkupack **EBP-87** im Lieferumfang enthalten

Alternativ: 12 V DC Betrieb mit KFZ-Adapter EDH-40 Option Abmes...

lang:de **score:18** filesize: 1 M page_count: 3 document date: 2025-02-19



[pdf]

DJ A446 Einleitung Vielen Dank dass Sie sich für dieses exzellente Alinco Handfunkgerät entschieden haben Unsere Produkte zählen zu den besten auf der Welt upute za radi sigurnost 1168927 alinco pmr radio dj a446e 3307 asset conrad media10 add 160267 c1 de 001168927ML02 |||

PMR446-Handfunkgert DJ-A446 Bedienungsanleitung PRIVATE MOBILE RADIO Vielen Dank fr den Kauf diese ... ie Einstellung zu beenden. 16 Professionelles FM-Handfunkgert OPTIONALES ZUBEHR EBC-34 Grtelclip **EBP-87** Lithium-Ionen-Akkupack DC 7,4 V/1500 mAh EBP-88 Lithium-Ionen-Akkupack DC 7,4 V/1700 mAh ...

lang:de score:17 filesize: 777.5 K page_count: 40 document date: 2014-03-18

[pdf]

Anleitung Deutsch für DJ A446 777 5 KB Alinco A 446E PMR446 Bei Neuner Funk kaufen 0763405001384934552 pmr funkgeraete de media products |||




PMR446-Handfunkgert DJ-A446 Bedienungsanleitung PRIVATE MOBILE RADIO Vielen Dank fr den Kauf diese ... ie Einstellung zu beenden. 16 Professionelles FM-Handfunkgert OPTIONALES ZUBEHR EBC-34 Grtelclip **EBP-87** Lithium-Ionen-Akkupack DC 7,4 V/1500 mAh EBP-88 Lithium-Ionen-Akkupack DC 7,4 V/1700 mAh ...

lang:de score:17 filesize: 777.45 K page_count: 40 document date: 2013-07-30

[pdf] User Manual Accessories

ALINCO INC on radio shop Output power selectable 5W 2W 0 128 PC programmable channels 16ch x 8groups Li Ion battery pack and stand charger as standard accessories 0346830001523809831 de media products |||

A1.0-13/06 ALINCO, INC. Yodoyabashi Dai-bldg 13F 4-4-9 Koraibashi, Chuo-ku, Osaka 541-0043 Japan Ph ... OPTIONAL ACCESSORIES EA-211 VHF FM radio Antenna EA-212 UHF FM radio Antenna EBC-34 Belt Clip **EBP-87** Li-ion Battery Pack DC 7.4V 1500mAh EBP-88 Li-ion Battery Pack DC 7.4V 1700mAh EDC-189 Li... lang:en score:16 filesize: 1.06 M page_count: 51 document date: 2013-06-25



[pdf] Test Report

CE EMC Zhang Weimin Morlab Test Report Alinco Incorporated Electronics Division DJ 500TB VHF UHF FM HANDHELD TRANSCEIVER PH3DJ PH3DJ500TB dj 500tb

TABLE OF CONTENTS Report No.: CD14070001W01 1. GENERAL INFORMATION 12.5 KHz Antenna Description: Gain: 2.15dBi Power supply: Battery Brand Name: ALINCO Model No.: **EBP-87** Serial No.: n.a. marked #1 by test site Capacitance: 1500mAh Rated Voltage: 7.4V Cha...

lang:en score:15 filesize: 2.3 M page_count: 39 document date: 2014-08-13

 Report No.: AGQ005B9140301F039 Page: 1 of 14	
FCC Part 90& RSS-119 Test Report	
Report No. : AGQ005B9140301F039	
FCC ID	: PR3D-441
KID	: D870C-D9441
PRODUCT DESIGNATION	: URSP FM HANDHELD TRANSCIEVER
BRAND NAME	: ALINCO
MODEL NAME	: D9-441
CLIENT	: Alinco Laboratory Electronics Division
DATE OF ISSUE	: May 23, 2014
STANDARD(S)	: FCC Part 90& RSS-119 Rules
REPORT VERSION	: V 1.0
<u>Attestation of Global Compliance (Shenzhen) Co., Ltd.</u> 	
CAUTION: This report shall not be reproduced or used in full without the written permission of the test laboratory and shall not be quoted out of context.	

[illegible][illegible]

[\[pdf\]](#) Test Report

Microsoft Word DJ A41 FCC IC Report PMR Administrator Test report Alinco Incorporated Electronics

Division Two Way Radio PH3DJ PH3DJA41 dj a41

Report No.: AGC00589140301FE09 Page 1 of 54 FCC Part 90 RSS119 Test Report

Report No.: AGC00589140 ... d in Tested System Equipment UHF FM HANDHELD

TRANSCEIVER Charger Battery Model No. DJ-A41 EDC-189 **EBP-87** Identifier Note

FCC ID: PH3DJ-A10 IC ID: 3070C-DJ-A10 N/A N/A EUT Accessory Accessory 3...

lang:en score:15 filesize: 1.87 M page_count: 54 document date: 2014-06-04

[pdf] SAR Rating

Microsoft Word SZ14060181S01 FCC new Sebastian RF Exposure UHF Alinco Incorporated Electronics

Division DJ 500TB VHF FM HANDHELD TRANSCEIVER PH3DJ PH3DJ500TB dj 500tb

DIRECTORY Report No.: SZ14060181S01 1. TESTING

LABORATORY..... .000-406.000MHz ;406.100-480.000MHz

FM UHF: 5W/2.5W/1W 12.5KHz External Antenna Identical prototype **EBP-87**

1500mAh7.4V Occupational/Controlled Exposure 2.3.1 Photographs of the EUT

Please see for pho...

lang:i-klingon score:14 filesize: 1.9 M page count: 39 document date: 2014-08-12

[\[pdf\]](#)

İbadeñ eëñò İa İaİİĐóäİâaİeä İò ÇÂİ Âeäà Òäeäeİİ Öäİü VIVA TELECOM CJSC TEL 7 3812 38 12 50 60 00

Прайс лист Аккумуляторные батареи Yaesu FBA 23 описание цена и наличие в магазинах Вива

Телеком viva telecom 2 3 org prices |||

- viva-telecom.org - : . , 3812 50-60-00, 38-12-12, omsk viva-telecom.org. - : . , 499

392- ... 4 . EDC-168. Alinco EBP-73. : Alinco DJ-G7. : Li-Ion. : 1200 * . : 7,4 9 920 .

Alinco **EBP-87** 3 680 . DJ-A10, DJ-A11, DJ-A40, DJ-A41, DJ-100. : 1427 * - . : Li-Ion.

: 7.4 . Ali...

lang:i-klingon score:12 filesize: 142.32 K page count: 31 document date: 2022-08-14

Preisliste Kunde 02 03 2024 08 06 preisliste neuer kunde Price List Maas Elektronik Neuner Home Of
The Wizard simonthewizard |||
Aktuelle Preisliste vom 02.03.2024 Neuner-Funk Markus Neuner Hartmannstr. 25 D
91330 Eggolsheim Tel. ... -35 Standlader Kenwood KMB-35-E Mehrfach-Ladestation
universell Alinco EBP-88 7,4V / 1700mAh Alinco **EBP-87** 7,4V / 1500mAh Alinco
EBP-101 Akkupack fr DJ-PAX4/VX-50/VX-46 Wintec L-CHG M-46-B Tischlader...
lang:de score:10 filesize: 306.66 K page_count: 70 document date: 2024-03-02