

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [SCS Sentinel](#) /
- › [SCS Sentinel Remote Controlled Power Strip User Manual](#)

SCS Sentinel HCN0063

SCS Sentinel Remote Controlled Power Strip

Model: HCN0063

User Manual

INTRODUCTION

Thank you for choosing the SCS Sentinel Remote Controlled Power Strip. This device is designed to provide convenient control over your electronic appliances, helping you save energy by easily switching off devices from standby mode. This manual provides essential information for the safe and efficient use of your power strip.

SAFETY INSTRUCTIONS

Please read these safety instructions carefully before using the product. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Do not exceed the maximum load capacity of 2300W or 10A.
- This product is designed for indoor use only. Do not expose to moisture, rain, or extreme temperatures.
- Do not disassemble or modify the power strip or remote control. Refer all servicing to qualified personnel.
- Ensure the power strip is fully inserted into a wall outlet.
- Keep out of reach of children.
- Do not connect multiple power strips together.
- Unplug the power strip from the wall outlet before cleaning or when not in use for extended periods.

PACKAGE CONTENTS

Verify that all items are present in the package:

- 1 x SCS Sentinel Remote Controlled Power Strip (5 outlets, 3m cable)
- 1 x Remote Control
- 1 x A23-12V Battery (pre-installed in remote control)
- 1 x User Manual (this document)

PRODUCT OVERVIEW



Figure 1: The SCS Sentinel Remote Controlled Power Strip with its accompanying remote control. The power strip features five outlets and a main power button, while the remote control has individual buttons for each outlet and a master ON/OFF button.

The SCS Sentinel Remote Controlled Power Strip consists of two main components:

- **Power Strip:** Features five Type E outlets, a 3-meter power cable, and a manual reset button. Each outlet can be controlled independently.
- **Remote Control:** Allows wireless control of the power strip outlets. It has individual ON/OFF buttons for each of the five outlets (numbered 1-5) and a master ON/OFF button to control all connected devices simultaneously. The remote operates on an A23-12V battery.

SETUP

1. Battery Installation (Remote Control):

The A23-12V battery is typically pre-installed. If not, open the battery compartment on the back of the remote control and insert the A23-12V battery, ensuring correct polarity (+/-). Close the compartment securely.

2. Connecting Appliances:

Plug your desired electrical appliances into the five outlets on the power strip. Ensure that the total power consumption of all connected devices does not exceed 2300W (10A).




Figure 2: Example setup showing different types of appliances (TV, lamp, computer, Christmas tree lights, speakers) connected to the power strip's individual outlets.

3. **Powering the Power Strip:**

Plug the power strip's main cable into a standard 230V, 50Hz wall outlet. The power strip is now ready for operation.

OPERATING INSTRUCTIONS

- **Individual Outlet Control:**
On the remote control, press the numbered button (1-5) corresponding to the outlet you wish to control. Pressing the button once will toggle the power for that specific outlet (ON/OFF).
- **Master Control:**
Use the master ON/OFF button on the remote control to switch all five outlets on or off simultaneously.
- **Range:**
The remote control operates effectively up to a distance of 30 meters in an open field. Obstacles such as walls or furniture may reduce the effective range.
- **Manual Reset:**
In case of an overload, the power strip may trip. Press the manual reset button on the power strip to restore power. Before resetting, unplug some devices to reduce the load.

MAINTENANCE

- **Cleaning:**
Always unplug the power strip from the wall outlet before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or abrasive materials.
- **Battery Replacement (Remote Control):**
If the remote control's range decreases or it stops responding, the battery may need replacement. Open the battery compartment and replace the A23-12V battery with a new one, observing polarity. Dispose of old batteries responsibly.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Power strip not turning on.	Not plugged in; Wall outlet no power; Overload tripped.	Ensure power strip is fully plugged in. Test wall outlet with another device. Press the manual reset button on the power strip. Reduce connected load if overload occurred.
Remote control not working.	Battery low or dead; Incorrect battery polarity; Out of range; Obstruction.	Replace the A23-12V battery. Check battery polarity. Move closer to the power strip. Remove any large obstructions between remote and power strip.
Individual outlets not responding.	Remote control issue; Appliance issue.	Try the master ON/OFF button. Ensure the appliance is correctly plugged into the outlet. Test the appliance in a different working outlet.

SPECIFICATIONS

Model Number	HCN0063
--------------	---------

Brand	SCS Sentinel
Number of Outlets	5
Cable Length	3 Meters
Voltage	230 Volts
Maximum Load	2300W / 10A
Remote Control Battery	A23-12V Alkaline
Remote Control Range	Up to 30 meters (open field)
Dimensions (L x W)	38.1 cm x 6.9 cm
Weight	1 Kilogram
Recommended Use	Indoor


WARRANTY AND SUPPORT

This SCS Sentinel product benefits from a**2-year warranty** against any manufacturing defects or material flaws, effective from the date of delivery or product availability. The warranty is applicable only upon presentation of proof of purchase. The effect of this warranty is strictly limited to the replacement of parts exhibiting a clearly established manufacturing defect.

For technical assistance or support, please contact SCS Sentinel customer service. Our technical support team, based in France, is available to assist you with product installation and provide personalized advice.






For more information, you may visit the official SCS Sentinel store on Amazon:[SCS Sentinel Store](#)


Related Documents - HCN0063



[SCS Sentinel WifiGate Connected Receiver Module for Motorization - User Manual](#)

Comprehensive user and installation manual for the SCS Sentinel WifiGate connected receiver module. Learn how to install, configure the iSCS Sentinel app, use features like remote control and voice commands, troubleshoot issues, and understand product specifications and warranty.

	<p>SCS Sentinel SCS 1 Motorisation Kit for Swing Gates - Installation and User Manual</p> <p>Comprehensive guide for the SCS Sentinel SCS 1 swing gate motorization kit, covering installation, wiring, settings, maintenance, and troubleshooting. Features 24V DC motors, remote controls, and safety photocells.</p>
	<p>SCS Sentinel MCO0058: Kit d'automatisation pour portail coulissant 24V</p> <p>Manuel d'installation et d'utilisation du kit d'automatisation SCS Sentinel MCO0058 pour portail coulissant 24V. Ce guide couvre le câblage, les réglages, les caractéristiques techniques et la maintenance pour une installation résidentielle sécurisée.</p>
	<p>SCS Sentinel OutCam ROTATIVE: Guía de Usuario y Configuración</p> <p>Manual completo para la cámara de vigilancia exterior rotativa SCS Sentinel OutCam ROTATIVE. Aprenda a instalar, configurar y usar la aplicación iSCS Sentinel para monitoreo remoto, detección de movimiento y más.</p>
	<p>SCS Sentinel OutCam ROTATIVE Outdoor Surveillance Camera User Manual</p> <p>Comprehensive user manual for the SCS Sentinel OutCam ROTATIVE outdoor surveillance camera, covering installation, configuration, features, troubleshooting, and warranty.</p>
	<p>SCS Sentinel CodeAccess A Keypad User Manual</p> <p>This manual provides instructions for the SCS Sentinel CodeAccess A keypad, covering installation, wiring, programming, usage, technical specifications, warranty, and safety warnings. It details how to program access codes and badges, manage users, and configure door settings.</p>



SCS Sentinel - HCN0063 - Zdalnie sterowane przedłużenie wielogniazdowe+1 pilot zdalnego sterowania 5 kanałów - 5 gniazd z kablem zasilającym 3 m - ControlPower Strip x5
Indeks: 463181 Producent: SCS Sentinel Kod producenta: HCN0063

Cena: 176.89 zł

Opis

SCS Sentinel - HCN0063 - Zdalnie sterowane przedłużenie wielogniazdowe+1 pilot zdalnego sterowania 5 kanałów - 5 gniazd z kablem zasilającym 3 m - ControlPower Strip x5
Producent: SCS Sentinel

Zakreślone urządzenie w swojej konstrukcji, dzięki kablowi zasilającemu ControlPower Strip x5, umożliwia znaczne rozciągnięcie energii przy jednoczesnym zachowaniu profilu, ponieważ można łatwo kontrolować energię urządzeń gospodarstwa domowego. Nie będzie już potrzebne pozostawienie w gnieździe.

Praktyczne. Nasza wersja ma kablem zasilającym 3 m i 5 gniazd do podłączenia wielu urządzeń jednocześnie oraz kablem zasilającym 3m, co jest szczególnie przydatne, ponieważ można go dostosować do dowolnej konfiguracji pomieszczenia.

Przebiega piki do indywidualnego sterowania maksymalnie 5 urządzeniami. Włączanie i wyłączanie dowolnego urządzenia gospodarstwa domowego o mocy do 2500 W lub 10 A w odległości 30 m w dowolnym punkcie za pomocą dedykowanego, bardzo prostego do użycia pilota.

- Zakreślone urządzenie w swojej konstrukcji, dzięki kablowi zasilającemu ControlPower Strip x5, umożliwia znaczne rozciągnięcie energii przy jednoczesnym zachowaniu profilu, ponieważ można łatwo kontrolować energię urządzeń gospodarstwa domowego. Nie będzie już potrzebne pozostawienie w gnieździe.
- Praktyczne. Nasza wersja ma kablem zasilającym 3 m i 5 gniazd do podłączenia wielu urządzeń jednocześnie oraz kablem zasilającym 3m, co jest szczególnie przydatne, ponieważ można go dostosować do dowolnej konfiguracji pomieszczenia.
- Przebiega piki do indywidualnego sterowania maksymalnie 5 urządzeniami. Włączanie i wyłączanie dowolnego urządzenia gospodarstwa domowego o mocy do 2500 W lub 10 A w odległości 30 m w dowolnym punkcie za pomocą dedykowanego, bardzo prostego do użycia pilota.
- Kompletny zestaw. Nasze gniazdo wielokanałowe jest dostarczane ze wszystkimi niezbędnymi materiałami, aby zapewnić maksymalną funkcjonalność. Pilot zawiera 3 dedykowane gniazda sterujące oraz 5 kabli zasilających o długości 3 m, 3 pilot zdalnego sterowania, 1 kabel AC23-22 V i 1 przewodnik wtykowy, który odpowiada na wszystkie pytania.
- Ochrona. Niezależnie od wszelkich najnowszych produktów technicznych, które są nowe i nie mają i nie będą miały, nasz produkt jest bezpieczny. Został on przetestowany i jest zgodny z normami bezpieczeństwa. Aby pomóc Ci zrozumieć produkt, nasz techniczny zespół oferuje również poradę. Dzięki zaleceniom jest naszym priorytetem.

[pdf]

SCS Sentinel HCN0063 Zdalnie sterowane przedłużenie wielogniazdowe 1 pilot zdalnego sterowania 5 kanałów w gniazd z kablem zasilającym 3 m ControlPower Strip x5 Sklep internetowy stylem pl scs sentinel hcn0063 zdalnie przedluzenie kanalow zasil upload files product zasilajacym controlpower strip 463181 |||

SCS Sentinel - **HCN0063** - Zdalnie sterowane przedluzenie wielogniazdowe 1 pilot zdalnego sterowania 5 kanalw - 5 gniazd z kablem zasilajcym 3 m - ControlPower Strip x5 Indeks: 463181 Producent: SCS Sentinel Kod producenta: **HCN0063** Cena: 176.89 zł Opis SCS Sentinel - **HCN0063** - Zdalnie sterowane przedlu... lang:pl score:42 filesize: 82.15 K page_count: 2 document date: 2024-06-19