

VIMI IMPULSE

VIMI 8-Inch Impulse Heat Sealer Instruction Manual

Model: IMPULSE

1. PRODUCT OVERVIEW

The VIMI 8-inch Impulse Heat Sealer is designed for efficiently sealing plastic bags made of PE (Polyethylene) and PP (Polypropylene). This manual provides essential information for safe and effective use of your heat sealer.

Video: Product Overview. This video demonstrates the basic functionality and appearance of the VIMI Impulse Heat Sealer.

2. SETUP

1. **Unpacking:** Carefully remove the heat sealer and all accessories from the packaging. Inspect for any damage.
2. **Placement:** Place the heat sealer on a stable, flat, and dry surface. Ensure adequate ventilation around the unit.
3. **Power Connection:** Connect the power cord to a standard 110V electrical outlet. The unit is designed for instant use and does not require warm-up time.



Image: The VIMI Impulse Heat Sealer showing its power cord and plug, ready for connection to a standard outlet.

3. OPERATING INSTRUCTIONS

1. **Adjust Temperature:** Rotate the temperature adjustment knob (labeled 1-8) to select the appropriate heat level for your bag material. Thicker bags (up to 10 mils recommended) may require a higher setting. Start with a lower setting and adjust as needed.
2. **Position Bag:** Place the open end of the plastic bag (PE or PP) onto the sealing strip. Ensure the bag is flat and centered.
3. **Press Handle:** Firmly press down the handle of the sealer. The red indicator light will illuminate, indicating the heating element is active.
4. **Hold for Sealing:** Keep the handle pressed down for approximately 2-3.5 seconds. The red light will turn off automatically when the sealing process is complete. Continue to hold the handle down for an additional 1-2 seconds after the light goes off to allow the seal to set properly. Releasing too early may result in an incomplete or uneven seal.
5. **Release Handle:** Lift the handle and remove the sealed bag.



Image: The VIMI Impulse Heat Sealer showing the temperature adjustment dial (PFS-200 model) and examples of various items sealed in plastic bags.

Only after pressing the handle,
The LED indicator light will turn on.



Keep the handle pressed down
for 2-3seconds to get seals
optimal results.



Image: A close-up view of the VIMI Impulse Heat Sealer illustrating the handle being pressed down, activating the LED indicator light during the sealing process.

4. MAINTENANCE

- **Cleaning:** To clean the unit, ensure it is unplugged and cooled. Use a dry cloth to wipe the exterior **Do not use a wet cloth to clean the surface of the heat sealing strip**, as this can damage the element.
- **Heating Element Replacement:** The heat sealer comes with an extra replace element grip. If the sealing strip becomes worn or damaged, it can be replaced. Refer to the diagram below for guidance.



Guide for replace the heat seal strip

Image: A four-panel guide demonstrating the steps to replace the heat seal strip on the VIMI Impulse Heat Sealer, including unscrewing, removing the old strip, placing the new strip, and re-securing.

5. TROUBLESHOOTING

• Inconsistent or Weak Seals:

- Ensure the temperature setting is appropriate for the bag thickness. Increase the setting for thicker materials.
- Verify that the handle is pressed down firmly and held for the recommended 2-3.5 seconds, plus an additional 1-2 seconds after the light goes off.
- Check the heating strip for wear or damage. Replace if necessary.

• Bag Melts or Burns:

- The temperature setting may be too high for the bag material. Decrease the setting.
- The handle may be held down for too long. Reduce the holding time.

• Indicator Light Not Functioning:

- Ensure the unit is properly plugged into a working electrical outlet.

- If the unit is powered but the light does not come on when the handle is pressed, contact customer support.

6. SPECIFICATIONS

| Feature | Detail |
|--------------------|----------------------------|
| Brand | VIMI |
| Model Number | IMPULSE |
| Material | ABS |
| Color | Blue |
| Product Dimensions | 11.81"L x 3.07"W x 10.28"H |
| Item Weight | 2.8 Pounds |
| Power Source | Corded Electric |
| Operation Mode | Manual |
| Wattage | 220 watts |
| Voltage | 110 Volts |
| UPC | 650728086482 |

7. WARRANTY AND SUPPORT

Quality Guarantee: If you have any questions or concerns regarding your VIMI Impulse Heat Sealer, please send us an email via Amazon. We are committed to replying within 24 hours to assist you.