

## UGREEN 70410

# UGREEN Revodok USB C Hub 6-in-1 Instruction Manual

Model: 70410

## 1. INTRODUCTION

This manual provides detailed instructions for the UGREEN Revodok USB C Hub 6-in-1. This versatile hub expands the connectivity of your USB-C enabled devices, offering multiple ports for various peripherals and display options. Please read this manual thoroughly before using the product to ensure proper operation and longevity.

## 2. PRODUCT OVERVIEW

The UGREEN Revodok USB C Hub 6-in-1 is designed to provide seamless connectivity for modern devices with limited ports. It features a compact and sleek design, making it ideal for both desktop and portable use.

### 2.1 Key Features

- **6-in-1 Connectivity:** Integrates a 4K HDMI output port, SD and TF card readers, and three USB 3.0 ports.
- **4K UHD Visuals:** Supports 4K@30Hz HDMI output for high-definition display mirroring or extension.
- **5Gbps Superspeed Data Transfer:** USB 3.0 ports enable rapid data transfer for external drives, keyboards, mice, and other USB peripherals.
- **Simultaneous SD/TF Card Reading:** Allows concurrent access to both SD and Micro SD cards with speeds up to 104 MB/s.
- **Compact and Durable Design:** Features a sleek aluminum finish, complementing devices like MacBooks, and is lightweight for portability.

### 2.2 Port Layout

The hub provides the following ports:

- 1 x HDMI Port (4K@30Hz)
- 3 x USB-A 3.0 Ports (5Gbps)
- 1 x SD Card Reader (104MB/s)
- 1 x TF Card Reader (104MB/s)



Figure 2.1: UGREEN Revodok USB C Hub 6-in-1 with labeled ports.

## 3. SETUP

Connecting the UGREEN Revodok USB C Hub is a simple plug-and-play process. No drivers are required for most operating systems.

### 3.1 Connecting the Hub to Your Device

1. Locate an available USB-C port on your laptop, tablet, or other compatible device.
2. Insert the USB-C connector of the UGREEN Revodok Hub firmly into the USB-C port of your device.
3. The hub is now ready for use. You can connect your peripherals to the available ports on the hub.



Figure 3.1: UGREEN Revodok USB C Hub connected to a host device.

## 4. OPERATING INSTRUCTIONS

---

### 4.1 Using the HDMI Output

The HDMI port allows you to connect an external monitor, TV, or projector to your USB-C device for extended or mirrored display.

1. Connect one end of an HDMI cable (not included) to the HDMI port on the UGREEN Hub.
2. Connect the other end of the HDMI cable to the HDMI input of your external display.
3. Ensure your external display is set to the correct HDMI input source.
4. Your device should automatically detect the external display. You can adjust display settings (mirror, extend, resolution) through your device's operating system display settings.



Figure 4.1: High-definition display via HDMI output.

## 4.2 Using the USB 3.0 Ports

The three USB 3.0 ports provide high-speed data transfer and connectivity for various USB-A devices.

1. Connect your USB-A devices (e.g., flash drives, external hard drives, keyboards, mice, printers) to any of the three USB 3.0 ports on the hub.
2. Your device will recognize the connected peripherals.
3. For optimal performance, ensure your connected devices are USB 3.0 compatible.

# 5Gbps Data Transfer



Figure 4.2: Connecting peripherals via USB 3.0 ports.

## 4.3 Using the SD/TF Card Readers

The integrated card readers allow you to access data from SD and Micro SD (TF) cards simultaneously.

1. Insert your SD card into the SD card slot and your Micro SD (TF) card into the TF card slot. Ensure the cards are inserted correctly with the contacts facing down.
2. Your device will detect the cards as removable storage.
3. You can now transfer files to and from the cards.

# 104MB/s

## Fast Transmission



Figure 4.3: Fast data transmission from SD/TF cards.

#### 4.4 Universal Compatibility

The UGREEN Revodok USB C Hub is compatible with a wide range of USB-C enabled devices and operating systems, including:

- **Host Devices:** MacBook Pro/Air, iMac/iPad Pro, Surface, ThinkPad, Galaxy, iPhone 16 Pro, and other laptops/tablets with USB-C ports.
- **Systems:** macOS, Windows, Linux.

# Universal Compatibility




Figure 4.4: Universal Compatibility.

## 5. MAINTENANCE

To ensure the longevity and optimal performance of your UGREEN Revodok USB C Hub, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the hub. Avoid using liquid cleaners or aerosols, which may damage the device.
- **Storage:** When not in use, store the hub in a cool, dry place away from direct sunlight and extreme temperatures.
- **Handling:** Avoid dropping the hub or subjecting it to strong impacts. Do not bend or pull the attached USB-C cable excessively.
- **Ventilation:** Ensure the hub has adequate ventilation, especially during prolonged use, to prevent overheating.

## 6. TROUBLESHOOTING

If you encounter issues with your UGREEN Revodok USB C Hub, please refer to the following common solutions:

- **No Display via HDMI:**

- Ensure the HDMI cable is securely connected to both the hub and the display.
- Verify that the external display is set to the correct HDMI input source.
- Try a different HDMI cable or display.
- Restart your host device.

- **USB Devices Not Recognized:**

- Ensure the USB device is properly inserted into the hub's USB 3.0 port.
- Try connecting the USB device to a different port on the hub or directly to your host device to confirm functionality.
- Ensure the host device's USB-C port supports data transfer.

- **SD/TF Cards Not Reading:**

- Ensure the card is inserted correctly and fully into the slot.
- Try using a different SD/TF card to rule out card issues.
- Check your device's file explorer or disk management to see if the card is detected but not assigned a drive letter.

- **Intermittent Connection:**

- Ensure all connections are secure.
- Avoid placing the hub near strong electromagnetic interference sources.
- Disconnect and reconnect the hub.

For more detailed troubleshooting, please refer to the official [Troubleshooting Guide \(PDF\)](#).

## 7. SPECIFICATIONS

Feature	Specification
Product Dimensions	4.5 x 1.4 x 0.8 inches
Item Weight	2.11 ounces
Model Number	70410
Hardware Interface	HDMI, MicroSD, USB 3.0, USB Type C
HDMI Resolution	Up to 4K@30Hz
USB 3.0 Data Transfer Rate	Up to 5Gbps
SD/TF Card Read/Write Speed	Up to 104 MB/s
Compatible Devices	Laptops, Tablets, iMac, iPad with USB-C port
Color	Space Grey

## 8. WARRANTY & SUPPORT

UGREEN products are designed and manufactured to the highest quality standards. For warranty

information and customer support, please refer to the official UGREEN website or contact their customer service directly.

Additional resources:

- [Installation Manual \(PDF\)](#)
- [Troubleshooting Guide \(PDF\)](#)