

SKYVIK TRUHOLD AC Airvent (AM-AR04)

SKYVIK TRUHOLD AC Airvent Magnetic Car Mobile Phone Holder Instruction Manual

Model: AM-AR04

1. INTRODUCTION

The SKYVIK TRUHOLD AC Airvent Magnetic Car Mobile Phone Holder is designed to securely mount your smartphone to your car's AC vent, providing convenient access to your device while driving. This holder utilizes strong Neodymium N45 magnets to ensure a stable grip, even on uneven roads. Its compact design and adjustable features offer optimal viewing angles and ease of use.



Image: The SKYVIK TRUHOLD AC Airvent Magnetic Car Mobile Phone Holder, showcasing its compact design.

2. PACKAGE CONTENTS

Please verify that all items are present in your package:

- 1 x SKYVIK TRUHOLD Magnetic Airvent Mobile Holder
- 2 x Stronghold Metal Plates (for phone/case attachment)
- 2 x Scratch-proof Films (for protecting phone/case surface)

3. SAFETY INFORMATION

- Ensure the holder is securely attached to the AC vent before placing your phone.
- Do not install the holder in a location that obstructs your view of the road or interferes with the operation of vehicle controls (e.g., airbags, dashboard buttons).

- Avoid adjusting the holder or your phone while driving. Make all adjustments before starting your journey.
- Keep metal plates away from sensitive electronic devices that may be affected by magnetic fields.

4. SETUP AND INSTALLATION

1. Prepare Your Phone:

Choose one of the provided metal plates. You can either stick it directly to the back of your phone or phone case, or place it between your phone and its case. If sticking, ensure the surface is clean and dry. Apply a scratch-proof film first if you wish to protect your phone's surface.



Image: The magnetic holder demonstrating wide compatibility with various smartphone models.

2. Attach Holder to AC Vent:

The TRUHOLD features a robust 4-arm holding mechanism designed for AC vents. Gently push the vent clip onto one of your car's AC vent blades. Ensure it is firmly seated and stable. The holder is designed to fit vent blades of 2mm and 3mm thickness.

Strong Magnetic Absorption



Powerful Magnets



Anti-Interference
Strong Signal



Wide Compatibility

Round Metal Plate




Image: A hand holding the compact magnetic holder, with diagrams illustrating its dimensions and compatibility with 2mm and 3mm vent sizes.

Compact and Powerful


Very slim mount which it goes into the air vent of your car



2 Different Sized Vents



2 mm



3 mm




Image: The magnetic holder with its super strong grip, installed in a car's AC vent, showing the rubber plug gripping firmly.

5. OPERATING INSTRUCTIONS

1. Attaching Your Phone:

Once the metal plate is on your phone/case and the holder is secured to the AC vent, simply bring your phone close to the magnetic surface of the holder. The strong Neodymium N45 magnets will automatically attract and hold your phone firmly in place.

2. Adjusting Viewing Angle:

The holder allows for easy rotation. You can adjust your phone to a horizontal or vertical orientation, or any angle in between, to achieve your preferred viewing position. Gently rotate the phone while it is attached to the magnetic surface.

Wide Compatibility

Fits all sorts of smartphones



Image: A smartphone securely attached to the magnetic car holder, demonstrating its use.

3. Detaching Your Phone:

To remove your phone, simply pull it away from the magnetic surface. The holder will remain securely attached to the AC vent.

6. MAINTENANCE

- Keep the magnetic surface clean and free from dust or debris to ensure optimal grip. Wipe with a soft, dry cloth if necessary.
- Periodically check the vent clip for secure attachment to prevent accidental dislodgement.
- Avoid exposing the holder to extreme temperatures for prolonged periods.

7. TROUBLESHOOTING

Problem	Possible Cause / Solution
---------	---------------------------

Problem	Possible Cause / Solution
Phone does not hold securely.	Ensure the metal plate is correctly positioned on your phone or inside the case, aligning with the magnetic holder. Verify that the metal plate is not too thick or obstructed by a very thick phone case. Check if the magnetic surface of the holder is clean.
Holder falls off the AC vent.	Ensure the vent clip is fully inserted and securely gripping an AC vent blade. Confirm that your car's AC vent blades are rigid enough to support the weight of your phone and the holder. Some loose or flimsy vents may not be suitable.
AC airflow is blocked.	This is a common characteristic of vent-mounted holders. To minimize blockage, try clipping the holder to the topmost vent blade and positioning the metal plate on the lower part of your phone.

8. SPECIFICATIONS

Feature	Detail
Brand	SKYVIK
Model Name	TRUHOLD
Model Number	AM-AR04
Mounting Type	Vent
Compatible Devices	Smartphones, Tablets (within weight limits)
Compatible Phone Models	All mobile phones
Product Features	Rotatable, Adjustable, Hands-Free
Enclosure Material	Metal
Item Dimensions	40 x 40 x 40 Millimeters
Item Weight	50 Grams
Country of Origin	China

9. WARRANTY AND SUPPORT

This SKYVIK TRUHOLD product comes with a**24-month warranty** from the date of purchase. For warranty claims, technical support, or any inquiries, please contact SKYVIK Technologies.

Manufacturer Contact Information:

SKYVIK TECHNOLOGIES
Phone: 18001238830

Please retain your purchase receipt as proof of purchase for warranty purposes.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question