### Manuals+

Q & A | Deep Search | Upload

### Graco 2087707

## Graco TrioGrow SnugLock LX 3-in-1 Car Seat Instruction Manual

Model: 2087707

### Introduction

The Graco TrioGrow SnugLock LX 3-in-1 Car Seat is designed to provide secure and comfortable travel for your child from infancy through toddlerhood. This versatile car seat adapts to your child's growth, converting from a rear-facing harness to a forward-facing harness, and finally to a highback booster. It features SnugLock Technology for quick and secure installation, along with multiple comfort and safety features to ensure a safe journey.



Image: The Graco TrioGrow SnugLock LX 3-in-1 Car Seat, showcasing its design and features.

### SETUP AND INSTALLATION

The Graco TrioGrow SnugLock LX features SnugLock Technology, allowing for installation in less than one minute using either the vehicle's seat belt or LATCH system. This technology provides a secure and confident installation.

### **SnugLock Technology Installation Steps:**

- 1. **Buckle or LATCH:** Securely buckle the vehicle seat belt or connect the LATCH connectors.
- 2. Remove Slack: Pull any excess slack from the seat belt or LATCH strap.
- 3. Lock for Secure Install: Engage the SnugLock arm to tighten the installation, ensuring the car seat is firmly secured with minimal movement.

### **INSTALLS IN LESS THAN 1 MINUTE**

With SnugLock® Technology



Image: A hand demonstrating the use of SnugLock Technology for quick and secure installation.

#### Official Installation Video:

Your browser does not support the video tag.

Video: This official Graco video demonstrates the SnugLock Technology installation process and highlights key features of the TrioGrow SnugLock LX 3-in-1 Car Seat.

### **OPERATING MODES**

The Graco TrioGrow SnugLock LX is a 3-in-1 car seat designed to grow with your child, accommodating weights from 5 to 100 lbs across three distinct modes:

- Rear-Facing Harness: For infants weighing 5-40 lb. This position provides optimal safety for younger children.
- **Forward-Facing Harness:** For toddlers weighing 22-65 lb. Once your child meets the minimum weight and height requirements for forward-facing, the seat can be converted.
- Highback Booster: For older children weighing 40-100 lb. In this mode, the car seat transitions to a belt-positioning booster,



Image: Visual representation of the three car seat modes: rear-facing harness, forward-facing harness, and highback booster, with corresponding weight ranges.

22-65 lb

40-100 lb

### **KEY FEATURES**

5-40 lb

This car seat is equipped with several features designed for ease of use, comfort, and safety:

- No-Rethread Harness with Simply Safe Adjust™ System: The headrest and harness adjust together in one motion, eliminating the need to rethread the harness as your child grows, ensuring a proper fit.
- 10-Position Headrest: Provides customizable comfort and support for your growing child.
- 6-Position Recline: Helps with proper installation in various vehicles and ensures a comfortable ride for your child.
- InRight™ LATCH System: An exclusive Graco feature that simplifies LATCH attachment for secure installation.
- Rapid Remove Cover: The seat cover can be removed in 60 seconds for cleaning without uninstalling the car seat or removing the harness.

- Fuss-Free Harness Storage: Integrated pockets keep the harness out of the way when seating your child in both rear- and forward-facing modes.
- Integrated Harness Storage Compartment: Conveniently stores the harness when transitioning to booster mode.
- Removable Infant Head and Body Inserts: Provide additional comfort and support for smaller infants.
- Two Integrated Cup Holders: Keep drinks and snacks easily accessible for your child.



Image: Detailed view of the car seat highlighting its various convenience and design features.

# No-Rethread Harness & 10-Position Headrest Using Simply Safe Adjust™ HEADREST - 10 -HARNESS (GRACO)

Image: A close-up illustrating the No-Rethread Harness and 10-Position Headrest adjustment mechanism.

### SAFETY INFORMATION

The Graco TrioGrow SnugLock LX is ProtectPlus Engineered, a rigorous testing standard that combines the most stringent crash tests to help protect your child. This includes testing for frontal, side, rear, and rollover crashes, as well as additional testing based on the New Car Assessment Program and for extreme car interior temperatures.



## Helps protect in frontal, side, rear, and rollover crashes



Image: A parent securing a child in the car seat, emphasizing the ProtectPlus Engineered safety standard.

### **ProtectPlus Engineered Testing Standards:**

- Frontal-Impact Tested: Meets or exceeds child restraint criteria for frontal crash tests under US FMVSS 213.
- Side-Impact Tested: Tested for occupant retention with the built-in 5-point harness system.
- Rear-Impact Tested: Based on the European rear-impact crash pulse.
- RollSafe<sup>™</sup> Testing Standard: Tested to Graco's RollSafe<sup>™</sup> testing standard based on the European rollover testing procedure.
- 2X Car Seat Standard: Tested using approximately twice the impact force required by the US FMVSS 213 car seat safety standard.
- Extreme Car Interior Temperatures: Tested for structural integrity in extreme hot and cold temperatures.

### MAINTENANCE AND CLEANING

Rapid Remove cover is designed for easy removal and cleaning.

### **Cleaning Instructions:**

- Seat Pad: The Rapid Remove cover can be removed in 60 seconds without uninstalling the car seat or removing the harness. Refer to the care tag on the seat pad for specific washing instructions. Typically, machine wash cold on delicate cycle and drip dry.
- Harness Straps: Wipe harness straps with a damp cloth. Do not machine wash or submerge harness straps in water, as this may weaken them.
- Buckle: Clean the buckle by wiping with a damp cloth. Do not use detergents or lubricants.
- Plastic and Metal Parts: Wipe plastic and metal parts with mild soap and cool water.

Always ensure all parts are completely dry before reassembling and using the car seat.

### **T**ROUBLESHOOTING

If you encounter issues with your Graco TrioGrow SnugLock LX car seat, please refer to the following common solutions. For more complex problems, contact Graco customer support.

Problem	Possible Cause / Solution
Car seat feels loose after installation.	Ensure SnugLock arm is fully engaged. Check for slack in the seat belt or LATCH strap and re-tighten. Verify the car seat is installed at the correct recline angle for the child's weight and mode.
Harness straps are difficult to adjust or tighten.	Check for twists in the harness straps. Ensure the chest clip is at armpit level. Verify no clothing or debris is obstructing the harness path. The Simply Safe Adjust system should move smoothly with the headrest.
Buckle is difficult to latch or unlatch.	Check for food crumbs or debris inside the buckle. Clean the buckle according to maintenance instructions. Do not use lubricants.
Cannot recline the car seat.	Ensure the recline lever is fully disengaged before attempting to adjust. Check for any obstructions underneath the seat.

### **S**PECIFICATIONS

Attribute	Value
Product Dimensions	19.25 x 22.5 x 25.5 inches
Item Model Number	2087707
Minimum Weight Recommendation	5 Pounds
Maximum Weight Recommendation	100 Pounds
Maximum Height Recommendation	57 Inches
Number of Reclining Positions	6
Harness Type	5-Point
Item Weight	21.5 Pounds

Attribute	Value
Color	Thatcher
Installation Type	Seat Belt / LATCH

### WARRANTY AND SUPPORT

For specific warranty information, product registration, or to contact customer support, please visit the official Graco website or refer to the warranty card included with your purchase. Keeping your proof of purchase is recommended for any warranty claims. Graco Official Website: www.gracobaby.com

© 2023 Graco. All rights reserved. This manual is for informational purposes only.