

[Manuals.plus](#) /

› [SKYVIK](#) /

› SKYVIK TRUHOLD StickOn Magnetic Mount Mobile Holder (Model MM-RS1S) Instruction Manual

SKYVIK MM-RS1S

SKYVIK TRUHOLD StickOn Magnetic Mount Mobile Holder (Model MM-RS1S) Instruction Manual

Model: MM-RS1S | Brand: SKYVIK

INTRODUCTION

The SKYVIK TRUHOLD StickOn Magnetic Mount is designed to securely hold your mobile phone or remote control on various surfaces. Its compact design and strong magnetic grip make it suitable for use in cars, homes, offices, and kitchens. This manual provides detailed instructions for installation, operation, and maintenance to ensure optimal performance and longevity of your device.



Image: The SKYVIK TRUHOLD StickOn Magnetic Mount, shown in silver.

PACKAGE CONTENTS

Please verify that all items are present in the package:

- 1x SKYVIK TRUHOLD Sticky holder
- 2x Stronghold metal plates
- 2x Scratchproof films

SETUP AND INSTALLATION

Follow these steps to properly install your SKYVIK TRUHOLD Magnetic Mount:

1. **Choose a Surface:** Select a clean, flat, and smooth surface for mounting. This can be a car dashboard, wall, desk, or other suitable area. Ensure the surface is free from dust, grease, and moisture.

2. **Clean the Surface:** Use an alcohol wipe or a clean cloth with a mild cleaner to thoroughly clean the chosen mounting surface. Allow it to dry completely.
3. **Prepare the Mount:** Peel off the protective film from the 3M adhesive on the back of the SKYVIK TRUHOLD holder.
4. **Attach the Mount:** Carefully position the holder on the cleaned surface. Press firmly for at least 30 seconds to ensure strong adhesion. For optimal bonding, allow the adhesive to cure for 24 hours before attaching any device.
5. **Prepare Your Device:**
 - **Option A (Directly on Device):** If your device has a smooth, flat back, you can directly attach one of the provided metal plates. First, apply a scratchproof film to your device's back to protect its surface. Then, peel the adhesive from a metal plate and firmly press it onto the scratchproof film.
 - **Option B (Inside Device Case):** For devices with a case, you can place the metal plate between your device and its case. No scratchproof film is needed for this method, as the case provides protection. Ensure the case is not too thick, as this may weaken the magnetic connection.

TRUHOLD

Square StickOn Magnetic Mobile Holder

Small in size but big
in style & functionality!



Image: The SKYVIK TRUHOLD mount installed on a car dashboard, securely holding a smartphone.



Image: Components of the magnetic mount system, showing the adhesive metal plate and the mount itself.

OPERATING INSTRUCTIONS

Once the mount and metal plate are installed, using your SKYVIK TRUHOLD is straightforward:

1. **Attach Device:** Simply bring your device (with the metal plate attached) close to the magnetic mount. The strong Neodymium N45 magnets will securely hold your device in place.
2. **Adjust Position:** The magnetic connection allows for easy rotation and adjustment of your device's viewing angle.
3. **Remove Device:** Gently pull your device away from the mount to detach it.



Image: A smartphone securely mounted on a bathroom mirror using the TRUHOLD mount.



Image: A smartphone mounted on a kitchen wall, displaying a recipe.

MAINTENANCE

To maintain the performance and appearance of your magnetic mount:

- **Cleaning:** Wipe the mount with a soft, damp cloth. Avoid abrasive cleaners or solvents.
- **Adhesive Care:** The 3M adhesive is designed for single-use. If you need to reposition the mount, a new adhesive pad may be required.
- **Magnetic Plates:** Ensure the metal plates on your device or case remain clean and free of debris to maintain a strong magnetic connection.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Mount does not stick securely.	Surface was not clean or dry; adhesive not fully cured; surface is textured or porous.	Ensure surface is clean, dry, and smooth. Allow 24 hours for adhesive to cure. Consider a different mounting location if the surface is unsuitable.
Device falls off the mount.	Metal plate not properly attached; device case is too thick; metal plate is dirty; magnet is obstructed.	Ensure the metal plate is firmly attached to your device or case. Use a thinner case or place the metal plate on the outside of the case. Clean the metal plate and the mount surface.
Difficulty removing the mount.	Strong adhesive bond.	Gently pry the mount from the edge using a non-abrasive tool. Avoid excessive force to prevent damage to the surface.

SPECIFICATIONS

- **Brand:** SKYVIK
- **Model Name:** TRUHOLD
- **Model Number:** MM-RS1S
- **Colour:** Silver (Note: While general specifications may list 'Black', this specific variant is Silver as per product title.)
- **Compatible Devices:** Mobile Phones, Tablets (not recommended for car use with tablets), Remotes
- **Mounting Type:** Dashboard (Stick-on)
- **Product Features:** Magnetic, Rotatable, Shake Resistant, Space Saving
- **Water Resistance Level:** Not Water Resistant
- **Compatible with Vehicle Type:** Automobile
- **Item Dimensions:** 40 x 30 x 7 Millimeters
- **Item Weight:** 60 Grams
- **Enclosure Material:** Carbon Fibre, Metal
- **Magnets:** Neodymium N45
- **Adhesive:** 3M Adhesive
- **Country of Origin:** China

Sleek Design

Designed to complement any surface




Image: Detailed dimensions of the SKYVIK TRUHOLD mount (4.2 cm x 3.5 cm x 0.8 cm).

WARRANTY INFORMATION

The SKYVIK TRUHOLD Magnetic Mount comes with a **24-month worry-free warranty**. This warranty covers manufacturing defects and ensures reliable performance of your product. Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For any questions, assistance, or warranty claims, please contact SKYVIK Technologies customer support:

- **Manufacturer Contact:** SKYVIK TECHNOLOGIES
- **Phone:** 18001238830
- **Website:** [Visit the SKYVIK Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question