

[Manuals.plus](#) /

› [TRIXIE](#) /

› TRIXIE Natura Classic Small Outdoor Wooden Dog House Instruction Manual

TRIXIE 39561



TRIXIE Natura Classic Small Outdoor Wooden Dog House

MODEL: 39561

1. Introduction

This manual provides instructions for the assembly, operation, and maintenance of your TRIXIE Natura Classic Small Outdoor Wooden Dog House, Model 39561. This dog house is designed to offer a comfortable and protected outdoor shelter for small dog breeds, weighing up to 45 lbs. It features a durable wooden construction with weatherproof elements and an elevated floor for enhanced comfort.

2. Safety Information

- Always read all instructions carefully before assembly and use.
- Keep all small parts and packaging materials away from children and pets during assembly to prevent choking hazards.
- Ensure all screws and fasteners are securely tightened before allowing your pet to use the dog house. Periodically check for loose connections.

- Place the dog house on a stable, level surface. The adjustable feet can help compensate for minor unevenness.
- This product contains wood that has been treated with a weatherproof sealer. Ensure adequate ventilation during initial setup.
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

3. Package Contents

Verify that all components are present before beginning assembly:


- Dog House panels (walls, roof, floor sections)
- All necessary hardware (screws, hinges, adjustable feet)
- Assembly instructions

4. Setup and Assembly

Please read assembly instructions thoroughly before assembling the item. Assembly is designed to be straightforward. It is recommended to have a screwdriver and possibly a hammer for certain steps.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, flat surface. Identify each panel and hardware piece.
2. **Assemble Walls:** Connect the side and back wall panels using the provided screws. Ensure the pre-drilled holes align correctly.
3. **Attach Front Panel:** Secure the front panel, which includes the dog house entrance, to the assembled side walls.
4. **Install Adjustable Feet:** Attach the plastic-covered adjustable feet to the bottom of the dog house frame. These feet allow for leveling on uneven surfaces and elevate the house to prevent moisture intrusion.
5. **Attach Roof:** Position the hinged roof onto the top of the assembled walls. Secure the hinges with the provided screws. The roof is designed to shed rainwater efficiently.
6. **Insert Floor Panels:** Place the removable floor panels into the base of the dog house. These panels are designed for easy cleaning.

TRIXIE Classic Dog House | Small



This is perfect for small dog breeds.



X-Small



Small



Medium



Large



X-Large

Image 4.1: Dimensional diagram of the TRIXIE Classic Small Dog House, showing exterior and interior measurements. This helps in understanding the structure during assembly.

VENTILATION & CIRCULATION

Elevated floor keeps moisture out and ensures adequate air circulation

Plastic covered feet are adjustable to allow leveling the house on uneven ground



Locking arm allows for easy access

Image 4.2: Illustration of the elevated floor and adjustable feet, highlighting how they contribute to ventilation and moisture protection. The locking arm for the hinged roof is also visible.

5. Usage and Placement

The TRIXIE Natura Classic Dog House is intended for outdoor use, providing a secure and comfortable space for your small dog.

- **Suitable Breeds:** This small-sized dog house is suitable for small dog breeds up to 45 lbs. Refer to the size guide in Section 7 for detailed measurements.
- **Optimal Placement:** Position the dog house in a sheltered area of your yard, ideally away from direct, prolonged sunlight or harsh winds. The weatherproof design offers protection, but a partially shaded spot is often preferred by pets.
- **Leveling:** Use the adjustable feet to ensure the dog house is level, which enhances stability and prevents water from pooling inside.
- **Comfort:** Consider adding a comfortable bed or blanket inside for your dog's comfort, especially during cooler weather.



Image 5.1: A small dog comfortably resting inside the TRIXIE Natura Classic Dog House, demonstrating its intended use in an outdoor setting.

6. Maintenance

Regular maintenance will extend the lifespan of your dog house and ensure a hygienic environment for your pet.

- **Cleaning:** The hinged roof and removable floor panels facilitate easy access for cleaning. Regularly remove any debris, dirt, or pet waste. Wipe down interior surfaces with a pet-safe cleaner and allow to air dry completely before reassembly.
- **Weatherproofing:** The dog house is constructed from solid pine with a weatherproof sealer and features heavy-duty mineral roofing felt. Periodically inspect the wood for any signs of wear or damage to the sealer. Reapply a pet-safe, non-toxic wood sealer if necessary to maintain weather resistance.
- **Roof Inspection:** Check the asphalt shingle roof for any damage or loose granules, especially after severe weather.
- **Hardware Check:** Annually, or as needed, inspect all screws and hinges to ensure they remain tight and secure.

TOUGH ASPHALT ROOF

Slanted roof allows water to drain to back and is covered with a heavy-duty mineral roofing felt



WATER RESISTANT WOOD

Solid pine wood coated with a weather-proof glaze

Image 6.1: Detail of the tough asphalt roof and water-resistant wood construction, illustrating the materials designed for outdoor durability.



The Right Dog House

Measure your dog to find the right TRIXIE House

XS

Avg. Height: <13 IN
Body Length: 9 - 15 IN
Chihuahua, Yorkshire Terrier

S

Avg. Height: <20 IN
Body Length: 18 - 25 IN
Havanese, Jack Russell Terrier


M

Avg. Height: 20 - 27 IN
Body Length: 25 - 33 IN
Beagles, Border Collies

L

Avg. Height: 27 - 35 IN
Body Length: 30 - 40 IN
Labrador, Irish Setter

Breeds indicated are for reference only. All breeds vary in size.



1. How to determine the correct dog house height.
 - The minimal height should be 1.25 x the distance from the top of the dog's head to his paws.
2. To determine the correct depth and width of the house.
 - The distance from the dog's nose to its flank should be the minimal width or depth of house.
3. To determine the door opening height.
 - The door opening height needs to be at least 3 inches (7cm) taller than the shoulder to chest measurement.

Image 6.2: The hinged roof in an open position, demonstrating easy access to the interior for cleaning and maintenance.

7. Troubleshooting

If you encounter issues with your dog house, consider the following common solutions:

- **Wobbly or Unstable:** Ensure the dog house is placed on a firm, level surface. Adjust the individual feet by twisting them to achieve stability.
- **Water Accumulation Inside:** Verify that the dog house is level and that the elevated floor is functioning correctly. Check for any gaps in the wood panels that may have developed over time and seal them with a pet-safe, outdoor-grade sealant if necessary.
- **Difficulty with Hinged Roof:** If the roof does not open or close smoothly, check the hinges for proper alignment and ensure all screws are tight. Lubricate hinges with a non-toxic, outdoor-safe lubricant if needed.
- **Wood Gaps:** Minor gaps in natural wood products can occur. For enhanced weather protection, these can be sealed with an appropriate outdoor-grade, pet-safe caulk or sealant.

8. Specifications

Feature	Detail
Brand	TRIXIE
Model Name	Classic Dog House
Model Number	39561
ASIN	B07S2BQHM5
Size	Small
Color	Gray
Material	Asphalt Shingles, Metal, Plastic, Wood (Solid Pine)
Product Dimensions (LxWxH)	33 x 24 x 23 inches (83.8 x 61 x 58.4 cm)
Item Weight	29 Pounds (13.15 kg)
Weight Capacity	Up to 45 lbs (20.4 kg)
Included Components	Dog House and all hardware
Special Features	Weatherproof Sealer, Hinged Roof, Elevated Floor, Adjustable Legs, Removable Floor Panels

Size Guide for US Outdoor Dog House

Brand Size	Item Length (in)	Item Width (in)	Item Height (in)	Weight Capacity (lb)
S	33.5	23.8	23	45
M	41	27	28.5	70
L	45.8	31.3	32.5	95

9. Warranty and Support

This TRIXIE product comes with a **1-Year Warranty**. For warranty claims, product support, or to inquire about replacement parts, please contact TRIXIE customer service through their official website or the retailer where the product was purchased. Please have your model number (39561) and proof of purchase available when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07S2BQHM5>

More documents and user manuals: **<https://manuals.plus/>**