

## FABER 152 SRM LG/X A90

# Faber 152 SRM LG/X A90 Built-in Hood Instruction Manual

## 1. INTRODUCTION

This manual provides essential information for the safe and efficient installation, operation, and maintenance of your Faber 152 SRM LG/X A90 built-in kitchen hood. Please read these instructions carefully before using the appliance and retain them for future reference.

The Faber 152 SRM LG/X A90 is a 90cm wide built-in hood designed for integration into kitchen cabinetry, featuring electromechanical controls, LED lighting, and metallic grease filters.

## 2. SAFETY INFORMATION

### General Safety:

- Ensure the electrical installation complies with local regulations.
- Do not allow children to operate the appliance.
- Regularly clean the grease filters to prevent fire hazards.
- Do not flambé under the range hood.
- Ensure adequate ventilation in the room when the hood is used simultaneously with other gas or fuel-burning appliances.

### Electrical Safety:

- Before any cleaning or maintenance, disconnect the hood from the main power supply.
- If the power cord is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons to avoid a hazard.

## 3. PRODUCT COMPONENTS

The Faber 152 SRM LG/X A90 built-in hood includes the following key components:

- **Motor:** Single motor for extraction.
- **Controls:** Electromechanical push-button controls.
- **Lighting:** Integrated LED lighting.

- **Grease Filters:** Metallic filters, designed for easy removal and cleaning.
- **Air Outlet:** 120 mm diameter for ducting.



Figure 1: The Faber 152 SRM LG/X A90 Built-in Hood seamlessly integrated into a modern white kitchen cabinet, with its front panel slightly open to reveal the controls and metallic filters.



Figure 2: An angled view of the Faber 152 SRM LG/X A90 Built-in Hood, showcasing its metallic finish, control panel, and the grid pattern of the grease filters.



Figure 3: Another view of the Faber 152 SRM LG/X A90 Built-in Hood, installed within a light wood kitchen cabinet, demonstrating its discreet integration.

## 4. SETUP AND INSTALLATION

The Faber 152 SRM LG/X A90 is designed for built-in installation within a kitchen cabinet. Professional installation is highly recommended to ensure proper function and safety.

### Key Installation Considerations:

- **Mounting Type:** Built-in.
- **Width:** 900 mm.
- **Air Outlet Diameter:** 120 mm.
- Ensure sufficient clearance between the cooking surface and the hood as per local regulations and manufacturer guidelines.
- Proper ducting is crucial for effective extraction. Use rigid ducts where possible.




Figure 4: A technical diagram illustrating the dimensions and recommended installation points for the Faber 152 SRM LG/X A90 Built-in Hood, including measurements for cabinet integration and air duct connection.

## 5. OPERATING INSTRUCTIONS

The hood is operated using electromechanical push-button controls located on the front panel.

- **Power On/Off:** Press the main power button to turn the hood on or off.
- **Fan Speed Selection:** Select from three available fan speeds (1, 2, 3) using the corresponding buttons. Higher speeds provide greater extraction power.
- **Light On/Off:** Press the light button to activate or deactivate the LED lighting.

### Performance Overview:

Speed	Suction Capacity (IEC)	Pressure (Pa)	Power Consumption (W)	Noise Level (dB)
1	115 m <sup>3</sup> /h	190	80	52
2	160 m <sup>3</sup> /h	310	95	59
3	225 m <sup>3</sup> /h	370	115	68

## 6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your hood.

- **Cleaning Metallic Grease Filters:** The metallic grease filters should be cleaned regularly (approximately every 2 months, or more frequently with heavy use). They can be washed by hand with hot water and mild detergent or in a dishwasher on a low-temperature cycle. Ensure they are completely dry before re-installing.
- **Cleaning the Hood Surface:** Clean the exterior surfaces of the hood with a soft cloth and a non-abrasive cleaner. Avoid using harsh chemicals or abrasive materials that could damage the finish.
- **LED Lighting:** LED lights are long-lasting and generally do not require replacement. If a light fails, contact qualified service personnel.

## 7. TROUBLESHOOTING

If you encounter issues with your hood, refer to the following common problems and solutions:

- **Hood not turning on:** Check if the hood is properly connected to the power supply. Verify the circuit breaker.
- **Poor suction:** Ensure the grease filters are clean. Check for obstructions in the ducting system. Verify that the fan speed is set appropriately for the cooking task.
- **Excessive noise:** Ensure the hood is securely mounted. Check for loose components or obstructions in the fan.
- **Lights not working:** Check if the light button has been pressed. If individual LEDs are out, professional service may be required.

For problems not listed here or if solutions do not resolve the issue, contact Faber customer support or a qualified technician.

## 8. SPECIFICATIONS

Feature	Detail
Brand	FABER
Model	152 SRM LG/X A90
Manufacturer Reference	315.0547.805 VE19GZ
ASIN	B07S63Z3P
Control Type	Electromechanical Push-button
Lighting Type	LED
Filter Type	Metallic Grease Filters
Item Shape	Pyramid (internal structure)
Ventilation Type	Ducted
Hood Design	Built-in Hood
Width	900 mm
Air Outlet Diameter	120 mm

Feature	Detail
Material	Steel Alloy
Color	Light Grey
Energy Efficiency Class	D
Components Included	Steel grille, metallic grease filters




Figure 5: The EU Energy Label for the Faber 152 SRM LG/X A90 Built-in Hood, indicating an energy efficiency class of D and other performance metrics such as noise level and annual energy consumption.

## 9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided with your product or contact Faber customer service directly. Keep your proof of purchase for warranty claims.

For technical support, spare parts, or service requests, please contact your local Faber authorized service center or visit the official Faber website.


### Related Documents - 152 SRM LG/X A90

 <a href="#">Faber A90 2 Range Hood User Manual</a> User manual for the Faber A90 2 range hood, providing safety information, operating instructions, cleaning and maintenance guidelines, and control details.
 <a href="#">Faber IN-NOVA ZERO DRIP X/WH Installation Manual</a> Comprehensive installation guide for the Faber IN-NOVA ZERO DRIP X/WH range hood, detailing assembly steps, safety warnings, and technical specifications for proper setup.
 <a href="#">Faber Cloud User Guide: Connect &amp; Control Your Range Hood</a> Comprehensive user guide for the Faber Cloud system, detailing how to connect your Faber range hood to the app, integrate with Amazon Alexa, Google Home, and Siri, and troubleshoot connectivity issues. Learn to control your kitchen appliance remotely.
 <a href="#">Faber IN-NOVA ZERO DRIP LITE Kitchen Hood User Manual</a> User manual for the Faber IN-NOVA ZERO DRIP LITE kitchen hood, providing detailed instructions for installation, operation, safety, cleaning, and maintenance.



### [Faber IN-NOVA AIR X Range Hood Installation Manual](#)

Detailed installation guide for the Faber IN-NOVA AIR X range hood, covering parts, dimensions, safety precautions, and step-by-step assembly instructions.



### [Faber HEAVEN GLASS 2.0 WH KL A90 User Manual](#)

Comprehensive user manual for the Faber HEAVEN GLASS 2.0 WH KL A90 cooker hood, covering safety information, usage, cleaning, maintenance, controls, and remote operation.