

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [PolyGroup](#) /

> [PolyGroup Summer Escapes & Summer Waves 1.25" Diameter by 2' Long Pool Hose Instruction Manual](#)

### PolyGroup 1.25" Diameter by 2' Long Pool Hose

# PolyGroup Summer Escapes & Summer Waves Pool Hose Instruction Manual

MODEL: 1.25" DIAMETER BY 2' LONG POOL HOSE

## Introduction

---

This manual provides essential information for the proper setup, operation, maintenance, and troubleshooting of your PolyGroup Summer Escapes & Summer Waves 1.25" Diameter by 2' Long Pool Hose. Please read these instructions carefully before use to ensure safe and efficient operation.

## Product Overview

---

The PolyGroup pool hose is designed for use with Summer Escapes and Summer Waves swimming pool systems. It facilitates the connection between pool components such as pumps, filters, and skimmers, ensuring proper water circulation and filtration.



Image: PolyGroup 1.25 inch diameter, 2 foot long pool hose, white in color, coiled for packaging.

Key features include:

- **Diameter:** 1.25 inches
- **Length:** 2 feet
- **Material:** Durable Vinyl
- **Compatibility:** Designed for Summer Escapes and Summer Waves pool systems

## Setup Instructions

---

Follow these steps to properly connect your pool hose:

1. **Inspect the Hose:** Before connecting, visually inspect the hose for any signs of damage, kinks, or blockages. Ensure both ends are clean and free of debris.
2. **Identify Connection Points:** Locate the appropriate inlet and outlet ports on your pool pump, filter, skimmer, or other accessories that require a 1.25-inch diameter hose connection.
3. **Secure Connections:** Firmly attach one end of the hose to the desired port. If your system uses hose clamps, slide a clamp over the hose end before attaching it to the port, then tighten the clamp securely with a screwdriver to prevent leaks.
4. **Connect Second End:** Attach the other end of the hose to its corresponding connection point, following the same procedure for securing it with a hose clamp if applicable.
5. **Check for Leaks:** Once all connections are made, turn on your pool system and carefully check all hose connections for any signs of water leakage. Tighten clamps further if leaks are detected.

## Operating Instructions

---

The pool hose is a passive component designed to transport water. Its operation is directly tied to the function of the equipment it connects (e.g., pump, filter, vacuum head).

- Ensure the hose is not kinked or obstructed during operation, as this can restrict water flow and strain your pump.
- Verify that all connections remain secure to maintain system pressure and prevent water loss.
- When using for vacuuming, ensure the hose is fully primed with water before connecting to the skimmer or vacuum port to avoid introducing air into the pump.

## Maintenance

---

Proper maintenance extends the life of your pool hose and ensures optimal pool system performance.

- **Regular Inspection:** Periodically inspect the hose for cracks, punctures, or signs of wear. Replace the hose if any damage is found to prevent leaks and maintain system efficiency.
- **Cleaning:** If the hose becomes dirty, it can be cleaned with mild soap and water. Rinse thoroughly to remove all soap residue.
- **Storage:** During off-season or when not in use for extended periods, disconnect the hose, drain all water, clean it, and store it in a cool, dry place away from direct sunlight and extreme temperatures. Coiling the hose loosely can prevent kinks.
- **Avoid Harsh Chemicals:** Do not expose the hose to harsh chemicals or solvents, as these can degrade the vinyl material.

## Troubleshooting

---

Refer to the table below for common issues and their potential solutions.

Problem	Possible Cause	Solution
Water Leakage at Connection	Loose hose clamp; damaged O-ring/gasket; damaged hose end.	Tighten hose clamp; replace O-ring/gasket; replace hose if damaged.
Reduced Water Flow	Kinked hose; obstruction inside hose; air in the system.	Straighten hose; remove obstruction; bleed air from pump/filter system.
Hose Appears Brittle or Cracked	Exposure to UV light or harsh chemicals; age.	Replace the hose. Store properly when not in use.

## Specifications

---

Detailed specifications for the PolyGroup 1.25" Diameter by 2' Long Pool Hose:

Attribute	Value
Brand	PolyGroup
Model	1.25" Diameter by 2' Long Pool Hose
Material	Vinyl
Color	White
Product Dimensions (L x W)	24"L x 1.25"W (2 feet long x 1.25 inches wide)
Nominal Wall Thickness	0.5 inches
UPC	730792222105
Manufacturer	Polygroup

## Warranty and Support

---

For information regarding product warranty, returns, or technical support, please refer to the documentation provided with your original purchase or contact PolyGroup customer service directly. Keep your proof of purchase for any warranty claims.

Contact information for PolyGroup can typically be found on their official website or on the product packaging.