

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Roca](#) /

› [Roca A801D10001 The Gap Round Toilet Seat and Lid User Manual](#)

Roca A801D10001

Roca A801D10001 The Gap Round Toilet Seat and Lid User Manual

Model: A801D10001

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your Roca A801D10001 The Gap Round Toilet Seat and Lid. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.

The Roca A801D10001 toilet seat is designed for ease of use and durability, offering a reliable solution for your bathroom needs.

2. SAFETY INFORMATION

Observe the following safety precautions during installation and use:

- Always wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Ensure all components are securely fastened to prevent injury or damage.
- Do not use abrasive cleaners or harsh chemicals, as these can damage the product's finish.
- Keep small parts out of reach of children to prevent choking hazards.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Roca A801D10001 Round Toilet Seat
- Roca A801D10001 Toilet Lid
- Mounting Hardware (bolts, washers, nuts)
- Installation Guide (this manual)



Image 1: The Roca A801D10001 The Gap Round Toilet Seat and Lid installed in a contemporary bathroom environment.

4. INSTALLATION

Follow these steps to install your new toilet seat:

1. **Prepare the Toilet:** Ensure the toilet bowl is clean and dry. Remove any old toilet seat and hardware.
2. **Position the Seat:** Place the new Roca toilet seat and lid assembly onto the toilet bowl, aligning the mounting holes on the seat with the holes on the toilet bowl.
3. **Insert Bolts:** Insert the mounting bolts through the holes in the toilet seat and the toilet bowl.
4. **Secure with Washers and Nuts:** From underneath the toilet bowl, place a washer onto each bolt, followed by a nut. Hand-tighten the nuts initially.
5. **Adjust Alignment:** Adjust the position of the toilet seat to ensure it is centered and properly aligned with the bowl.
6. **Final Tightening:** Once aligned, use a wrench or appropriate tool to firmly tighten the nuts. Do not overtighten, as this may crack the ceramic or damage the hardware.




Image 2: Dimensional drawing of the Roca A801D10001 The Gap Round Toilet Seat, showing measurements in millimeters (e.g., 449mm length, 357mm width).

5. OPERATION

The Roca A801D10001 toilet seat operates like a standard toilet seat. Lift the lid and seat as needed. Ensure the seat is properly lowered before use. If your model includes a soft-close feature (not explicitly stated for this model), gently push the lid or seat down, and it will close slowly and quietly on its own.

6. MAINTENANCE AND CLEANING

Proper maintenance ensures the longevity and hygiene of your toilet seat:

- **Regular Cleaning:** Clean the toilet seat regularly with a soft cloth, warm water, and a mild, non-abrasive soap.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, scouring pads, strong acids, or alkaline detergents, as these can scratch or discolor the plastic material.
- **Drying:** After cleaning, wipe the seat dry with a soft, clean cloth to prevent water spots.
- **Check Fasteners:** Periodically check the mounting bolts to ensure they remain tight. Retighten if necessary to prevent the seat from shifting.

7. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

- **Seat is Loose:** If the toilet seat feels loose or shifts, check the mounting bolts underneath the toilet bowl and tighten them securely.
- **Squeaking Noise:** A squeaking noise may indicate that the hinges need lubrication. Apply a small amount of silicone-based lubricant to the hinge pins.
- **Difficulty Closing:** Ensure there are no obstructions preventing the seat or lid from closing fully. Check for any debris caught in the hinges.

8. SPECIFICATIONS

Brand	Roca
Model Number	A801D10001

Material	Plastic
Color	White
Shape	Round
Product Dimensions	17.68"L x 14.06"W (44.9 cm x 35.7 cm)
Item Weight	6.6 pounds (3 Kilograms)
Style	Traditional

9. WARRANTY AND SUPPORT

Roca products are manufactured to high-quality standards. For specific warranty information regarding your A801D10001 toilet seat, please refer to the warranty card included with your purchase or visit the official Roca website. For technical support or assistance with parts, please contact Roca customer service through their official channels.