

Scheppach TW1000

Scheppach TW1000 Workshop Trolley with 263-Piece Tool Set Instruction Manual

Model: TW1000

1. INTRODUCTION

This instruction manual provides essential information for the safe and efficient use of your Scheppach TW1000 Workshop Trolley. Please read this manual thoroughly before initial use and keep it for future reference. Proper use and maintenance will ensure the longevity and performance of your tool trolley. The Scheppach TW1000 is a robust and mobile workshop trolley equipped with 7 drawers and a comprehensive 263-piece tool set, designed for organized and accessible tool storage.

2. IMPORTANT SAFETY INFORMATION

Always adhere to the following safety guidelines to prevent injury and damage to the product:

- **Wheel Locks:** Always engage the wheel locks when the trolley is stationary to prevent unintended movement.
- **Load Capacity:** Do not exceed the maximum load capacity of 450 kg (992 lbs). Overloading can compromise stability and cause damage.
- **Assembly:** If any partial assembly is required, follow the manufacturer's instructions carefully to ensure all components are securely fastened.
- **Drawer Safety:** Keep hands and fingers clear of drawers when opening and closing to avoid pinching or crushing injuries. Close drawers completely after use.
- **Secure Storage:** Store the trolley in a secure location. Utilize the integrated lock to protect your tools from unauthorized access or theft.
- **Stability:** Avoid opening multiple drawers simultaneously, especially top-heavy ones, as this can cause the trolley to tip over.

3. PRODUCT OVERVIEW

The Scheppach TW1000 workshop trolley is designed for efficient tool organization and mobility. It features a sturdy metal construction, 7 smooth-running drawers, and a large top storage area.



Figure 3.1: Scheppach TW1000 Workshop Trolley in use, showing organized tools in drawers and on the top surface.

Key Features:

- 7 smooth-running drawers for organized storage.
- Large top storage area with additional cut-outs for frequently used items.
- Four large, smooth-running wheels with locking function for mobility and stability.
- Soft-grip handles for comfortable transport.
- Integrated lock for tool security.
- Robust metal construction with a powder-coated finish.

EIN WAGEN – ALLES DRIN WAS MAN BENÖTIGT



2X HAMMER
300 g
SCHONHAMMER



12X GABELRING-SCHLÜSSEL
8 – 22 mm



6X SCHLITZSCHRAUBEN-DREHER
1 x Spannungsprüfer, 4 x 100,
5 x 100, 3 x 75, 6 x 150,
6 x 38, 8 x 200



4X SICHERUNGSRING-ZANGEN
2 Stk. für Innenringe
2 Stk. für Außenringe

Figure 3.2: Overview of key features including load capacity, lockability, and tool set composition.

4. SETUP AND INITIAL USE

The Scheppach TW1000 workshop trolley comes largely pre-assembled. Follow these steps for initial setup:

1. **Unpacking:** Carefully remove the trolley from its packaging. Inspect for any shipping damage. Report any damage to your retailer immediately.
2. **Wheel Installation (if required):** The wheels are typically pre-installed. If not, attach the four wheels to the designated mounting points at the bottom of the trolley. Ensure all bolts are tightened securely.
3. **Positioning:** Move the trolley to your desired location. Use the soft-grip handles for easier maneuvering.
4. **Engage Wheel Locks:** Once positioned, press down on the levers of the locking wheels to secure the trolley in place. This prevents accidental movement during use.
5. **Tool Organization:** The 263-piece tool set is pre-organized within the drawers. Familiarize yourself with the layout of the tools.

5. OPERATING INSTRUCTIONS

5.1 Using the Drawers

The trolley features 7 smooth-running drawers. To open a drawer, gently pull the handle. To close, push the

drawer firmly until it clicks into place. Ensure drawers are fully closed before moving the trolley.

Important: For stability, avoid opening more than one drawer at a time, especially the upper drawers when they are heavily loaded. This can shift the center of gravity and cause the trolley to tip.

5.2 Utilizing the Tool Set

The TW1000 comes with a comprehensive 263-piece tool set, organized in foam inserts within the drawers. Each tool has a designated spot for easy identification and retrieval.

EIN WAGEN – ALLES DRIN WAS MAN BENÖTIGT



3X ZANGENSET

- 1 Stk. Spitzzange
- 1 Stk. Seitenschneider
- 1 Stk. Kombizange



6X INBUS T-GRIFFSET

2 mm – 6 mm



6X KREUZSCHRAUBEN-DREHER

PH1 x 100, PH2 x 150,
PH3 x 200, PH2 x 100,
PH0 x 75, PH2 x 38



CRIMP-SET

160 Stk.

Figure 5.1: Examples of tools included in the set: hammers, combination wrenches, slotted screwdrivers, and circlip pliers.

EIN WAGEN – ALLES DRIN WAS MAN BENÖTIGT



13X SECHSKANT STECK- SCHLÜSSELEINSÄTZE

4 mm – 14 mm

UMSCHALTKNARRE

1/4"

KARDANGELENK

1/4"

2 STK. VERLÄNGERUNG

2" + 4"

SCHIEBERADAPTER

1/4"

SCHRAUBENDREHER

1/4"



17X STECKSCHLÜSSEL- EINSÄTZE

10 mm – 32 mm

UMSCHALTKNARRE

1/2"

KARDANGELENK

1/2"

2 STK. VERLÄNGERUNG

5" + 10"

SCHIEBERADAPTER

1/2"

Figure 5.2: Additional tools: pliers set, hex T-handle set, Phillips screwdrivers, and a crimp set.

EIN WAGEN – ALLES DRIN WAS MAN BENÖTIGT



6X ISOLIERTE SCHRAUBENDREHER

SL3 x 75, PH2 x 100,
PH1 x 100, SL4 x 100,
SL5,5 x 125, PH0 x 75

7X PRÄZISIONS- SCHRAUBENDREHER

PH0, PH00, PH1, 1,5 x 50,
2 x 50, 2,5 x 50, 3 x 50

SECHSKANTSCHLÜSSEL SET

T9, T10, T15, T20, T25, T27,
T30, T40

263
Teile



Figure 5.3: Socket and ratchet accessories: hex sockets, reversible ratchets, extensions, and sliding adapters.

5.3 Top Storage Area

The top surface of the trolley provides a large storage area with cut-outs. This is ideal for keeping frequently used tools, small parts, or work-in-progress items easily accessible without needing to open drawers.

5.4 Locking the Trolley

The trolley is equipped with a key lock to secure your tools. Insert the key into the lock mechanism, turn it to the locked position, and remove the key. Ensure all drawers are fully closed before locking.

6. MAINTENANCE AND CARE

Regular maintenance ensures the longevity and optimal performance of your Scheppach TW1000 workshop trolley.

- **Cleaning:** Wipe the exterior surfaces with a damp cloth. Avoid abrasive cleaners or solvents that could damage the powder-coated finish.
- **Drawer Slides:** Periodically check the drawer slides for smooth operation. If they become stiff, apply a small amount of silicone spray lubricant.
- **Wheels:** Inspect the wheels and their locking mechanisms regularly for wear or damage. Keep the wheel

casters free of debris.

- **Tool Care:** Keep all tools clean and dry. Return them to their designated spots after use to maintain organization and prevent loss.
- **Fasteners:** Periodically check all bolts and fasteners for tightness and re-tighten if necessary.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your workshop trolley.

- **Trolley does not move smoothly:**
 - Check if wheel locks are engaged.
 - Inspect wheels for debris or damage. Clean or replace as necessary.
- **Drawers are stiff or difficult to open/close:**
 - Ensure drawers are not overloaded.
 - Check for obstructions in the drawer slides.
 - Apply a silicone spray lubricant to the drawer slides.
- **Trolley feels unstable:**
 - Ensure the trolley is on a level surface.
 - Verify that wheel locks are engaged.
 - Distribute weight evenly within the drawers. Avoid opening multiple drawers at once.

8. TECHNICAL SPECIFICATIONS

Model	TW1000
Brand	Scheppach
Product Dimensions (L x W x H)	770 x 460 x 970 mm (30.31"D x 18.11"W x 38.58"H)
Net Weight	66 kg (142.5 lbs)
Maximum Load Capacity	450 kg (992 lbs)
Number of Drawers	7
Included Accessories	263-piece tool set
Material	Metal (Powder Coated)
Mobility	4 Wheels (2 with locking function)
Lock Type	Key Lock
Assembly Required	No (Minor partial assembly may be required)

9. WARRANTY AND SUPPORT

Scheppach provides a commitment to quality for its products. For the TW1000 Workshop Trolley, spare parts

availability is guaranteed for 7 years within the EU.

For warranty claims, technical support, or spare parts inquiries, please contact your authorized Scheppach dealer or visit the official Scheppach website for customer service contact information.