

LINNIW WONSUN01

LINNIW Replacement Filters for Shark Navigator Lift-Away Vacuums

Instruction Manual

1. INTRODUCTION

This manual provides comprehensive instructions for the proper installation, maintenance, and care of your LINNIW replacement filter kit for Shark Navigator Lift-Away vacuum cleaners. Adhering to these guidelines will help ensure optimal performance and longevity of your vacuum's filtration system.

2. COMPATIBILITY

This LINNIW filter kit is designed to be compatible with a wide range of Shark Navigator Lift-Away vacuum models. Please verify your vacuum model number before installation to ensure correct fitment. This kit replaces Shark Part # XFF350 and # XHF350.

Compatible Shark Navigator Lift-Away Models:

- CU510, CU500/CU512 series
- NV350_26, NV350A_26, NV350E, NV350Q, NV350T, NV350W, NV350W_N, NV350WC
- NV351, NV351C, NV351WM1, NV351WM2
- NV352, NV352C, NV352CFS, NV352E, NV352Q
- NV354C, NV355, NV355-26, NV355C, NV355CFS
- NV356E, NV356K, NV356Q, NV357, NV358, NV358BRN
- NV360, NV367, NV360K, NV361BK, NV361PR
- NV370, NV370_26, NV380, NV391, NV391C
- UV440, UV440CCO, UV440CCOFS, UV490CCO
- UV500WM, UV540, UV540CCO, UV541CCO, UV550
- ZU503AMZ

Be careful! It's easy to buy the wrong one, as it's similar to other models in the series



Correct one
Shark NV350 series



Compatible With

Shark NV350 Series: NV350, NV351, NV352, NV355, NV356E, NV357, NV360, NV370, NV391, UV440, UV490, UV540...
Replaces Part # XFF350 & XHF350



Wrong one
Shark ZU560 series



Compatible With

Shark NV500 Series: NV500, NV501, NV502, NV503, NV505, NV510, NV520, NV552, UV560...
Replaces Part # XFF500 & XHF500



Wrong one
Shark NV581 series



Compatible With

Shark ZU60, ZU62, ZU62C, NV150, NV151, NV255
Replaces Part # 1238FT60 & 1239FT60



Image 1: Visual guide for filter compatibility, highlighting the correct dimensions for the NV350 series filters.

Versatile Multi-Compatibility



Compatible for Shark Navigator Lift-Away Cleaner Upright Series

- **Upright Series**

NV350, NV350_26, NV350A_26, NV350E, NV350Q, NV350T, NV350W, NV350W_N, NV350WC, NV351, NV351C, NV352, NV352C, NV352CFS, NV352E, NV352Q, NV355, NV355C, NV355CFS, NV356E, NV356K, NV356Q, NV357, NV358, UV540, ZU503AMZ

- **Professional Series**

NV370.NV370_26.NV391.NV391C.UV541CCO

- **DLX Series**

UV440,UV440CCO,UV440CCOFS

- **Deluxe Series**

NV360,NV360K,NV361BK,NV361PR,UV490CCO

- **XL Series**

UV550

- **Pet Series**

UV500WM

Image 2: Detailed list of compatible Shark Navigator Lift-Away models for the LINNIW filter kit.



Please double CHECK your models and filter SIZE before purchasing to make sure you are buying the correct one!

Image 3: Important reminder to verify your vacuum model and filter dimensions before purchase.

3. PACKAGE CONTENTS

Your LINNIW replacement filter kit includes the following components:

- **4 Foam Filters:** With 60 PPI density for capturing larger particles.
- **4 Ultra-Thick Felt Filters:** Featuring a textured surface for enhanced particle capture.
- **2 HEPA Filters:** High-efficiency filters designed to block secondary air pollution and capture fine dust.



Image 4: Contents of the LINNIW 4+2 filter replacement pack.

4. INSTALLATION INSTRUCTIONS

Follow these steps to replace the filters in your Shark Navigator Lift-Away vacuum:

1. **Power Off and Unplug:** Always ensure your vacuum cleaner is turned off and unplugged from the power outlet before performing any maintenance.
2. **Access Filter Compartments:** Refer to your Shark vacuum's original manual to locate the foam and felt filter compartment (usually under the dust cup) and the HEPA filter compartment (often at the bottom or rear of the vacuum).
3. **Remove Old Filters:** Carefully remove the used foam, felt, and HEPA filters. Dispose of them responsibly.
4. **Insert New Filters:** Place the new LINNIW foam and felt filters into their designated compartment. Ensure they are seated correctly. Install the new HEPA filter into its compartment, making sure it clicks into place or is securely fitted.
5. **Reassemble:** Close all filter compartments and reattach the dust cup.
6. **Test:** Plug in your vacuum and turn it on to ensure proper operation.

5. MAINTENANCE AND CLEANING

Regular cleaning of your foam and felt filters is essential for maintaining vacuum performance. The HEPA filter is generally not washable and should be replaced as needed.

Cleaning Foam and Felt Filters:

1. **Remove Filters:** Take out the foam and felt filters from their compartment.
2. **Rinse:** Rinse the filters under clean, running water until the water runs clear. Gently squeeze to remove excess water.
3. **Air Dry:** Allow the filters to air dry completely for at least 24 hours before reinserting them into the vacuum. Do not use a dryer or heat source, as this can damage the filter material.
4. **Frequency:** For optimal performance, clean foam and felt filters every 3 months, or more frequently with heavy use.

HEPA Filter Replacement:

The HEPA filter is designed for long-term use but should be replaced every 6-12 months, depending on usage, to maintain high filtration efficiency. Do not wash the HEPA filter.

6. FILTRATION TECHNOLOGY

The LINNIW filter kit features a multi-structure design for enhanced dust removal and high-efficiency filtration. The combination of foam, felt, and HEPA filters works synergistically to capture a wide range of particles.

- **Multi-Mesh Filter:** Designed to capture larger debris.
- **Foam and Felt Layers:** Provide additional filtration for medium-sized particles.
- **HEPA Filter:** Captures 99.97% of airborne particles as small as 0.3 microns, including dust, pollen, and allergens, ensuring cleaner exhaust air.

Multi-Structure Design

Enhanced Dust Removal Capability




Image 5: Exploded view of the filter's multi-layer construction.

High-Efficiency Filtration

Capture 99.97% of dirt as small as 0.03 microns in the air




Image 6: Representation of high-efficiency filtration and its performance over time.

7. SPECIFICATIONS

Brand: LINNIW

Model Number (Filter Kit): WONSUN01

Item Weight: 10.8 ounces

Product Dimensions (HEPA Filter): 5.6 x 3.9 x 1.6 inches

Material Type: Foam, Polypropylene, Felt

Reusability: Foam and Felt filters are reusable (after washing and drying); HEPA filter is replaceable.

Product Dimension



Image 7: Detailed dimensions of the LINNIW replacement filters.

8. WARRANTY AND SUPPORT

LINNIW offers a **90-Day Warranty** for this product, covering money-back or free replacement for any product issues. If you have any questions or require assistance with your LINNIW replacement filters, please contact our customer service department immediately for support.

9. IMPORTANT NOTES

- Always ensure your vacuum is unplugged before handling filters.
- Allow filters to air dry completely before reinstallation to prevent mold or damage to your vacuum.
- Regular filter maintenance is crucial for maintaining optimal suction power and air quality.