Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- , JBL /
- > JBL GO2 Waterproof Ultra Portable Bluetooth Speaker User Manual

JBL JBLGO2BLUAM

JBL GO2 Waterproof Ultra Portable Bluetooth Speaker User Manual

Model: JBLGO2BLUAM

INTRODUCTION

The JBL GO2 is a full-featured waterproof portable Bluetooth speaker designed for on-the-go audio. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your device to ensure optimal performance.



Image: Front view of the JBL GO2 speaker in blue, showcasing its compact design and JBL logo.

WHAT'S IN THE BOX

Verify that all items are present upon unboxing:

- JBL GO2 Speaker
- Micro USB Cable (for charging)
- Quick Start Guide (this document)

SETUP

1. Charging the Speaker

Before first use, fully charge the JBL GO2 speaker. Connect the supplied Micro USB cable to the charging port on the speaker and the other end to a USB power adapter (not included). The charging indicator light will illuminate during charging and turn off when fully charged. A full charge takes approximately 2.5 hours.



Image: Side view of the JBL GO2 speaker, highlighting the Micro USB charging port and 3.5mm auxiliary input, both protected by a waterproof flap.

2. Powering On/Off

Press and hold the power button located on the top of the speaker for approximately 2 seconds to power on or off. A distinct audio cue will indicate the power status.

3. Bluetooth Pairing

- 1. Power on the JBL GO2 speaker. The Bluetooth indicator light will flash blue, indicating it is in pairing mode.
- 2. On your mobile device, navigate to the Bluetooth settings.
- 3. Select "JBL GO2" from the list of available devices.
- 4. Once connected, the Bluetooth indicator light will turn solid blue, and an audio cue will confirm the connection.

4. Auxiliary Connection

For devices without Bluetooth, connect an audio cable (not included) from your device's headphone jack to the 3.5mm auxiliary input port on the JBL GO2 speaker. The speaker will automatically switch to auxiliary mode.

OPERATING

1. Music Playback

After connecting via Bluetooth or auxiliary cable, begin playing audio from your source device. Use the controls on your device or the speaker to manage playback.

2. Volume Control

Adjust the volume using the '+' and '-' buttons located on the top of the speaker. You can also control the volume from your connected device.



Image: Top view of the JBL GO2 speaker, showing the power, Bluetooth pairing, volume up, volume down, and play/pause/speakerphone buttons.

3. Speakerphone Function

The JBL GO2 features a built-in noise-cancelling speakerphone. When a call is received while connected via Bluetooth:

- Press the play/pause button once to answer an incoming call.
- Press the play/pause button once again to end the call.
- Press and hold the play/pause button to reject an incoming call.

4. Waterproof Usage (IPX7)

The JBL GO2 is IPX7 waterproof, meaning it can be submerged in water up to 1 meter (3 feet) for up to 30 minutes. Ensure the charging port and auxiliary input port covers are securely closed before exposing the speaker to water. **Important:**

- Do not expose the speaker to salt water or other liquids.
- · Always ensure the port covers are sealed to maintain waterproofing.

MAINTENANCE

1. Cleaning

Clean the speaker with a soft, damp cloth. Do not use abrasive cleaners or solvents. For stubborn dirt, a mild soap solution can be used, followed by rinsing with fresh water if the port covers are sealed.

2. Storage

Store the speaker in a cool, dry place away from direct sunlight and extreme temperatures. If storing for an extended period, charge the battery periodically to maintain its lifespan.

3. Post-Water Exposure Care

After exposure to water, gently shake the speaker to remove excess water from the grille and ports. Allow it to air dry completely before charging or connecting any cables.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Speaker does not power on	Battery is depleted	Charge the speaker using the Micro USB cable.
No sound	Volume is too low or muted; Device not connected	Increase volume on speaker and source device; Ensure proper Bluetooth or auxiliary connection.
Bluetooth pairing fails	Speaker not in pairing mode; Device too far; Interference	Ensure speaker is in pairing mode (flashing blue light); Move device closer; Turn off other Bluetooth devices.
Poor audio quality via Bluetooth	Device too far; Obstructions; Low battery	Move device closer to speaker; Remove obstructions; Charge the speaker.

SPECIFICATIONS

Feature	Detail
Model Name	Go 2
Wireless Communication Technology	Bluetooth
Connectivity Technology	Auxiliary, Bluetooth
Water Resistance Level	IPX7 Waterproof
Playtime	Up to 5 hours (varies by volume level and audio content)
Charging Time	Approximately 2.5 hours
Speaker Maximum Output Power	5 Watts
Frequency Response	20 KHz
Product Dimensions (D x W x H)	3.1" x 8.6" x 7.1" (approx. 7.9cm x 21.8cm x 18cm)

Feature	Detail
Item Weight	6.5 Ounces (approx. 184 grams)
Input Voltage	5 Volts
Bluetooth Range	10 Meters (33 feet)
Special Features	Built-in Microphone, Waterproof

WARRANTY AND SUPPORT

Warranty Information

The JBL GO2 speaker comes with a limited warranty. Please refer to the warranty card included with your product or visit the official JBL website for detailed terms and conditions regarding warranty coverage and duration.

Customer Support

For further assistance, technical support, or service inquiries, please visit the official JBL support website or contact their customer service department. Contact information can typically be found on the JBL website or in the product packaging.

© 2025 JBL. All rights reserved.

Related Documents - JBLGO2BLUAM



JBL Vibe 100TWS Earbuds & GO2 Speaker User Manual and Specifications

Comprehensive user manual and technical specifications for JBL Vibe 100TWS True Wireless Earbuds and JBL GO2 Ultra Portable Waterproof Wireless Bluetooth Speaker. Learn about features, setup, controls, and important waterproof warnings for both devices.





JBL Xtreme 2 Quick Start Guide: Portable Waterproof Bluetooth Speaker

Get started with your JBL Xtreme 2 portable Bluetooth speaker. This guide covers setup, features, connections, JBL Connect+, and important warnings. Learn about its waterproof design and how to use voice assistants.



JBL GO3 Portable Waterproof Speaker User Manual - Features, Specs, and Guide

Comprehensive user manual for the JBL GO3 Portable Waterproof Speaker. Learn about its features, benefits, technical specifications, what's in the box, and more. Get detailed information on this compact, IP67 rated Bluetooth speaker.



Connecting JBL Speakers Together: A Comprehensive Guide

Learn how to connect multiple JBL speakers wirelessly via Bluetooth for an enhanced audio experience. This guide covers connecting JBL speakers using the JBL Connect and Connect+features, as well as troubleshooting common connection issues.



JBL Boombox 2 Quick Start Guide - Setup, Pairing, and Features

Comprehensive quick start guide for the JBL Boombox 2 portable Bluetooth speaker. Learn how to set up, pair devices, use playback controls, PartyBoost, the JBL Connect app, charging, powerbank functionality, and understand its waterproof capabilities and technical specifications.








TECH SPEC

JBL GO 3 Portable Waterproof Speaker - Quick Start Guide and Specifications

Get started with your JBL GO 3 portable waterproof speaker. This guide covers Bluetooth pairing, charging, technical specifications, and care instructions for your device.

SA SA	a a
un Mind er der Landara Blantzooth-parring Abgil Opliador Opliador Land hallminteress Vanditat disertati 1947	Ut. Veryackungsinkult: Skunsoch klapplung Werkerplor Wind geladen Wert geladen Wert geladen Alles Schmidt Wesser- und standschaft IP67
Total specification	Softs Edits Súntylan Angeleining GUFWS Inspecialist Inspe
Spatt optober > 0 dl Sandge: U-deplocat/Wh Sandge: U-Spatty-10	Randshied > Edi Aki-lgs (Miss-hon-Nyos), Yth Akidebber: 2) Strates Fru I H Makidebpdonic (Miss I Hardy and Arising Vin Miss I Hardy Arising Ar
Bull-spilled grill time (sharpy of hiddeniness spilled at Burboth resist. 11	Madistrieg-bank St. o. Clarke Shings on Lattife of Automati Eartesin Senior 1.1
Makk-pilled	
Sunton'	Burnoth' Derivageaphiling CARN(SP) Burnoth' Burnoth' DERIVATION (SP) Burnoth' DERIVATION (
Yest 37's	Service 530% (Service)
El Tudos era souti Jajós Barracen	ES Combreido de la caja Emprejamente Bruttando Repondución Carga Carga Estrira buju Apresido de agua y polma IPCI
το Τούσια στο κοσεί Σούρς Βίκοθοκτά Αντικοργογή Θόρσση Θύρσση Θύρσση Αντικοργογή Θύρσση Αντικοργογή Α	Repediation Cargo Cargo
Xapph milipupmentalis. Aladipops, Antoniasi era estina PAT	Kalaria baja Agrandas de agua y polos IPAT
Тарной раучегаротной	Especificaciones técnicas Translucias di vidi novi Ur
Resignance CERTS Supplement TO Se 2000 Anning to september 100	Expecificaciones Monticos Standardos Standar
Andrein unglegen stjerner, SCH Stanspiller om de stanspiller om d	Tops de badenta Februario de las (1766 - 1862) Februarios de las (1766
permit(: prompton permit) Labora Blamouth*: S.J.	Section of European Address Section 2011, 490713
Specification 2011, 60714 Specification to report States (1) 2015/01-2015/01-	Name of Contractor (Contractor) Name of Contractor (Contractor) Surface (Contractor)
Singangaig	Ligorate de spazo y parte RO D Specificación 1990s 41 Y RO 1 V 41
Patiantee-skill Sudoob-patenumbeks Sata Sata Sata Sata	IN Content de l'embolisque
Selection (Selection (Olege Olege
Vedespitasi Pilyskezasi IPG7	Sanchelde à Trau et à la poussière IPET
Telephot timbet Sementio Electron/Ulterna	Spic tederique. Ned paler: Gir Crem*U*
Selected tribules Sementis Gir C'emr / U homes Udidolic Upitità Udidolic Upitità Upit	Red parker Notes of the Comm*U* Notes of the Size Notes of the Siz
Alkanggot U-ion-primoni 1796 Alkandawakic 1,56 p 16~18 Buillin nomakic jop 1 nyto jilipus	Steps de charge-de la listifició: 15 hours d' Fren 1 Hi Destro de inchere de la maliga: Senior Biocheste': Noth Mariande': ACP11, MICP 14 These de Sintence de
Sumodinesis: 51 Statestif and the CSF11.500714	Senior State of Control of Contro
Sunod General Superior Section 100 (100 (100 (100 (100 (100 (100 (100	Teledona Bladustini 200.000-2005 000 Reliciona de Simettear
	Bursell's chills (NI)
Net: Offig Ukpana	Somy de Augustinia Statistica (1997), pp. 18-18. Section 1999; pp. 18-18.
No. A comag ladalma liliados piecela operada operada operada operada operada operada No.	Orientale delle sentratore Abbitannesia Bareatan Barata Barata Barata Barata Barata Barata Barata Barata
No CONTROL NATIONAL STATES AND ST	III Combenito dello contecione Abbiamento Bioriusto Producto Tracino T
No CONTROL NATIONAL STATES AND ST	III Combenito dello contecione Abbiamento Bioriusto Producto Tracino T
No CONTROL NATIONAL STATES AND ST	III Combenito dello contecione Abbiamento Bioriusto Producto Tracino T
Elling 1 Microse Elling 1 Microse Anness (stellar Anness (stellar Indiana) Indiana I	Greenen's delicated controllers of c
80 A nome platfolio Boltonio pinnihi Bol	Greenen's delicated controllers of c
80 A nome platfolio Boltonio pinnihi Bol	In the contract of the conditions of Additionated Barbaron Page 1992 1992 1992 1992 1992 1992 1992 199
Elling 1 Microse Elling 1 Microse Anness (stellar Anness (stellar Indiana) Indiana I	Greenen's delicated controllers of c
Annual Collections of the Collection of the Coll	Contents of the orbitions of the contents of the orbitions of the contents of
Annual Collections of the Collection of the Coll	Contents of the orbitions of the contents of the orbitions of the contents of
Account of the control of the contro	Control to Sensor Senso
A Company of the comp	Control to Sensor Senso
A Company of the comp	Control to Sensor Senso
See Control Co	Control to Sensor Senso
See Control Co	Control to Sensor Senso
See Control Co	Bertalen des productions of the control of the cont
See Control Co	Bertalen des productions of the control of the cont
A Company of the comp	Greater and the control of the contr
See	General de la contraction de l
See Control of Control	General de la contraction de l
The content	Control of the contro
The content	Control of the contro
The content	Control of the contro
March Marc	Control of the contro
March Marc	Granden de la contraction de l
March Marc	Granden de la contraction de l
The content	Control of the contro

Documents - JBL - JBLGO2BLUAM



[pdf] Quick Start Guide Troubleshooting Guide Guide

Untitled Sethu Danwant JBL GO2 Waterproof Ultra Portable Bluetooth Speaker Yellow Blue Gray Red Troubleshooting Guide JBLGO2YELAM B07TXJ13G7 B07QJ2117B B07QJ1BG3V B07CZ5QPBV B08S8NQYRS B07CZ4TVQX B07CZ4WXBG B07SXRVXV6 B07T81XR53 B07T95858F B07QHXWZ2M B08S8MJMQD B07QDPRYYD B07QGXP3B7 B07SJTHHR JBLGO2BLUAM JBLGO2GRYAM JBLGO2REDAM Quick Start attached for your reference Author Created Date 3 17 2021 9 39 49 AM Title 71S0uJyx9WL m media amazon images I

Troubleshooting Guide Make sure that before use, customers are fully charging the battery 2.5 hours using the included cable Please make sure customers have the latest software and version of Bluetooth downloaded to their device Bluetooth performance and connectivity can vary based on the envi...

lang:en score:8 filesize: 191.53 K page_count: 1 document date: 2021-03-17