

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Turbionaire](#) /

› [Turbionaire Smart 10 Eco Dehumidifier User Manual](#)

Turbionaire Smart 10 Eco

Turbionaire Smart 10 Eco Dehumidifier User Manual

Model: Smart 10 Eco

1. INTRODUCTION

Thank you for choosing the Turbionaire Smart 10 Eco Dehumidifier. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your appliance. Please read it thoroughly before use and keep it for future reference.

1.1 Safety Information

- Always place the dehumidifier on a stable, level surface.
- Ensure proper ventilation around the unit. Do not block air inlets or outlets.
- Do not operate the unit near flammable gases or combustible materials.
- The appliance uses R290 natural refrigerant. Handle with care and ensure the appliance is installed, operated, and stored in a room with a floor area larger than 1.92 m².
- Keep children and pets away from the appliance during operation.
- Unplug the unit before cleaning or performing any maintenance.



Image 1.1: Rear view of the dehumidifier showing the air outlet grille and a safety label indicating "Caution, risk of fire" due to the refrigerant.

2. PRODUCT OVERVIEW

The Turbionaire Smart 10 Eco is a compact and efficient dehumidifier designed for residential use, capable of removing up to 10 liters of moisture per day from rooms up to 31 cubic meters. It features an integrated hygostat for precise humidity control and operates quietly.

2.1 Key Features

- **Automatic Restart:** The unit resumes operation with previous settings after a power outage.
- **Automatic Shut-off:** The appliance automatically stops when the water tank is full.
- **Continuous Drainage:** Option for continuous water removal, bypassing the tank.
- **Portable Design:** Equipped with wheels for easy movement.
- **Timer Function:** Program the unit to turn on or off at specific times.

- **Automatic Defrost:** Prevents ice build-up on the evaporator coils.
- **Integrated Hygrostat:** Maintains desired humidity levels automatically.
- **Child Lock:** Prevents accidental changes to settings.
- **Quiet Operation:** Operates at a low noise level of 40 dB.
- **LED Display:** Illuminated display shows current and set humidity levels.
- **Eco-friendly Refrigerant:** Uses R290 natural refrigerant for minimal environmental impact.

2.2 Components



Image 2.1: Front view of the Turbionaire Smart 10 Eco Dehumidifier, showing the air intake grille, control panel, and water tank window.



Image 2.2: Side diagram illustrating key components: top handle for portability, continuous drainage port, electrical cable support, and the 1.8-liter water tank.

- **Control Panel:** Located on the top, with LED display and function buttons.
- **Air Inlet:** Front grille for drawing in moist air.
- **Air Outlet:** Rear grille for expelling dry air.
- **Water Tank:** Removable tank at the bottom for collecting condensed water (1.8 L capacity).
- **Continuous Drainage Port:** Located on the side for connecting a hose for continuous drainage.
- **Handle:** Integrated handle on top for easy transport.
- **Wheels:** For enhanced portability.

3. SETUP

3.1 Unpacking

1. Carefully remove the dehumidifier from its packaging.
2. Remove all packing materials and ensure no components are missing or damaged.
3. Keep the packaging for future storage or transport.



Image 3.1: The dehumidifier unit, its retail packaging, and the included user manual.

3.2 Placement

- Place the dehumidifier in a room where the temperature is between 5°C and 35°C.
- Ensure there is at least 20 cm (8 inches) of clear space around the air inlets and outlets for optimal airflow.
- Avoid placing the unit directly against walls or furniture.
- The appliance is suitable for rooms up to 31 cubic meters.



Image 3.2: The dehumidifier positioned in a room, demonstrating appropriate placement away from furniture for effective operation.

3.3 Power Connection

- Ensure the power cord is securely plugged into a grounded electrical outlet.
- Verify that the voltage matches the specifications of the unit (220-240V, 50Hz).

3.4 Continuous Drainage (Optional)

For continuous operation without needing to empty the water tank, you can set up continuous drainage:

1. Locate the continuous drainage port on the side of the unit.
2. Connect a suitable drainage hose (not included) to this port.
3. Ensure the hose is sloped downwards to allow gravity drainage into a floor drain or larger container.

4. OPERATING INSTRUCTIONS

4.1 Control Panel



EASY OPERATION

Set the desired humidity
Automatic or Continuous Mode



Image 4.1: The control panel with an illuminated LED display showing the current humidity level (e.g., 70%) and various function icons. The control panel features an LED display that shows the current room humidity and your set humidity level. Various buttons allow you to control the unit's functions.

4.2 Power On/Off

- Press the Power button to turn the unit on or off.

4.3 Setting Desired Humidity

- Press the Humidity button (often indicated by a droplet icon) to cycle through desired humidity levels (e.g., 40%, 50%, 60%, Continuous).
- The unit will operate until the set humidity level is reached, then pause, restarting if humidity rises.
- Select "Continuous" mode for non-stop dehumidification, regardless of the humidity level.

4.4 Timer Function

- Press the Timer button to set an auto-on or auto-off time (e.g., 1-24 hours).
- Each press typically increases the time by one hour.

4.5 Child Lock

- To activate the child lock, press and hold the designated button (refer to control panel icons for specific button, often a lock symbol) for a few seconds.
- Repeat the process to deactivate.

5. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your dehumidifier.

5.1 Emptying the Water Tank

- When the water tank is full, the unit will automatically shut off, and an indicator light will illuminate.
- Carefully pull out the water tank from the front of the unit.
- Empty the collected water.
- Slide the empty tank back into position until it clicks securely. The unit will then resume operation.

5.2 Cleaning the Air Filter

The air filter should be cleaned every two weeks or more frequently depending on usage and air quality.

1. Unplug the dehumidifier from the power outlet.
2. Locate the air filter (typically behind the front air inlet grille).
3. Remove the filter.
4. Clean the filter with a vacuum cleaner or wash it gently with warm, soapy water.
5. Rinse thoroughly and allow it to air dry completely before reinserting.
6. Reinstall the dry filter and plug the unit back in.

5.3 Cleaning the Unit Exterior

- Wipe the exterior of the unit with a soft, damp cloth.
- Do not use harsh chemicals, abrasive cleaners, or solvents.

5.4 Storage

- If storing the unit for an extended period, ensure the water tank is empty and clean.
- Clean the air filter.
- Store the unit upright in a cool, dry place, preferably in its original packaging.

6. TROUBLESHOOTING

Before contacting customer support, please refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Unit does not turn on.	No power supply. Power button not pressed.	Check if the power cord is securely plugged in. Press the Power button.
No dehumidification.	Air filter is clogged. Room temperature is too low. Humidity setting is too high. Water tank is full.	Clean the air filter. Ensure room temperature is above 5°C. Lower the desired humidity setting. Empty the water tank.
Water tank full indicator is on, but tank is not full.	Float switch malfunction or obstruction.	Check the float switch in the water tank for any obstructions and ensure it moves freely.
Unit is noisy.	Unit not on a level surface. Air filter clogged.	Place the unit on a flat, stable surface. Clean the air filter.
Frost on coils.	Room temperature is too low.	The unit has an automatic defrost function. If frost persists, increase room temperature or ensure proper ventilation.

7. TECHNICAL SPECIFICATIONS

Feature	Specification
Brand	Turbionaire
Model	Smart 10 Eco
Dehumidification Capacity	10 Liters/24 hours
Recommended Room Area	Up to 31 Cubic meters
Power Source	Electric
Max. Wattage	200 W (as per product title) / 240 W (as per specifications)
Noise Level	40 Decibels
Water Tank Capacity	1.8 Liters
Refrigerant	R290 (Eco-friendly)
Product Dimensions (D x W x H)	21.7 cm x 29.6 cm x 26.1 cm
Weight	10.5 kg (23.15 pounds)

Feature	Specification
Number of Speeds	2
Special Features	Continuous drainage, Portable, Timer, Automatic Defrost, Hygrostat, Child Lock, Automatic Restart



Image 7.1: Dimensional diagram of the dehumidifier, indicating its height (29.59 cm), width (26.11 cm), and depth (21.69 cm).

8. WARRANTY AND SUPPORT

8.1 Warranty Information


The Turbionaire Smart 10 Eco Dehumidifier comes with a standard manufacturer's warranty. Please refer to the warranty card included in your product packaging for specific terms, conditions, and duration. Keep your proof of purchase for warranty claims.

8.2 Customer Support

For technical assistance, spare parts, or any questions not covered in this manual, please contact Turbionaire customer support. Contact details can typically be found on the manufacturer's website or on your product packaging.

Related Documents - Smart 10 Eco

 <p>RO: CUPRINS</p> <table border="1"> <tr><td>1. INTRODUCERE</td><td>14</td></tr> <tr><td>2. INSTALARE ȘI ÎNȚEBINERE</td><td>15</td></tr> <tr><td>3. FUNCȚIONARE ȘI ÎNȚEBINERE</td><td>16</td></tr> <tr><td>4. DEZUMIDIFICARE</td><td>17</td></tr> <tr><td>5. ÎNȚEBINERE</td><td>18</td></tr> <tr><td>6. ÎNȚEBINERE</td><td>19</td></tr> <tr><td>7. ÎNȚEBINERE</td><td>20</td></tr> <tr><td>8. ÎNȚEBINERE</td><td>21</td></tr> </table>	1. INTRODUCERE	14	2. INSTALARE ȘI ÎNȚEBINERE	15	3. FUNCȚIONARE ȘI ÎNȚEBINERE	16	4. DEZUMIDIFICARE	17	5. ÎNȚEBINERE	18	6. ÎNȚEBINERE	19	7. ÎNȚEBINERE	20	8. ÎNȚEBINERE	21	<p>Turbionaire Senso 20: Manual de Utilizare Complet și Ghid de Operare</p> <p>Ghid complet pentru dezumidicatorul Turbionaire Senso 20. Include instrucțiuni detaliate de instalare, operare, întreținere, depanare și specificații tehnice pentru o utilizare sigură și eficientă.</p>
1. INTRODUCERE	14																
2. INSTALARE ȘI ÎNȚEBINERE	15																
3. FUNCȚIONARE ȘI ÎNȚEBINERE	16																
4. DEZUMIDIFICARE	17																
5. ÎNȚEBINERE	18																
6. ÎNȚEBINERE	19																
7. ÎNȚEBINERE	20																
8. ÎNȚEBINERE	21																
 <p>turbionaire</p> <p>dot35 WALL/ISLAND BLACK</p> <p>KIT DE COCERIE HOTĂ DE COCERIE HOTĂ DE ÎNȚEBINERE CĂMIN DE COCERIE HOTĂ DE COCERIE CĂMIN DE COCERIE</p> <p>CE</p> <p>INSTRUCȚIUNI DE ÎNȚEBINERE EN RO DE ES FR IT</p>	<p>Turbionaire Dot 35 Kitchen Cooker Hood Manual</p> <p>User and installation manual for the Turbionaire Dot 35 Wall/Island Black kitchen cooker hood. Includes safety, operation, technical data, and troubleshooting.</p>																
 <p>turbionaire</p> <p>ama 60/90 WALL BLACK</p> <p>KIT DE COCERIE HOTĂ DE COCERIE HOTĂ DE ÎNȚEBINERE CĂMIN DE COCERIE HOTĂ DE COCERIE CĂMIN DE COCERIE</p> <p>CE</p> <p>INSTRUCȚIUNI DE ÎNȚEBINERE EN RO DE ES FR IT</p>	<p>Turbionaire AMA 60/90 WALL BLACK Kitchen Cooker Hood: Installation and User Manual</p> <p>User and installation manual for the Turbionaire AMA 60/90 WALL BLACK kitchen cooker hood. Covers safety, installation steps, technical data, functions, troubleshooting, and cleaning. Available in multiple languages including English, Romanian, German, Spanish, French, and Italian.</p>																
 <p>GoveeLife Model: H7150</p>  <p>User Manual GoveeLife Smart Dehumidifier</p>	<p>GoveeLife Smart Dehumidifier H7150 User Manual</p> <p>Comprehensive user manual for the GoveeLife Smart Dehumidifier (Model H7150), covering safety instructions, setup, operation, app connectivity, maintenance, and troubleshooting.</p>																
 <p>MEACO</p> <p>MeacoDry Arete One 20L and 25L Dehumidifier and Air Purifier</p>  <p>Thank you for choosing Meaco. We really appreciate it.</p>	<p>MeacoDry Arete One 20L & 25L Dehumidifier and Air Purifier User Manual</p> <p>Comprehensive user manual for the MeacoDry Arete One dehumidifier and air purifier, covering safety, setup, operating modes, maintenance, troubleshooting, and specifications for both 20L and 25L models.</p>																



[Jewenwils Two-Zone Automatic Water Timer HDWT01A Instruction Manual](#)

Comprehensive instruction manual for the Jewenwils HDWT01A Two-Zone Automatic Water Timer, covering installation, programming, eco function, rain delay, manual watering, and warranty information.

Documents - Turbionaire – Smart 10 Eco

[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M Installatie Handleiding EN DE FRHandleidingenv1airsain be atlantis media files smart manual edit FRInstallatie FRHandleidingenLuchtontvochtigers SMART ECO Luchtontvochtigerv1v1airsain editlucht ontvochtiger nl LuchtontvochtigerAirSain Luchtontvochtigerv1v1smart editairsain ||| ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in



SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICAD ... European directives regarding the protection of the environment. Warning Turbionaire Smart 8 Eco/ **Smart 10 Eco** contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains appro...

lang:en score:39 filesize: 4.14 M page_count: 154 document date: 2025-03-12

[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M Handleiding EN DE FRHandleidingenv1airsain be atlantis media files im smart 16m edit 1 FRHandleiding FRHandleidingenAirSain SMART Luchtontvochtigerv1v1airsain 1airsain nl FRHandbuch LuchtontvochtigerAirSain Luftentfeuchterv1v1v1airsain de LuchtontvochtigerLuchtontvochtigers Luftentfeuchterv1v1im 1v1airsain 1lucht ontvochtiger ||| ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in



SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICAD ... European directives regarding the protection of the environment. Warning Turbionaire Smart 8 Eco/ **Smart 10 Eco** contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains appro...

lang:en score:38 filesize: 4.14 M page_count: 154 document date: 2025-03-12



SMART

8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M

DEHUMIDIFIER
DEZUMIDIFICATOR
LUFTENTFEUCHTER
DESHUMIDIFICADOR
DESHUMIDIFICATEUR
DEUMIDIFICATORE
PARATARTO
ОБЕЗВЛАЖИТЕЛ

Instruction manual
Manual de instructiuni
Bedienungsanleitung
Manual de instrucciones
Manuel d'instructions
Manuale di istruzioni
Manuale di istruzioni
Инструкция за употреба



EN RO DE ES FR IT HU BG

turbionaire.com

[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M Installatie Handleiding EN DE FRHandleidingenv1airsain be atlantis media files im smart 16m edit FRInstallatie FRHandleidingenAirSain Eco Luchtontvochtigerv1im editairsain nl LuchtontvochtigerLuchtontvochtigers editv1airsain editlucht ontvochtiger FRInstallationshandbuch LuchtontvochtigerAirSain SMART ECO Luftentfeuchterv1im editv1v1airsain de ||| ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUMIDIFICATEUR DEUMIDIFICATORE PRTART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d in

SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICAD ... European directives regarding the protection of the environment. Warning Turbionaire Smart 8 Eco/ **Smart 10 Eco** contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains appro...

lang:en score:38 filesize: 4.14 M page_count: 154 document date: 2025-03-12



SMART

8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M

DEHUMIDIFIER
DEZUMIDIFICATOR
LUFTENTFEUCHTER
DESHUMIDIFICADOR
DESHUMIDIFICATEUR
DEUMIDIFICATORE
PARATARTO
ОБЕЗВЛАЖИТЕЛ

Instruction manual
Manual de instructiuni
Bedienungsanleitung
Manual de instrucciones
Manuel d'instructions
Manuale di istruzioni
Manuale di istruzioni
Инструкция за употреба



EN RO DE ES FR IT HU BG

turbionaire.com

[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M 67ab4b369a94f928195148climagroup ua storage app public 67a b4b 369 67ab4b369a94f928195148 srsItd AfmBOoribxza8tvA7oJj35rb36f5RoKpFLSsqVjfOcdXNYV2SVuqiETu climagroup AfmBOopX7Mf oKVriO2DaBBxyPOM5XbW0b63mfJyonCrAtY70PdbtrkWclimagroup AfmBOoqhtNlr6dbNkhnZPlayWWVV0ryDlf4p45eVly1XvIRMEtMvgsOclimagroup ||| ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR D SHUMIDIFICATEUR DEUMIDIFICATORE P R TART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d ||| SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICADOR D SHUMIDIFICATEUR DEUMIDIFICATORE P R TART Instruction manual Manual de instructiuni Bedienungsanleitung Manual de instrucciones Manuel d

SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR LUFTENTFEUCHTER DESHUMIDIFICAD ... European directives regarding the protection of the environment. Warning Turbionaire Smart 8 Eco/ **Smart 10 Eco** contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains appro...

lang:en score:38 filesize: 438.85 K page_count: 19 document date: 2025-02-05

RO: CUPRINS

1. NOIUNI PRELIMINARE	24
2. PRECAUTII DE SIGURANTA PRIVIND REPARATIILE	26
3. PREZENTAREA PRODUSULUI	31
4. INSTALARE	33
5. FUNCTIONARE	35
6. INTRETINERE	39
7. DEZAVARI	40
8. ELIMINARE	41

© 2021 Turbionaire S.R.L. Toate drepturile rezervate. Este interzisă reproducerea sau distribuția acestor informații fără acordul scris al Turbionaire S.R.L. Toate drepturile rezervate.

23

[\[pdf\]](#) User Manual

Manual de utilizare dezumidificator Turbionaire Smart 10 Eco Dedeman Dezumidificator L 24h rezervor 1 8 200 W control digital Dedicat planurilor tale manual turbionaire smart eco i dedeman ro media file m a ||| RO: 1. NOIUNI PRELIMINARE 24 2. PRECAUTII DE SIGURAN PRIVIND REPARAIILE 26 3. PREZENTAREA PRODUS ... specta directivele europene referitoare la protectia mediului inonjurator. Turbionaire Smart 8 Eco/ **Smart 10 Eco** contine aproximativ 40g de agent frigorific R290. Unitatea trebuie instalata, utilizata... lang:it score:36 filesize: 1.75 M page_count: 20 document date: 2021-03-05

RO: CUPRINS

1. NOIUNI PRELIMINARE	24
2. PRECAUTII DE SIGURANTA PRIVIND REPARATIILE	26
3. PREZENTAREA PRODUSULUI	31
4. INSTALARE	33
5. FUNCTIONARE	35
6. INTRETINERE	39
7. DEZAVARI	40
8. ELIMINARE	41

© 2021 Turbionaire S.R.L. Toate drepturile rezervate. Este interzisă reproducerea sau distribuția acestor informații fără acordul scris al Turbionaire S.R.L. Toate drepturile rezervate.

23

[\[pdf\]](#) User Manual

IM Turbionaire Smart 8 eco 10 12 Manual de utilizare dezumidificator 16M Dedeman Dezumidificator 16 L 24h rezervor 1 Dedicat planurilor tale manual turbionaire smart 16m i dedeman ro media file m a ||| RO: 1. NOIUNI PRELIMINARE 24 2. PRECAUTII DE SIGURAN PRIVIND REPARAIILE 26 3. PREZENTAREA PRODUS ... specta directivele europene referitoare la protectia mediului inonjurator. Turbionaire Smart 8 Eco/ **Smart 10 Eco** contine aproximativ 40g de agent frigorific R290. Turbionaire Smart 12 Eco contine apro... lang:it score:32 filesize: 437.98 K page_count: 20 document date: 2021-10-28

 turbionaire

Dehumidifier

Dehumidificator de aer
Luftenfeuchter
Deshumidificador de aire
Deumidificatore
Deshumidificateur d'air


Smart 10 Eco
Smart 12 Eco

www.turbionaire.com

[\[pdf\]](#) User Manual Instructions Declaration of Conformity Warranty

Turbionaire Smart 10 eco 12 Dedeman EN Keys and Functions Timer 24 hour countdown press the key to turn timer on or off each will increase operating time by one unit operate for 1 hours The counting is canceled pressing again until number 0 appears display manual turbionaire smart i dedeman ro media file m a |||

Dehumidifier Dezumidificator de aer Luftentfeuchter Deshumidificador de aire Deumidificatore Dshumidificateur d air **Smart 10 Eco** Smart 12 Eco www.turbionaire.com EN Dear Customer, Congratulations on purchasing this equipment. Please read this manual carefully and take care of the following hints... lang:en score:31 filesize: 7.96 M page_count: 106 document date: 2019-06-26



[\[pdf\]](#) User Manual

IM Turbionaire Smart 8 eco 10 12 104 Manual de utilizare dezumidicator 14 ECO Dedeman
Dezumidicator L 24 h rezervor 1 control digital timer Dedicat planurilor tale 2031023 manual smart 16 i
dedeman ro media file 2 0 |||

SMART 8eco 10eco 12eco 14eco 16M DEHUMIDIFIER DEZUMIDIFICATOR
LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUM ... spectra directivele europene
referitoare la protectia mediului inonjurator. Turbionaire Smart 8 Eco/ **Smart 10 Eco**
contine aproximativ 40g de agent frigorific R290. Turbionaire Smart 12 Eco contine
apro...

lang:it score:29 filesize: 688.88 K page_count: 21 document date: 2022-10-06



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M 104 Installatie Handleiding EN DE FR AirSain SMART ECO
Luchtontvochtiger smart manual airsain nl atlantis media files |||

SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR
LUFTENTFEUCHTER DESHUMIDIFICAD ... European directives regarding the
protection of the environment. Warning Turbionaire Smart 8 Eco/ **Smart 10 Eco**
contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains
apro...

lang:en score:28 filesize: 4.83 M page_count: 156 document date: 2023-12-08




[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M 104 Handbuch EN DE FR AirSain SMART Luftentfeuchter im
smart 16m 1 airsain de atlantis media files |||

SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M DEHUMIDIFIER DEZUMIDIFICATOR
LUFTENTFEUCHTER DESHUMIDIFICAD ... European directives regarding the
protection of the environment. Warning Turbionaire Smart 8 Eco/ **Smart 10 Eco**
contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains
apro...

lang:en score:21 filesize: 5.24 M page_count: 156 document date: 2023-12-08



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide

IM Turbionaire Smart 8 eco 10 12 14 16M 104 foxtrotThe dehumidifier is used to remove excessive moisture from the air 10L Day 30°C 80% AC220 240V 50Hz 200W 1 1A ≤40dB A 8L R290 40g 10kg 4 file 22115 128 FCgXKufiles foxtrot ua Uploads file FCgXKu |||

SMART 8eco 10eco 12eco 14eco 16M DEHUMIDIFIER DEZUMIDIFICATOR

LUFTENTFEUCHTER DESHUMIDIFICADOR DSHUM ... with the European directives regarding the protection of the environment. Turbionaire Smart 8 Eco/

Smart 10 Eco contains approximately 40g of R290 refrigerant. Turbionaire Smart 12 Eco contains appro...

lang:en score:19 filesize: 13.24 M page_count: 126 document date: 2023-02-06



[\[pdf\]](#)

IM Turbionaire Smart 8 eco 10 12 14 16M Installationshandbuch NL AirSain SMART ECO Luftentfeuchter im smart 16m translated airsain at atlantis media files |||

SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M LUKTONTVOCHTIVER

Instructiehandleiding turbionaire.com NL ... richtlijnen met betrekking tot de bescherming van het milieu. Waarschuwing Turbionaire Smart 8 Eco/**Smart 10 Eco**

bevat ongeveer 40 g R290koelmiddel. Turbionaire Smart 12 Eco bevat ongeveer 55 g R290-k...

lang:nl score:19 filesize: 1.22 M page_count: 18 document date: 2024-07-05



[\[pdf\]](#)

IM Turbionaire Smart 8 eco 10 12 14 16M Installatie Handleiding NL AirSain Eco Luchtontvochtiger im smart 16m translated airsain nl atlantis media files |||

SMART 8 eco/ 10 eco/ 12 eco/ 14 eco/ 16M LUKTONTVOCHTIVER

Instructiehandleiding turbionaire.com NL ... richtlijnen met betrekking tot de bescherming van het milieu. Waarschuwing Turbionaire Smart 8 Eco/**Smart 10 Eco**

bevat ongeveer 40 g R290koelmiddel. Turbionaire Smart 12 Eco bevat ongeveer 55 g R290-k...

lang:nl score:19 filesize: 1.14 M page_count: 18 document date: 2024-07-05

