

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

> [IKEA](#) /

> IKEA SKOGHALL Hanger (Model ik1298) Instruction Manual

## IKEA ik1298

# IKEA SKOGHALL Hanger (Model ik1298) Instruction Manual

Chrome-Plated, Self-Adhesive Wall Hooks (Set of 3)

## 1. INTRODUCTION

Thank you for choosing the IKEA SKOGHALL Hanger set. These chrome-plated, self-adhesive hooks are designed for easy installation on various wall surfaces, providing a convenient solution for hanging lightweight items. This manual provides essential information for safe installation, proper use, and maintenance of your SKOGHALL hangers.

## 2. SAFETY INFORMATION

- Ensure the mounting surface is clean, dry, and smooth for optimal adhesion.
- Do not exceed the maximum load capacity of 1500 grams (3 lb 5 oz) per hanger. Overloading can cause the hanger to detach and potentially damage items or the wall surface.
- Keep out of reach of children to prevent accidental ingestion of small parts or misuse.
- Avoid mounting on delicate or uneven surfaces where adhesive may not bond securely.

## 3. PACKAGE CONTENTS

The IKEA SKOGHALL Hanger package includes:

- 3 x SKOGHALL Hangers (Chrome-plated, self-adhesive)

## 4. SETUP AND INSTALLATION

The SKOGHALL hangers feature concealed mounting fittings and are designed for easy attachment using self-adhesive tape. Follow these steps for proper installation:

1. **Prepare the Surface:** Choose a clean, dry, and smooth wall surface, such as drywall or tiles. Ensure the area is free from dust, grease, or moisture. Clean the surface thoroughly with a mild cleaner and allow it to dry completely.
2. **Mark the Position:** Determine the desired location for each hanger. You may use a pencil to lightly mark the spot.

3. **Remove Protective Film:** Carefully peel off the protective film from the adhesive backing of the hanger.
4. **Apply the Hanger:** Align the hanger with your marked position. Press the hanger firmly against the wall for at least 30 seconds to ensure good contact with the adhesive. Apply even pressure across the entire adhesive surface.
5. **Allow Adhesive to Cure:** For optimal adhesion, allow the adhesive to cure for at least 24 hours before hanging any items. This ensures maximum bond strength.



Image: Rear view of the SKOGHALL Hanger, highlighting the self-adhesive backing for easy installation.

## 5. OPERATING INSTRUCTIONS

---

Once installed and the adhesive has cured, the SKOGHALL hangers are ready for use. Simply hang items such as towels, small bags, or lightweight decorations on the hooks. Remember to always adhere to the maximum load capacity.



Image: SKOGHALL Hangers in use, demonstrating their function for hanging various items in a bathroom setting.

## 6. MAINTENANCE

---

To maintain the appearance and functionality of your SKOGHALL hangers:

- Clean the chrome-plated surface with a soft, damp cloth.
- Avoid using abrasive cleaners, scouring pads, or chemical solvents, as these can damage the finish.
- Dry the hangers thoroughly after cleaning to prevent water spots.

## 7. TROUBLESHOOTING

---

### Hanger is not sticking or falls off:

- **Surface Preparation:** Ensure the wall surface was thoroughly cleaned and dried before application. Any dust, grease, or moisture will prevent proper adhesion.

- **Curing Time:** Verify that the adhesive was allowed to cure for at least 24 hours before any weight was applied.
- **Surface Type:** The hanger is designed for smooth, non-porous surfaces like drywall or tiles. Adhesion may be poor on textured, porous, or painted surfaces that are not fully cured.
- **Overloading:** Confirm that the maximum load capacity of 1500 grams (3 lb 5 oz) has not been exceeded.

## 8. SPECIFICATIONS

<b>Model Number</b>	ik1298
<b>Brand</b>	IKEA
<b>Material</b>	Zinc, Chrome
<b>Finish Type</b>	Chrome-plated
<b>Mounting Type</b>	Self-adhesive Wall Mount
<b>Number of Hooks</b>	3
<b>Maximum Load Capacity</b>	1500 grams (3 lb 5 oz) per hanger
<b>Recommended Surface</b>	Drywall, smooth tiles
<b>Item Dimensions</b>	5.12 x 4.72 x 1.57 inches (approximate, for one hanger)
<b>Item Weight</b>	250 grams (approximate, for one hanger)
<b>UPC</b>	300846136810

## 9. WARRANTY AND SUPPORT

Specific warranty information for the IKEA SKOGHALL Hanger is not provided in this manual. For details regarding warranty coverage, returns, or customer support, please refer to your purchase documentation or contact IKEA customer service directly.

