

[Manuals.plus](#) /

› [GSParts](#) /

› GSParts Victor Cutting Torch Valve Stem Assembly Knob CA2460 Instruction Manual

GSParts CA2460

Instruction Manual

GSPARTS VICTOR CUTTING TORCH VALVE STEM ASSEMBLY KNOB CA2460

Model: CA2460 | Part Number: 0662-0014

1. Product Overview

This manual provides instructions for the installation, operation, and maintenance of the GSParts Victor Cutting Torch Valve Stem Assembly Knob, model CA2460. This component is a direct replacement part designed to restore precise gas flow control to compatible cutting torches.



Figure 1: GSParts Victor Cutting Torch Valve Stem Assembly Knob CA2460. This image shows the yellow-painted metal component designed for precise gas flow control in cutting torches.

Compatibility

The CA2460 Valve Stem Assembly Knob is compatible with a wide range of Journeyman torches, including but not limited to:

- CA2450
- CA2460
- CA2060
- CA1060
- 315FC
- MT210
- ST1600
- ST2600

- HC1100
- HC1200

2. Safety Information

WARNING: Working with cutting torches and pressurized gases can be hazardous. Always follow proper safety procedures and wear appropriate personal protective equipment (PPE).

- Ensure all gas supplies are turned off and lines are depressurized before attempting any installation or repair.
- Always use the correct tools for installation and avoid overtightening connections.
- Check for gas leaks using an approved leak detection solution after installation and before operating the torch.
- If you are unsure about any step, consult a qualified professional.

3. Installation Instructions

This section outlines the general steps for replacing the valve stem assembly knob. Specific torch models may have slight variations.

1. **Preparation:** Ensure the cutting torch is disconnected from all gas supplies and that all residual gas pressure has been safely vented. Allow the torch to cool completely if it has been in recent use.
2. **Remove Old Knob/Assembly:** Carefully remove the existing valve stem assembly knob. This may involve unscrewing a retaining nut or bolt, or simply pulling the knob off the stem, depending on the torch design. Note the orientation of any washers or seals.
3. **Inspect Torch Body:** Clean the area where the new assembly will be installed. Inspect the torch body for any damage or debris that could affect the seal or function of the new part.
4. **Install New Knob:** Position the GSParts CA2460 Valve Stem Assembly Knob onto the valve stem. The assembly features a 1/2 inch NPT inlet and a 1/2" or 15/16" NPT outlet for secure fitting. Ensure proper alignment.
5. **Secure the Assembly:** Hand-tighten any retaining nuts or bolts first, then use an appropriate wrench to gently tighten until snug. *Do not overtighten*, as this can damage the threads or the assembly.
6. **Leak Test:** Reconnect the torch to the gas supply. Before lighting, apply an approved leak detection solution to all new connections. Look for bubbles, which indicate a leak. If leaks are detected, turn off the gas, depressurize, and re-tighten the connections. Repeat the leak test until no bubbles appear.

4. Operating the Valve Stem Assembly Knob

The CA2460 Valve Stem Assembly Knob provides two-way flow control, allowing for precise regulation of gas flow to your cutting torch.

- **Gas Flow Adjustment:** Rotate the yellow knob clockwise to decrease gas flow and counter-clockwise to increase gas flow.
- **Fine-Tuning:** Make small, incremental adjustments to achieve the desired flame characteristics for your cutting application.
- **Shut-off:** Turn the knob fully clockwise to completely shut off the gas flow through that valve.

Always refer to your specific cutting torch's operating manual for detailed instructions on lighting and adjusting the flame.

5. Care and Maintenance

Proper maintenance ensures the longevity and safe operation of your valve stem assembly knob and cutting torch.

- **Regular Inspection:** Periodically inspect the knob and its connections for any signs of wear, damage, or leaks.
- **Cleaning:** Keep the knob and surrounding area clean from dirt, grease, and welding spatter. Use a soft cloth and mild cleaner if necessary. Avoid harsh chemicals that could damage the material or finish.
- **Storage:** When not in use, store the torch in a clean, dry environment, protected from extreme temperatures and physical damage.
- **Replacement:** If the knob becomes difficult to turn, shows signs of gas leakage, or is physically damaged, replace it immediately with a genuine GSParts replacement part.

6. Troubleshooting

This section addresses common issues you might encounter with the valve stem assembly knob.

- **Gas Leakage:**
 - Ensure all connections are properly tightened.
 - Check for damaged O-rings or seals and replace if necessary.
 - If the leak persists, the valve stem assembly itself may be faulty and require replacement.
- **Knob is Stiff or Hard to Turn:**
 - Dirt or debris may be obstructing the mechanism. Clean the area thoroughly.
 - The internal valve mechanism may be worn or damaged. Replacement of the assembly may be required.
- **Improper Gas Flow:**
 - Verify that gas supply cylinders have sufficient pressure and are open.
 - Check for blockages in the torch lines or tip.
 - Ensure the knob is fully functional and not stripped internally.

For issues not covered here, or if troubleshooting steps do not resolve the problem, contact GSParts customer support or a qualified technician.

7. Specifications

Feature	Detail
Model Number	CA2460
Part Number	0662-0014
Brand	GSParts
Material	Metal
Exterior Finish	Yellow-painted Metal

Outlet Connection Type	NPT
Number of Ports	2
Outlet Connection Size	0.5 Inches
Item Weight	0.317 ounces
Package Dimensions	2.32 x 1.69 x 1.3 inches

8. Warranty and Support

For information regarding product warranty, returns, or technical support, please contact GSParts directly through their official website or the retailer from whom the product was purchased. Please have your model number (CA2460) and part number (0662-0014) available when contacting support.

© 2024 GSParts. All rights reserved. Information in this manual is subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question