

[Manuals.plus](#) /

› [SLLEA](#) /

› SLLEA AC/DC Adapter for RCA Cambio W101 Series Tablets User Manual

SLLEA BB-D-L201905-10-1123

SLLEA AC/DC Adapter for RCA Cambio W101 Series Tablets User Manual

Model: BB-D-L201905-10-1123 (Also identified as ANU-090100A)

1. INTRODUCTION

This user manual provides essential information for the safe and effective use of your SLLEA AC/DC Adapter. This adapter is designed as a replacement power supply for various RCA Cambio W101 series 2-in-1 tablets. Please read this manual thoroughly before using the product and retain it for future reference.

Compatible RCA Cambio W101 Series Tablet Models:

- W101-CS
- W101CS
- W101SA23T1
- W101SA23T1S
- W101SA23T1B
- W101SA23T1P
- W101SA23T2
- W101SA23T2F8

2. PRODUCT OVERVIEW

The SLLEA AC/DC Adapter is a reliable power solution for your compatible RCA Cambio tablet. It features a compact design and incorporates multiple safety protections to ensure stable and secure charging.

Key Features:

- **Input:** AC 100V-240V, 50/60Hz
- **Output:** DC 5V, 2A
- **Cable Length:** 4 feet (approximately 1.2 meters)
- **Color:** Black
- **Safety Protections:** Over Voltage Protection (OVP), Over Current Protection (OCP), Over Temperature Protection (OTP), Short Circuit Protection (SCP)
- **Certification:** CE certified

What's Included:

- 1 x SLLEA AC/DC Adapter



OVP (Over Voltage Protection)



OCP (Over Current Protection)



OTP (Over Temperature Protection)



SCP (Short Circuit Protection)



The charger is very durable and will not be damaged during transportation.



Noise



Physical noise is not emitted when charging

Image 1: The SLLEA AC/DC Adapter. This image illustrates the adapter's compact design and highlights its integrated safety features: Over Voltage Protection (OVP), Over Current Protection (OCP), Over Temperature Protection (OTP), and Short Circuit Protection (SCP). It also indicates a 3-year warranty and confirms that the adapter operates silently without physical noise during charging.

3. SETUP

Follow these steps to set up your SLLEA AC/DC Adapter:

1. **Connect to Tablet:** Insert the small barrel connector of the adapter's cable into the charging port of your RCA Cambio W101 series tablet. Ensure the connection is firm.
2. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard wall power outlet (AC 100V-240V).
3. **Verify Connection:** Once connected, your tablet should indicate that it is receiving power or charging.

4. OPERATING INSTRUCTIONS

The SLLEA AC/DC Adapter is designed for straightforward operation:

- **Charging:** Once properly connected to both the tablet and a power outlet, the adapter will automatically begin charging your device.
- **Charging Indicator:** Refer to your RCA Cambio tablet's user manual or on-screen display for information on how your tablet indicates charging status (e.g., battery icon, LED light).
- **Disconnection:** To disconnect, first unplug the adapter from the wall outlet, then gently remove the connector from your tablet.

5. SAFETY INFORMATION

To ensure safe operation and prevent damage, please observe the following safety guidelines:

- **Indoor Use Only:** This adapter is intended for indoor use in dry locations. Do not expose it to rain, moisture, or extreme temperatures.
- **Avoid Water:** Do not use the adapter near water or in wet conditions. If the adapter comes into contact with liquid, unplug it immediately and do not use it again.
- **Proper Voltage:** Ensure the wall outlet voltage is within the adapter's specified input range (AC 100V-240V).
- **Ventilation:** Do not cover the adapter during use, as this may lead to overheating. Ensure adequate ventilation.
- **Unplug When Not in Use:** Disconnect the adapter from the power outlet when not in use for extended periods or during electrical storms.
- **Handle with Care:** Do not drop, disassemble, or attempt to repair the adapter yourself. Refer to qualified personnel for service.
- **Cable Integrity:** Regularly inspect the power cord for any signs of damage. Do not use if the cord is frayed or damaged.
- **Child Safety:** Keep the adapter out of reach of children.

The adapter is equipped with built-in safety features including Over Voltage Protection (OVP), Over Current Protection (OCP), Over Temperature Protection (OTP), and Short Circuit Protection (SCP) to protect both the adapter and your device.

6. TROUBLESHOOTING

If you encounter issues with your SLLEA AC/DC Adapter, try the following steps:

- **Tablet Not Charging:**
 - Ensure both ends of the adapter are securely connected to the tablet and the wall outlet.
 - Try plugging the adapter into a different wall outlet to rule out a faulty outlet.
 - Check if the tablet's charging port is clean and free of debris.
 - Verify that your tablet is one of the compatible RCA Cambio W101 series models listed in this manual.
- **Adapter Feels Warm:**
 - It is normal for the adapter to feel slightly warm during operation. If it becomes excessively hot, unplug it immediately and discontinue use. Ensure it has adequate ventilation.
- **Loose Connection:**
 - If the connection feels loose, ensure the barrel connector is fully inserted into the tablet's port. Avoid wiggling the connector while it's plugged in.

If these steps do not resolve the issue, please refer to the Warranty and Support section.

7. SPECIFICATIONS

Detailed technical specifications for the SLLEA AC/DC Adapter:

- **Brand:** SLLEA
- **Model Number (Mfr Part Number):** BB-D-L201905-10-1123
- **Adapter Label Model:** ANU-090100A
- **Input:** AC 100-240V, 0.3A, 50/60Hz
- **Output:** DC 5V, 2A
- **Power:** 10W
- **Cable Length:** 4 feet (approx. 1.2 meters)
- **Color:** Black
- **Plug Type:** Type A (US standard)
- **Item Weight:** Approximately 4 ounces (113 grams)
- **Certifications:** CE



Image 2: The SLLEA AC/DC Adapter with its 4-foot cable. The image clearly displays the adapter's label, which specifies the model number ANU-090100A, input voltage (100-240VAC, 0.3A, 50/60Hz), and output voltage (5V 2A).

8. MAINTENANCE

Proper care and maintenance will extend the life of your adapter:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly winding the cable to prevent damage.
- **Transportation:** The adapter is designed to be durable. When transporting, ensure it is not subjected to excessive force or sharp objects that could damage the casing or cable.

9. WARRANTY AND SUPPORT

Your SLLEA AC/DC Adapter comes with a **3-year warranty** from the date of purchase, covering manufacturing defects. If you experience any issues with your product that cannot be resolved using the troubleshooting steps in this manual, or for warranty claims, please contact SLLEA customer support through your original point of purchase or the official SLLEA website. Please have your purchase details and product model number (BB-D-L201905-10-1123 or ANU-090100A) ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

