

Summer Infant 36154

Summer Infant LookOut Duo 5" LCD Video Baby Monitor Instruction Manual

Model: 36154

INTRODUCTION

This manual provides detailed instructions for the safe and effective use of your Summer Infant LookOut Duo 5" LCD Video Baby Monitor. This system is designed to provide parents with a clear view and audio monitoring of their child, enhancing peace of mind.

WHAT'S INCLUDED

The Summer Infant LookOut Duo 5" LCD Video Baby Monitor package includes the following components:

- Handheld Screen (Parent Unit)
- Camera (Baby Unit) - 2 units
- AC Adapters - 2 units
- Wall Mount
- Tabletop Stand
- Cord Clips
- Rechargeable Battery (pre-installed in Parent Unit)

SETUP

1. Parent Unit Setup

1. **Charge the Parent Unit:** Connect the AC adapter to the Parent Unit and plug it into a standard electrical outlet. Allow the unit to charge fully before first use.
2. **Power On/Off:** Press and hold the power button (usually located on the top or side) for approximately 3 seconds to turn the unit on or off.
3. **Stand:** Utilize the integrated kickstand on the back of the Parent Unit for convenient tabletop viewing.

2. Baby Unit (Camera) Setup and Mounting

The LookOut Duo cameras offer versatile placement options:

- **Tabletop Placement:** Place the camera on a flat, stable surface such as a dresser or shelf. Ensure it has a clear line of sight to the monitoring area.
- **No-Hole Wall Mounting (PrestoMount):** The system includes a No-Hole PrestoMount for easy wall installation without drilling.
 - a. Clean the wall surface with rubbing alcohol (do not use household cleaners or water).
 - b. Remove the backing from the wall mount adhesive.
 - c. Press the wall mount firmly onto the wall for 30 seconds.
 - d. Wait 24 hours before attaching the camera to the wall mount to ensure proper adhesion.
 - e. Once mounted, the camera can be easily adjusted in any direction to achieve the desired viewing angle.
- **Traditional Screw Mount:** For a more permanent installation, the camera can also be mounted using screws and wall anchors (not included).



Image: Summer Infant LookOut Duo camera mounted using the No-Hole PrestoMount.

1000 foot range



Image: Step-by-step guide for installing the No-Hole PrestoMount.

Tips for Wall Mount Installation

1. Wipe wall with
rubbing alcohol

(do not use household cleaner or water)

2. Remove backing from
wall mount

3. Press wall mount firmly
on wall for 30 seconds

4. Wait 24 hours before
adding camera to wall mount

Image: Visual comparison highlighting the ease of the No-Hole PrestoMount over traditional drilling.

TRADITIONAL MOUNT

SCREW AND
WALL ANCHOR



NO-HOLE PRESTOMOUNT™

NO DRILLING REQUIRED!



Image: Demonstrates how the camera can be detached from the wall mount and used with the included tabletop stand.

3. Syncing Cameras

The LookOut Duo system comes pre-synced. If you need to re-sync or add additional cameras (up to 4 total, sold separately), follow the instructions in the Parent Unit's menu under "Add Cam".

OPERATING INSTRUCTIONS

1. Parent Unit Controls

- **Power Button:** Press and hold to turn the unit on/off. A short press can toggle the video screen on/off while audio continues.
- **Volume Control:** Use the up/down arrow buttons on the control panel to adjust the audio volume.
- **Digital Zoom:** Press the zoom button (magnifying glass icon) to digitally zoom in on the camera's view. Press again to zoom out.
- **Two-Way Talk:** Press and hold the talk button (speech bubble icon) to speak through the camera to your child. Release the button to hear audio from the camera.

- **Menu Navigation:** Press the menu button (three horizontal lines icon) to access settings such as brightness, view camera, scan, add/delete camera, and temperature units.

5.0" color screen



Image: The 5-inch color screen of the Parent Unit showing a live feed from the camera.

room temperature display



Image: The digital zoom function of the monitor, allowing closer inspection of the monitored area.

two-way talk
back to baby



Image: The camera unit highlighting the two-way talk back feature.

2. Camera Features

- **Automatic Night Vision:** The camera automatically activates infrared night vision in low-light conditions, providing a clear black and white image.
- **Room Temperature Display:** The Parent Unit displays the room temperature detected by the camera, helping you ensure a comfortable environment for your child.
- **VOX (Voice Activated Video):** When enabled, the video screen on the Parent Unit will automatically turn on when sound is detected from the camera, conserving battery life.



digital zoom

Image: The Parent Unit screen showing the room temperature display.

3. Multi-Camera Monitoring

The LookOut Duo system supports up to 4 cameras. You can easily switch between cameras or use the auto-scan feature to cycle through all connected cameras, monitoring multiple rooms or children from a single Parent Unit.

Your browser does not support the video tag.

Video: An overview of the Summer Infant LookOut Duo 5.0-Inch Color Video Monitor with No-Hole PrestoMount, demonstrating its features and ease of use.

MAINTENANCE

- **Cleaning:** Use a dry, soft cloth to clean the monitor and camera units. Do not use abrasive cleaners or immerse units in water.
- **Battery Care:** To prolong battery life, avoid extreme temperatures and fully charge the Parent Unit regularly.
- **Storage:** If storing the unit for an extended period, ensure the battery is fully charged and store in a cool, dry place.

TROUBLESHOOTING

Problem	Solution
No picture/sound on Parent Unit.	Ensure both Parent and Baby Units are powered on and within range. Check battery levels and power connections. Re-sync units if necessary.
Poor reception or static.	Move Parent Unit closer to Baby Unit. Avoid placing units near other electronic devices that may cause interference (e.g., Wi-Fi routers, microwaves).
Parent Unit battery drains quickly.	Ensure the Parent Unit is fully charged. Use VOX mode to conserve battery by turning off the screen when no sound is detected. Keep the unit plugged in when possible.
Room temperature display is inaccurate.	Ensure the camera is not placed near heat sources, air vents, or direct sunlight, which can affect sensor readings.
Two-way audio not working.	Ensure the talk button on the Parent Unit is pressed and held while speaking. Check volume levels on both units.

SPECIFICATIONS

Feature	Detail
Model Name	Lookout Duo
Item Model Number	36154
Screen Size	5 Inches
Display Type	LCD
Video Capture Resolution	720p
Connectivity Technology	Wireless (Not Wi-Fi)
Range	Up to 1,000 ft
Special Features	Night Vision, Digital Zoom, Two-Way Talk, Room Temperature Display
Power Source	Battery Powered (Rechargeable Battery Included)
Number of Cameras Supported	Up to 4 (2 included)
Mounting Type	Wall Mount (No-Hole PrestoMount included)
Item Dimensions L x W x H	13 x 8 x 4.5 inches
Item Weight	0.088 ounces
UPC	012914361542

WARRANTY AND SUPPORT

For warranty information, technical support, or to purchase additional accessories, please visit the official Summer

Infant website or contact their customer service department. Keep your purchase receipt for warranty claims.

Official Brand Store: [Summer Infant Store](#)