

Hansgrohe 26230000

Hansgrohe Rainfinity Overhead Shower 360 (Model 26230000) Instruction Manual

1. PRODUCT OVERVIEW

The Hansgrohe Rainfinity Overhead Shower 360 is a premium shower head designed to provide an immersive showering experience. This model features a large 360 mm diameter shower head with a wall connection, delivering the innovative PowderRain spray mode. The design incorporates a brilliant chrome exterior with a large anthracite-colored anodized aluminum spray disc.

A key feature is the adjustable angle of the overhead shower, which can be set vertically from 10 to 30 degrees. This allows for personalized comfort and the option to keep hair dry if desired. The unique inwardly curved spray surface ensures the water jet does not directly hit the head and shoulders from above, unlike conventional showers.



2. INSTALLATION AND SETUP

This overhead shower is designed for universal installation and connects to the water outlet in the wall via a G ½ connection thread (size: DN15). It is suitable for high-pressure systems only, requiring over 1.4 bar of water pressure for optimal performance.

2.1 Included Components:

- Overhead shower
- Wall connector
- Mounting material
- Assembly instructions

2.2 Installation Diagram:




Image 2.1: Technical diagram illustrating the dimensions and adjustable angle range (10-30°) of the shower head and wall connector.

Refer to the detailed assembly instructions provided in the packaging for step-by-step guidance on installation.

3. OPERATION

The Rainfinity Overhead Shower 360 features a single spray mode: PowderRain. This innovative spray mode produces thousands of gentle, silky micro-fine droplets, enveloping the body for a deeply relaxing and immersive shower experience. The micro-fine water droplets also contribute to a super-silent operation.

The angle of the overhead shower can be easily adjusted vertically between 10 and 30 degrees to direct the water flow as desired, enhancing comfort and usability.

4. CARE AND MAINTENANCE

Regular cleaning ensures the longevity and optimal performance of your Hansgrohe Rainfinity Overhead Shower. Follow these guidelines for maintenance:

- **QuickClean Function:** Limescale deposits can be easily rubbed off the silicone nozzles. Simply wipe the nozzles with your finger to remove any buildup.
- **Spray Disc Cleaning:** The spray disc can be removed for more thorough cleaning if required. Refer to the assembly instructions for details on how to safely detach and reattach the spray disc.
- **General Cleaning:** Use only mild cleaning agents and a soft cloth. Avoid abrasive cleaners, scouring pads, or solvents, as these can damage the chrome finish and spray disc.

5. TROUBLESHOOTING

If you encounter any issues with your Hansgrohe Rainfinity Overhead Shower, consider the following common checks:

- **Low Water Pressure:** Ensure your water supply meets the minimum requirement of 1.4 bar. Check for any blockages in the water supply lines or the shower head filter.
- **Uneven Spray Pattern:** Clean the silicone nozzles using the QuickClean function to remove any limescale that might be obstructing the water flow.
- **Leaks:** Check all connections for proper sealing. Ensure that all components are tightened correctly according to the installation instructions. Do not overtighten.

For persistent issues, please contact Hansgrohe customer support or a qualified plumber.

6. TECHNICAL SPECIFICATIONS

Feature	Detail
Brand	Hansgrohe
Model Number	26230000
Finish	Chrome (Polished)
Spray Disc Material	Anodized Aluminium
Shower Head Diameter	360 mm (approx. 14.17 inches)
Spray Type	PowderRain (1 Spray)
Installation Type	Wall-mounted
Minimum Water Pressure	1.4 bar
Adjustable Angle	10-30 degrees vertically
Item Weight	4.74 Kilograms

7. WARRANTY AND SUPPORT

Hansgrohe stands by the quality of its products. This Rainfinity Overhead Shower comes with a **5-year manufacturer's warranty**, ensuring high quality standards.

Additionally, Hansgrohe guarantees the availability of all spare parts for **15 years**, providing long-term support and peace of mind for your investment.



Image 7.1: Icons indicating 5-year warranty, 15-year spare parts availability, and Hansgrohe quality.

For further assistance, technical inquiries, or warranty claims, please visit the official Hansgrohe website or contact their customer service department.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

