GIORDON MP913

GIORDON MP913 Universal Remote Starter Kit User Manual

MODEL: MP913

Brand: GIORDON

Setup	Operating Instructions	Maintenance	Troubleshooting	Specifications

1. Setup and Installation

This section provides an overview of the components and general installation guidance. Professional installation is recommended for optimal performance and safety.

1.1 Components Checklist

Ensure all components are present before beginning installation:

- Main Control Module
- Remote Key Fobs (2)
- Push Start Button
- Wiring Harnesses
- PKE Antennas
- Alarm Antenna
- Relay
- Reset Switch

Image: Overview of the GIORDON MP913 remote starter kit components, including the main module, two remote key fobs, the push start button, and various wiring harnesses and antennas.

1.2 Pre-Installation Considerations

- Verify compatibility with your vehicle's DC12V system.
- If your car has an original remote start button, it must be removed and replaced with the provided push start button.
- Vehicles with a keyhole ignition that cannot be fully removed may not be compatible.
- A bypass module may be required for vehicles with immobilizer systems. Consult a professional installer.

1.3 Wiring and Module Programming

Installation involves connecting various wiring harnesses to the vehicle's electrical system and programming the control module. Detailed wiring diagrams are typically provided in the full installation guide. The following videos offer general guidance on module programming and antenna installation, which are crucial steps for proper system function.

Video: Idatalink BLADE Remote Start/Security Bypass Module Flashing. This video demonstrates the process of flashing and updating a bypass module, a common step in remote starter installations.

---

2. Operating Instructions

2.1 Remote Engine Start

The system allows for remote engine starting to pre-warm or pre-cool your vehicle's interior. This function can be activated via the remote key fob or the dedicated smartphone application.

- **Automatic Transmission Vehicles:** With the car in 'P' or 'N' position and the hand-brake engaged, press the start button on the remote for 2 seconds. The LED on the transmitter will flash slowly. The remote start function is activated after shutting down the engine and locking the car.
- **Manual Transmission Vehicles:** Step on the foot brake, then long-press the third and fourth buttons on the key fob simultaneously for 4 seconds.

Image: Illustration of remote engine start functionality, showing a car being pre-warmed or pre-cooled using either a remote control or a smartphone application.

2.2 Passive Keyless Entry (PKE)

The PKE feature automatically locks or unlocks your vehicle as you approach or walk away, provided the remote

key fob or smartphone with the app is within range.

Remote start

Unlock/lock

Open air conditioning

Open the trunk

Image: Depiction of the 4-way keyless entry system, illustrating how the car automatically locks/unlocks when the remote key or smartphone app is within proximity.

2.3 Push Button Start/Stop

Once inside the vehicle, the engine can be started or stopped with a simple press of the button.

4 WAYS KEYLESS ENTRY

LOCK / UNLOCK THE CAR BY SMART PHONE.

REMOTE KEY PASSIVE KEYLESS ENTRY

App Lock / Unlock the Car.

SHAKE THE MOBILE PHONE LOCK / UNLOCK THE CAR

Image: Close-up of the engine start/stop push button in a vehicle's dashboard. Important notices regarding compatibility and replacement of original buttons are also shown.

2.4 App Control

The dedicated smartphone application (compatible with Android and iOS) provides additional control over your vehicle's functions, including remote engine start, lock/unlock, trunk release, and car locator.

ONE KEY START/STOP

ENGINE START STOP

If the keyhole like this, the car can't use this product

Notice

If your car has original remote start button, you have to remove it and use ours.

Not for buicks and volkswagen

Image: Introduction to the main page of the smartphone application, showing the interface for both Apple and Android devices with controls for remote start, lock, unlock, trunk release, and car locator.

Image: Features of the intelligent central control system, including app car locator and universal fit for various car types. It also highlights safety for children by preventing accidental door opening.

Video: Bluetooth Mobile Phone APP Control Car Alarm Start Stop Kit. This video demonstrates the use of a smartphone app to control car alarm functions, including start and stop.

3. Maintenance

3.1 General Care

To ensure the longevity and proper functioning of your remote starter kit, follow these general care guidelines:

- Keep the main control module and remote key fobs dry and away from extreme temperatures.
- Avoid dropping the remote key fobs or subjecting them to strong impacts.
- Clean the components with a soft, dry cloth. Do not use harsh chemicals or abrasive cleaners.

3.2 Remote Key Fob Battery Replacement

If the range or responsiveness of your remote key fob decreases, the battery may need replacement. Refer to the detailed product manual for specific battery type and replacement instructions.

4. Troubleshooting

This section addresses common issues you might encounter with the GIORDON MP913 remote starter kit.

4.1 Common Issues and Solutions

- **Engine does not start with key:**

  - For automatic cars: Ensure the gear is in 'P' or 'N' and the hand-brake is engaged. Press the start button for 2 seconds. The remote start function activates after engine shutdown and car lock.
  - For manual cars: Step on the foot brake, then long-press the third and fourth buttons on the key fob simultaneously for 4 seconds.

- **Cannot lock/unlock the car:**

  - Check the brake wire connection. The yellow brake line should not light up with a test pencil unless the foot brake is pressed. If it lights up directly, it is not the correct wire.

- **App shows 'Please scanning again':**

  - Ensure location information is enabled for the app. Navigate to Settings > Application Management > Application Permissions > Find the Crown app > Open location information. Then, relaunch the app.

- **Bypass for starter function:**

  - If your car has an immobilizer, after inserting the key into the igniter, keep the metal part of the key inserted and saw off the key. Bind the chip part of the non-metal part with the anti-theft coil.

5. Specifications

Feature	Detail
Item Weight	1.3 pounds
Package Dimensions	9.06 x 6.61 x 1.77 inches
Wireless Remote	Yes
Compatible Devices	Compact, Sedan, Coupe, SUV, Pick-up Truck
Maximum Range	150 Meters
Remote Control Included?	Yes
Manufacturer	GIORDON

6. Warranty and Support

For specific warranty details, please refer to the product packaging or contact GIORDON customer support directly. For technical assistance or further inquiries, please reach out to the manufacturer's support channels.