

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

> [Grizzly Tools](#) /

> Grizzly Tools Aldi FERREX 20V Multi-Sander Accessory Kit (6-Piece) Instruction Manual

Grizzly Tools Multi-Sander Accessory Kit (6-Piece)

Grizzly Tools Aldi FERREX 20V Multi-Sander Accessory Kit (6-Piece) Instruction Manual

Model: Multi-Sander Accessory Kit (6-Piece) | Brand: Grizzly Tools

1. INTRODUCTION

Thank you for choosing the Grizzly Tools Multi-Sander Accessory Kit. This kit is designed to be used with the Aldi FERREX 20V multi-tool, providing efficient sanding capabilities for various applications. This manual contains important information regarding the safe use, installation, operation, and maintenance of your accessory kit. Please read it thoroughly before use and keep it for future reference.

2. SAFETY INSTRUCTIONS

Always observe the following safety precautions when using this accessory kit with your multi-tool:

- **Read the Multi-Tool Manual:** Always refer to the instruction manual of your Aldi FERREX 20V multi-tool for its specific safety guidelines and operating procedures.
- **Eye Protection:** Always wear appropriate eye protection (safety glasses or goggles) to protect against flying debris.
- **Dust Mask:** Wear a dust mask, especially when sanding wood, paint, or other materials that produce fine dust.
- **Secure Attachment:** Ensure the sanding sheet is correctly and securely attached to the multi-sander pad before operating the tool.
- **Power Disconnection:** Always disconnect the multi-tool from its power source (remove battery) before changing sanding sheets or performing any maintenance.
- **Inspect Before Use:** Before each use, inspect the sanding sheets for any damage or excessive wear. Replace damaged sheets immediately.
- **Ventilation:** Work in a well-ventilated area to minimize exposure to dust.

3. PRODUCT OVERVIEW

The Grizzly Tools Multi-Sander Accessory Kit (6-Piece) consists of six triangular sanding sheets designed for detailed sanding tasks. These sheets are made from abrasive material with a grit of 150, suitable for medium sanding applications.



Image 1: The 6-piece Multi-Sander Accessory Kit, showing the triangular abrasive sheets with pre-punched holes for dust extraction.

Each sanding sheet features a hook-and-loop backing for easy attachment and removal from the multi-sander pad. The pre-punched holes align with the dust extraction system of compatible multi-tools, helping to keep the work area cleaner.

4. SETUP

Follow these steps to attach the sanding sheets to your Aldi FERREX 20V multi-tool:

1. **Ensure Safety:** Make sure the multi-tool is switched off and the battery pack is removed to prevent accidental startup.
2. **Prepare the Sanding Pad:** Ensure the multi-sander pad on your tool is clean and free from debris.
3. **Attach Sanding Sheet:** Align the triangular sanding sheet with the multi-sander pad. Press the sanding sheet firmly onto the pad, ensuring the hook-and-loop backing engages completely. Verify that the dust extraction holes on the sanding sheet align with those on the pad.
4. **Verify Attachment:** Gently pull on the edges of the sanding sheet to confirm it is securely attached and will not detach during operation.
5. **Reinsert Battery:** Once the sanding sheet is securely attached, reinsert the battery pack into the multi-tool.

5. OPERATING INSTRUCTIONS

Once the sanding sheet is attached, you can begin your sanding task:

- **Select Speed:** If your multi-tool has variable speed settings, select an appropriate speed for the material you are sanding. Lower speeds are generally better for delicate work or heat-sensitive materials, while higher speeds are for faster material removal.

- **Start the Tool:** Turn on the multi-tool.
- **Apply to Surface:** Gently place the sanding sheet flat against the workpiece. Avoid tilting the tool, as this can cause uneven sanding and premature wear of the sheet.
- **Even Pressure:** Apply light, even pressure. Excessive pressure will not speed up the sanding process and can damage the sanding sheet or the workpiece.
- **Consistent Movement:** Move the tool in a consistent, overlapping pattern across the surface to ensure uniform sanding.
- **Dust Extraction:** Utilize the dust extraction feature of your multi-tool (if equipped) to maintain a cleaner work environment and improve sanding efficiency.
- **Monitor Wear:** Periodically check the sanding sheet for wear. Replace it when the abrasive surface is no longer effective or if it becomes clogged.

6. MAINTENANCE

Proper maintenance ensures the longevity and effectiveness of your sanding sheets:

- **Inspection:** Regularly inspect sanding sheets for signs of wear, tear, or clogging. Replace them as needed.
- **Cleaning:** For light clogging, you may attempt to clean the sanding sheet with a stiff brush or compressed air (while wearing eye protection). However, heavily clogged or worn sheets should be replaced.
- **Storage:** Store unused sanding sheets in a dry, clean environment away from direct sunlight and extreme temperatures to preserve their abrasive quality.
- **Disposal:** Dispose of worn-out sanding sheets responsibly according to local regulations.

7. TROUBLESHOOTING

If you encounter issues during use, consider the following:

- **Poor Sanding Performance:**
 - *Cause:* Sanding sheet is worn out or clogged.
 - *Solution:* Replace the sanding sheet.
 - *Cause:* Incorrect grit for the material.
 - *Solution:* Use a coarser grit for faster material removal or a finer grit for a smoother finish.
- **Sanding Sheet Detaches During Use:**
 - *Cause:* Sanding sheet not securely attached.
 - *Solution:* Ensure the sheet is pressed firmly onto the hook-and-loop pad, aligning all holes.
 - *Cause:* Hook-and-loop pad on the multi-tool is worn.
 - *Solution:* Inspect the multi-tool's sanding pad; if worn, it may need replacement or repair by a qualified technician.
- **Excessive Dust:**
 - *Cause:* Dust extraction system not connected or clogged.
 - *Solution:* Ensure the dust extraction system of your multi-tool is properly connected and clear of obstructions.

8. SPECIFICATIONS

Feature	Specification
Brand	Grizzly Tools
Model	Multi-Sander Accessory Kit (6-Piece)
Material	Abrasive
Grit	150 (Medium)
Compatible Device	Aldi FERREX 20V Multi-Tool
Number of Units	6

9. WARRANTY AND SUPPORT

Information regarding specific warranty terms for this accessory kit is not available in the product details. For warranty claims, technical support, or inquiries about spare parts, please contact the seller or the manufacturer, Grizzly Tools, directly. Retain your proof of purchase for any warranty-related requests.