

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [LEDVANCE](#) /

> [LEDVANCE Linear LED Mobile Light \(Model 4058075226838\) Instruction Manual](#)

## LEDVANCE 4058075226838

# LEDVANCE Linear LED Mobile Light

Model: 4058075226838

## 1. INTRODUCTION

---

The LEDVANCE Linear LED Mobile Light is a battery-powered luminaire designed for flexible mounting in various indoor environments. It features an integrated motion sensor and a day/night sensor, offering convenient and energy-efficient lighting. This light is ideal for applications such as under-cabinet lighting, closet illumination, or shelving integration.

## 2. SAFETY INFORMATION

---

- This product is intended for **indoor use only**. Do not expose to moisture or outdoor elements.
- Ensure batteries are inserted with correct polarity. Incorrect insertion can cause damage to the device or batteries.
- Do not mix old and new batteries, or different types of batteries.
- Remove batteries if the device will not be used for an extended period.
- Keep out of reach of children.
- Do not attempt to disassemble or modify the light. This will void the warranty and may cause damage or injury.
- Dispose of used batteries and the product responsibly according to local regulations.

## 3. PACKAGE CONTENTS

---

Verify that all items are present in the package:

- 1 x LEDVANCE Linear LED Mobile Light
- 4 x 1.5 V LR6 (AA) Batteries
- Mounting Hardware (adhesive strips and/or screws)

## 4. PRODUCT FEATURES

---

- **Battery Operated:** Requires 4x AA batteries (included).
- **Integrated Motion Sensor:** Automatically detects movement to activate the light.
- **Integrated Day/Night Sensor:** Ensures the light only activates in dark conditions when in 'Auto' mode.
- **Operating Modes:** Features a switch for 'Auto', 'On', and 'Off' modes.
- **Light Output:** 90 Lumens, Cool White (4000 Kelvin).
- **Body Material:** Durable Aluminum construction.
- **Easy Installation:** Quick and simple mounting using adhesive strips or screws.

## 5. SETUP

---

### 5.1 Battery Installation

1. Locate the battery compartment cover on the back of the light unit.
2. Slide or unclip the cover to open the compartment.
3. Insert 4x AA batteries, ensuring the positive (+) and negative (-) terminals align correctly with the markings inside the compartment.
4. Close the battery compartment cover securely.

### 5.2 Mounting the Light

The light can be mounted using either adhesive strips or screws, depending on your preference and surface type.



Image: The LEDVANCE Linear LED Mobile Light showing the integrated switch and motion sensor.

### **Using Adhesive Strips:**

1. Clean the desired mounting surface thoroughly to ensure it is dry and free of dust or grease.
2. Peel the protective backing from the adhesive strips provided.

3. Apply the strips firmly to the back of the light unit.
4. Press the light firmly onto the cleaned mounting surface for at least 30 seconds.

### Using Screws (Optional):

1. Identify the screw mounting points on the light unit or its mounting bracket.
2. Mark the desired installation location on the surface.
3. Drill pilot holes if necessary, suitable for the provided screws.
4. Secure the light or its bracket to the surface using the screws.




Image: Technical drawing illustrating the dimensions of the LEDVANCE Linear LED Mobile Light (214mm length, 48mm width, 18mm depth).

## 6. OPERATING INSTRUCTIONS

---

The LEDVANCE Linear LED Mobile Light features a three-position switch to control its operation:

- **OFF:** The light is completely turned off and will not activate.
- **ON:** The light remains continuously on, regardless of motion or ambient light conditions.
- **AUTO:** In this mode, the light will automatically turn on when motion is detected in a dark environment. The integrated day/night sensor prevents activation during daylight hours, conserving battery life. The light will turn off automatically after a period of no motion.



Image: The LEDVANCE Linear LED Mobile Light providing illumination inside a closet, demonstrating a typical application.

## **7. MAINTENANCE**

---

### **7.1 Battery Replacement**

When the light output diminishes or the light stops functioning, it is time to replace the batteries. Follow the battery installation steps in Section 5.1.

## 7.2 Cleaning

To clean the light, gently wipe the surface with a soft, dry cloth. Do not use abrasive cleaners, solvents, or immerse the unit in water.

## 8. TROUBLESHOOTING

---

| Problem                                   | Possible Cause   | Solution  |
|---|--|---|
| Light does not turn on.                   | Batteries are depleted or incorrectly installed.                                       | Replace batteries or check polarity.  |
| Light does not turn on in AUTO mode.      | Ambient light is too bright (daytime).<br>No motion detected.<br>Sensor is obstructed. | Test in a darker environment.<br>Ensure motion is within sensor range.<br>Clear any obstructions from the sensor. |
| Light stays on continuously in AUTO mode. | Constant motion detected within sensor range.  | Relocate the light or adjust its position to avoid constant motion detection.                                     |

## 9. SPECIFICATIONS

---

**Brand:** LEDVANCE

**Model Number:** 4058075226838

**Product Dimensions:** 8.43 x 1.89 x 0.71 inches (214 x 48 x 18 mm)

**Item Weight:** 0.32 ounces (approx. 9 grams)

**Power Source:** Battery Powered (4x 1.5V LR6 AA)

**Voltage:** 6 Volts

**Wattage:** 1.9 Watts

**Light Source Type:** LED

**Light Color:** Cool White

**Color Temperature:** 4000 Kelvin

**Brightness:** 90 Lumens

**Beam Angle:** 120°

**Body Material:** Aluminum

**IP Rating:** IP20 (Indoor use only)

**Special Features:** Motion Sensor, Day/Night Sensor, Auto/On/Off Switch

## 10. WARRANTY AND SUPPORT

---

LEDVANCE products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official LEDVANCE website. For technical support or further assistance, please contact LEDVANCE customer service through their official channels.

