

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Immax](#) /
- › [Immax 08951L LED Touch Table Lamp User Manual](#)

Immax 08951L

Immax 08951L LED Touch Table Lamp User Manual

Model: 08951L

INTRODUCTION

This manual provides detailed instructions for the safe and efficient use of your Immax 08951L LED Touch Table Dimmable CUCKOO lamp. Please read this manual thoroughly before operating the device and retain it for future reference.



Figure 1: Immax 08951L LED Touch Table Lamp

IMPORTANT SAFETY INSTRUCTIONS

- Ensure the lamp is placed on a stable, flat surface to prevent tipping.
- Do not expose the lamp to water or excessive moisture.
- Use only the specified power adapter (5V) to avoid damage.
- Do not attempt to disassemble or repair the lamp yourself. Contact qualified service personnel.
- Keep out of reach of children.
- Avoid direct eye exposure to the LED light for prolonged periods.

SETUP

Unpacking

1. Carefully remove the lamp and all accessories from the packaging.
2. Verify that all components are present: LED lamp unit, power adapter (if included).
3. Inspect the lamp for any signs of damage. If damaged, do not use and contact customer support.

Placement

Place the Immax 08951L lamp on a flat, stable surface such as a desk or table. Ensure there is adequate space around the lamp for ventilation and adjustment.

Power Connection

1. Connect the power adapter cable to the DC input port on the back or base of the lamp.
2. Plug the power adapter into a standard electrical outlet (5V).
3. The lamp is now ready for operation.



Figure 2: Immax 08951L in folded position

OPERATING INSTRUCTIONS

Power On/Off

The lamp features a touch-sensitive control. To turn the lamp on or off, gently touch the power icon or designated touch area on the lamp's base.

Brightness Adjustment (Dimmable Function)

The Immax 08951L is dimmable. To adjust the brightness, press and hold the touch control area. The brightness will cycle through its levels. Release your finger when the desired brightness is reached. Alternatively, some models may feature multiple short taps to cycle through preset brightness levels.

Adjusting the Lamp Head

The lamp head can be adjusted to direct light as needed. Gently pivot the lamp head to the desired angle. Avoid forcing the movement beyond its natural range of motion.



Figure 3: Immax 08951L with adjustable arm

MAINTENANCE

Cleaning

- Always unplug the lamp from the power source before cleaning.
- Wipe the lamp with a soft, dry cloth.
- Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the finish.

Storage

When not in use for extended periods, store the lamp in a cool, dry place, away from direct sunlight and extreme temperatures. The lamp can be folded into a compact position for easier storage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Lamp does not turn on.	◦ Power adapter not connected. ◦ Power outlet not working. ◦ Faulty power adapter.	◦ Ensure power adapter is securely plugged into the lamp and outlet. ◦ Test the outlet with another device. ◦ Contact customer support for a replacement adapter.
Light flickers or is dim.	◦ Insufficient power supply. ◦ Lamp operating in a low-power mode.	◦ Ensure the correct 5V power adapter is used. ◦ Adjust brightness using the touch control.

Problem	Possible Cause	Solution
Touch control is unresponsive.	- Temporary software glitch. - Moisture or dirt on the touch area.	- Unplug the lamp for 30 seconds, then plug it back in. - Clean the touch area with a dry, soft cloth.

SPECIFICATIONS

Model: Immax 08951L

Type: LED Touch Table Lamp

Power: 5W

Voltage: 5V

Material: Plastic

Color: White

Special Features: Dimmable

Area Lighting Classification: IP20

Product Dimensions: 280.01 x 70 x 310.01 cm (Length x Width x Height)

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided with your purchase or visit the official Immax website. Keep your proof of purchase for warranty claims.

Manufacturer: Immax


Date First Available: 4 July 2019



© 2023 Immax. All rights reserved.

Related Documents - 08951L

	Immax Cuckoo LED Small Lamp User Manual User manual for the Immax Cuckoo LED small lamp. This guide details product features, brightness control, time and alarm settings, thermometer functions, battery installation, charging, and important safety warnings for model Immax 08951L.
	Immax NEO FINO NEW Smart Chandelier Installation Manual Installation guide and technical specifications for the Immax NEO FINO NEW Smart Chandelier, featuring Zigbee 3.0 compatibility, adjustable color temperature, and dimming capabilities. Includes safety warnings and maintenance advice.

	Immax NEO LITE Smart LED Strip 5m RGB CCT WiFi IR Controller User Manual Comprehensive user manual for the Immax NEO LITE Smart LED strip (5m, RGB, CCT) with WiFi and IR control. Includes installation, app setup, features, and safety information.
	Immax NEO LITE Smart LED Strip 5m - RGB, CCT, Dimmable, WiFi, IR Controller User Manual Comprehensive user manual for the Immax NEO LITE Smart LED Strip (5m, RGB, CCT). Learn about installation, app connection via Smart Life/Immax NEO PRO, pairing, features like color control, scenes, music modes, and safety information.
	Immax NEO Smart WiFi Liquid Level Sensor User Manual User manual for the Immax NEO Smart WiFi liquid level sensor (model 07543L). Provides instructions on setup, app pairing, installation, technical specifications, safety guidelines, and maintenance for monitoring liquid levels in tanks.
	Immax NEO LITE LONA Smart Ceiling Light (07287L/07288L/07289L) - Installation & Specifications Installation manual and technical specifications for the Immax NEO LITE LONA Smart Ceiling Light (36W, 2556 lm, IP20, Tuya WiFi). Includes safety, maintenance, and warranty information.

Documents - Immax – 08951L

Product Information Sheet COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources			
Supplier's name or trade mark: IMMAX			
Supplier's address: obchod, Teslova 1179/2, 70200 Ostrava, CZ			
Model identifier: 08951L			
Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDS
Light source cap-type (or other electric interface):	LED		
Stands or non-stands:	NBMS	Connected source (CLS):	No
Colour tunable light source:	No	Envelope:	-
High luminous light source:	No		
Anti-glare shield:	No	Dimmable:	No
Product parameters			
Parameter	Value	Parameter	Value
General product parameters			
Energy consumption in on mode (W)/1.000 h, rounded up to the nearest integer	1	Energy efficiency class	C
Useful luminous flux (lm), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (60°)	250 in wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power (P _{on}), expressed in W	3,2	Standby power (P _{st}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{ns}), expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI values that can be set	86
Outer diameter	Height	Spectral power distribution	See image in test page
Inner diameter	37		
Depth	1		

Informační list výrobku NAŘÍZENÍ KOMISE V PŘENESENÉ PRÁVOMOCI (EU) 2019/2015 o uvádění spotřební energie na energetických štítcích světelných zdrojů			
Název nebo ochranná známka dodavatele: IMMAX			
Adresa dodavatele: obchod, Teslova 1179/2, 70200 Ostrava, CZ			
Identifikační značka modelu: 08951L			
Typ světelného zdroje:			
Použití typ světelného zdroje:	LED	Neomnožený	nebo
Typ patice světelného zdroje (nebo jiné elektrické rozhraní):	LED		neomnožený
Stojí nebo neomnožený:	NBMS	Připojení světelného zdroje (CLS):	Ne
Barvná hodnota světelného zdroje:	Ne	Barva:	-
Světelný výkon v normálním jasu:	Ne		
Chromatizace světla:	Ne	Stínování:	Ne
Parametry výrobku			
Parameter	Hodnota	Parameter	Hodnota
Obecné parametry výrobku:			
Spotřeba energie v zapnutém stavu (W)/1.000 h zaokrouhlená na nejbližší celé číslo	1	Třída energetické účinnosti	C
Účinná světelná tok (lm) zaokrouhlená na nejbližší celé číslo (360°) nebo v širším kuželu (120°) nebo v úzkém kuželu (60°)	250 in v širším kuželu (120°)	Náhradní teplota chromatičnosti zaokrouhlená na nejbližších 100 K nebo rozsah náhradních teplot chromatičnosti zaokrouhlený na nejbližších 100 K, které lze nastavit	4 000
Přiklon v zapnutém stavu (P _{on}) vyjádřený ve W	3,2	Přiklon pohotovostního režimu (P _{st}) vyjádřený ve W a zaokrouhlený na dvě desetinná místa	0,00
Přiklon pohotovostního režimu (P _{ns}) pro CLS vyjádřený ve W a zaokrouhlený na dvě desetinná místa	-	Index podání barev zaokrouhlený na nejbližší celé číslo nebo rozsah hodnot CRI, které lze nastavit	86
Vnější rozměr - výška	137	Spektrální složení zářivého toku v roz-	Viz obrázek na poslední stránce
Vnější rozměr - šířka	37		

[pdf] Dimension Guide Label

Product Information Sheet LED table lamp Immax CUCKOO white with built in battery IMMAX cz 08951L en immax eu media 7941 08951l product information sheet key ZGpmlyQwNUZfNzk0MQ |||

Product Information Sheet COMMISSION DELEGATED REGULATION EU 2019/2015 with regard to energy labelling of light sources Supplier s name or trade mark: IMMAX Supplier s address: obchod, Teslova 1179/2, 70200 Ostrava, CZ Model identifier: **08951L** Type of light source: Lighting technology used: ...

lang:en score:35 filesize: 135.95 K page_count: 3 document date: 2023-09-08

[pdf]

Informační list výrobku 5 giorni fa — NAŘÍZENÍ KOMISE V PŘENESENÉ PRÁVOMOCI EU 2019 2015 o uvádění spotřeby energie na energetických štítcích světelných zdrojů 08951L informa n cs immax cz media 7940 08951l informacni key ZGpmlyQwNUZfNzk0MA |||

Informacn list vrobku NAZEN KOMISE V PENESEN PRÁVOMOCI EU 2019/2015 o uvdn spoteby energie na energetickch sttcch svtelnh zdroj Nzev nebo ochrann znmka dodavatele: IMMAX Adresa dodavatele: obchod, Teslova 1179/2, 70200 Ostrava, CZ Identifikacn značka modelu: **08951L** Typ svtelneho zdroje: Pouz...

lang:hr score:31 filesize: 137.32 K page_count: 3 document date: 2023-09-08


[pdf]

informační listLampa stolowa Immax CUCKOO biała LED z wbudowanym akumulatorem IMMAX
cz08951L list csimmaxneo pl media 8662 08951I informacni cs key ZGpmlyQwNUZfODY2Mg
listinformační czLED table lamp white with built in battery cs08951L ZGpmlyQwNUZfODY2Mgimmax eu
informaĀni stoĀowa biaĀa czLampa ZGpmlyQwNUZfODY2Mgimmaxneo listinformaĀni stolnĀ lampiĀka
bĀĪĀj s vestavĀnou bateriĀ cz stolnĀ lampiĀka bĪĪa vestavĕnou bateriĀ listImmax fehĀ@r es asztali IĀjmpa
beĀ@pĀtett akkumulĀjtorral csimmax hu ||| ||| Informacn list vrobku NAZEN KOMISE V PENESEN
PRAVOMOCI EU 2019/2015 o uvdn spoteby energie na energetickch sttcch svtelnch zdroj Nzev nebo
ochrann znмка dodavatele: IMMAX Adresa dodavatele: obchod, Teslova 1179/2, 70200 Ostrava, CZ
Identifi ||| Informacn list vrobku NAZEN KOMISE V PENESEN PRAVOMOCI EU 2019/2015 o uvdn
spoteby energie na energetickch sttcch svtelnch zdroj Nzev nebo ochrann znмка dodavatele: IMMAX
Adresa dodavatele: obchod, Teslova 1179/2, 70200 Ostrava, CZ Identifi ||| Informacn list vrobku NAZEN
KOMISE V PENESEN PRAVOMOCI EU 2019/2015 o uvdn spoteby energie na energetickch sttcch
svtelnch zdroj Nzev nebo ochrann znмка dodavatele: IMMAX Adresa dodavatele: obchod, Teslova
1179/2, 70200 Ostrava, CZ Identifi
Informacn list vrobku NAZEN KOMISE V PENESEN PRAVOMOCI EU 2019/2015 o
uvdn spoteby energie na energetickch sttcch svtelnch zdroj Nzev nebo ochrann
znмка dodavatele: IMMAX Adresa dodavatele: obchod, Teslova 1179/2, 70200
Ostrava, CZ Identifikacn znacka modelu: **08951L** Typ svtelnho zdroje: Pouz...
lang:hr **score:25** filesize: 137.32 K page_count: 3 document date: 2023-09-08

[pdf] User Manual

cdr Administrator uŹivatelskŹ nĀvodLampa stolowa Immax CUCKOO bĀĪa LED z wbudowanym
akumulatorem IMMAX cz08950L 08951L manual CZ SKimmaxneo pl media 8661 08950I 08951I cz sk
key ZGpmlyQwNUZfODY2MQ nĀvoduŹivatelskŹ czLED table lamp white with built in battery SK08950L
ZGpmlyQwNUZfODY2MQimmax eu uĀ%ivatelskŹ stoĀowa biaĀa czLampa
ZGpmlyQwNUZfODY2MQimmaxneo nĀvoduĀ%ivatelskŹ stolnĀ lampiĀka bĀĪĀj s vestavĀnou bateriĀ-
stolnĀ lampiĀka bĪĪa vestavĕnou bateriĀ nĀvodImmax fehĀ@r es asztali IĀjmpa beĀ@pĀtett
akkumulĀjtorral SKimmax hu |||
Nastaven casu a datumu V normln rezimu stisknte tlactko SET a zadejte datum a cas,
optovnm stiskem tlactka SET nastavte dals hodnoty v nsledujcm poad: hodiny-minuty-
rok-msc-den. Tlactky UP a DOWN nastavte pozadovan hodnoty. Pokud nestisknete
zdn tlactko po dobu minimln 60 vtein, nastaven se tm potvr...
lang:hr **score:22** filesize: 6.14 M page_count: 1 document date: 2018-12-19

Informační list výrobku			
NAŘÍZENÍ KOMISE V PŘENESNÉ PRAVOMOCI (EU) 2019/2015 o ušetření spotřeby energie na energetických sticích svtelných zdrojů			
Název nebo ochranná známka dodavatele: IMMAX			
Adresa dodavatele: obchod, Teslova 1179/2, 70200 Ostrava, CZ			
Identifikační značka modelu: 08951L			
Typ svtelného zdroje:			
Použitý typ svtelného zdroje:	LED	Nesmírný	nebo nesmírný
Typ patice svtelného zdroje (nebo jiné elektrické rozhraní):	LED		
Síťový nebo nestířový:	MMCS	Připojený svtelný zdroj (LCS)	Ne
Barevná teplota svtelného zdroje:	Ne	Bílá	-
Svtelný zdroj s vysokým jasem:	Ne		
Chlazení světla:	Ne	Stmívatelný:	Ne
Parametry výrobku			
Parametr	Hodnota	Popis	Hodnota
Obecné parametry výrobku			
Spotřeba energie v jmenovitém stavu (W ₀) (W ₀ je součet všech naměřených výkonů)	1	Typ	energetická účinnost
Účinnost svtelného zdroje (η ₀) (η ₀ je součet všech naměřených výkonů (W ₀) a jmenovitého výkonu (W ₀)) nebo v jmenovitém stavu (W ₀)	230 mW v jmenovitém stavu (W ₀)	Náhradní teplota chromatičnosti (K ₀)	4000
Přiklon v jmenovitém stavu (P ₀) vyjádřený ve W	1,2	Přiklon v pohotovostním režimu (P ₀) vyjádřený ve W a naměřený navíc dle dohodnuté metody	0,01
Přiklon v pohotovostním režimu při připojení na komunikační síť (P ₀) pro CS vyjádřený ve W a naměřený navíc dle dohodnuté metody	-	Index podání barvy (CRI) nebo rozlišení barev (CRI) které lze nastavit	88
Vnější rozměr (mm)	137	Spektrální zářivost (lm/W)	Vše obsaženo na poslední straně





[\[pdf\]](#)

Katalog ke stažení Baterie V Mount BP 290W 20000mAh Li Ion 288Wh Platinum 14 4V 20A IMMAX cz CZ ImmaxNeo 2023 web cdn immax data user content Velkoobchod s LED technikou Immax ||| www.immax.cz Nase aplikace Immax NEO PRO ZDARMA Immax NEO - inteligentn domcnost pro kazdho KATAL ... oln lampicka Cuckoo cern s vestavnou bateri 5W , 200lm , 4000K Rozmry: 66 x 82 x 51mm 799 Kc / 34 **08951L** LED stoln lampicka Cuckoo bl s vestavnou bateri 5W , 200lm , 4000K Rozmry: 66 x 82 x 51mm 79... lang:hr score:20 filesize: 9.28 M page_count: 132 document date: 2023-10-10



[\[pdf\]](#)

Immax WPB CZ KatalogLight Building Exhibitors Products1702484979895 4101000822exhibitorsearch messefrankfurt images original mics 10000016202401 0051671836 1702484979895 4101000822 KatalogImmax NEO 2023 24Light ProductsInteligentní osvětlení Feim czs67a095d5058db cz immaxneo po opraveexhibitorsearch 4101000822feim s65 cdn upgates s s67a095d5058db oprave ||| ||| www.immax.cz Nase aplikace Immax NEO PRO ZDARMA Immax NEO - inteligentn domcnost pro kazdho KATALOG CHYTR DOMCNOSTI 2023-24 Inteligentn zen domcnosti Immax NEO Vtejte ve svt Immax NEO . ve svt, kde domcnost prvem dostv pvlastek chytr. Ve sv www.immax.cz Nase aplikace Immax NEO PRO ZDARMA Immax NEO - inteligentn domcnost pro kazdho KATAL ... oln lampicka Cuckoo cern s vestavnou bateri 5W , 200lm , 4000K Rozmry: 66 x 82 x 51mm 799 Kc / 34 **08951L** LED stoln lampicka Cuckoo bl s vestavnou bateri 5W , 200lm , 4000K Rozmry: 66 x 82 x 51mm 79... lang:hr score:19 filesize: 9.28 M page_count: 132 document date: 2023-10-10



[Immax Cuckoo LED Small Lamp User Manual](#)

User manual for the Immax Cuckoo LED small lamp. This guide details product features, brightness control, time and alarm settings, thermometer functions, battery installation, charging, and important safety warnings for model Immax 08951L. lang:en score:19 filesize: 348.84 K page_count: 6 document date: 2024-03-20



[\[pdf\]](#)

K A T A L O G C H Y T Ř É D O M Á N O S T I 2023 24 CZ ImmaxNeo small feim cz data upload files
Katalogy 2024 |||

www.immax.cz Nase aplikace Immax NEO PRO ZDARMA Immax NEO - inteligentn
domcnost pro kazdho KATAL ... oln lampicka Cuckoo cern s vestavnou bateri 5W ,
200lm , 4000K Rozmry: 66 x 82 x 51mm 799 Kc / 34 **08951L** LED stoln lampicka
Cuckoo bl s vestavnou bateri 5W , 200lm , 4000K Rozmry: 66 x 82 x 51mm 79...
lang:hr **score:13** filesize: 9.23 M page_count: 132 document date: 2023-09-27