

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [GROHE](#) /
- › [GROHE Zedra Sink Mixer Tap Minta SmartControl - Instruction Manual](#)

GROHE 31613000

GROHE Zedra Sink Mixer Tap Minta SmartControl - Instruction Manual

Model: 31613000

1. PRODUCT OVERVIEW

This manual provides detailed instructions for the installation, operation, and maintenance of your GROHE Zedra Sink Mixer Tap with Minta SmartControl. This tap features single-hole installation, a GROHE StarLight chrome surface, an extendible rinsing spray with a laminate jet, and GROHE Magnetic Docking for easy spray head return. The SmartControl function allows for intuitive on/off and volume control, with temperature adjustment via a mixing valve on the tap body. It also includes a pivotable spout with a 360° range, is intrinsically safe against backflow, and uses flexible connection hoses with the GROHE QuickFix quick-fastening system.





Image 1.1: GROHE Zedra Sink Mixer Tap Minta SmartControl, showcasing its modern design and chrome finish.

2. KEY FEATURES

- **SmartControl Operation:** Easy, light-touch control to start and stop water flow with a push of a button. Adjust volume from full flow to water-saving EcoJoy, and control temperature by turning the mixing valve.
- **Extendible Rinsing Spray:** A pull-out spray head offers maximum operating radius for versatile cleaning and rinsing tasks.
- **Magnetic Docking:** Powerful integrated magnets ensure the spray head returns seamlessly to its original position.
- **GROHE QuickFix Plus:** Simple shaft-coupling system for tool-free fitting, reducing installation time.
- **Lead- and Nickel-Free Water:** Isolated inner waterways ensure water is free from lead and nickel, complying with drinking-water quality guidelines.
- **High Spout Design:** Full-height tap design accommodates large pots and pans for ease of use.
- **Durable GROHE StarLight Finish:** Provides a scratch-resistant chrome surface for lasting brilliance.



Image 2.1: Labeled diagram highlighting the SmartControl, pull-out spray, magnetic docking, lead-free water channels, and QuickFix installation.

3. SETUP AND INSTALLATION

The GROHE Zedra Sink Mixer Tap is designed for single-hole deck mounting. The GROHE QuickFix Plus system facilitates a quick and easy installation process without specialized tools.

Important Pre-Installation Note:

This tap has a G3/8" European connection. UK homes often use G1/2" fittings. Please check your connection size before installation. If you have G1/2", you will need a pair of 15mm compression x 3/8" BSP male adaptors (sold separately).

Installation Steps (General):

1. Ensure the mounting surface is clean and prepared for single-hole installation.
2. Connect the flexible connection hoses to the tap body.
3. Insert the tap into the mounting hole.
4. Secure the tap from underneath the counter using the GROHE QuickFix quick-fastening system.
5. Connect the flexible hoses to your water supply lines, ensuring correct hot and cold connections.
6. Test for leaks and proper operation.



Image 3.1: Technical drawing illustrating the dimensions and connection points of the tap, including G3/8" connections.

4. OPERATING INSTRUCTIONS

Your GROHE Zedra Sink Mixer Tap with Minta SmartControl offers intuitive control for water flow and temperature.

4.1. SmartControl Function

- **On/Off:** Press the button on the spout to start or stop the water flow.
- **Volume Control:** Turn the button on the spout to adjust the water volume, from a gentle stream to a full flow. The EcoJoy function provides a water-saving option.
- **Temperature Adjustment:** Turn the mixing valve located on the body of the tap to set the desired water temperature.

4.2. Extendible Rinsing Spray

- Gently pull the spray head from the spout to extend it for increased reach.
- After use, the GROHE Magnetic Docking system will guide the spray head back into its original position effortlessly.

4.3. Pivotal Spout

- The spout can be pivoted 360° to direct water flow as needed within your sink area.

5. MAINTENANCE

Regular cleaning and proper care will ensure the longevity and optimal performance of your GROHE Zedra Sink Mixer

Tap.

5.1. Cleaning the Surface

- Clean the GROHE StarLight chrome surface with a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome finishes.
- Avoid using abrasive sponges, scouring agents, or cleaners containing acid, alcohol, or chlorine, as these can damage the finish.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

5.2. Internal Waterways

The tap features isolated inner waterways, ensuring your water remains lead- and nickel-free. No special internal cleaning is typically required for this feature.

6. TROUBLESHOOTING

If you encounter issues with your GROHE Zedra Sink Mixer Tap, please refer to the following common troubleshooting tips. For more complex problems, contact a qualified plumber or GROHE customer support.

Problem	Possible Cause	Solution
Low Water Flow	Aerator clogged; water supply partially closed; low water pressure in the building.	Clean or replace the aerator; ensure water supply valves are fully open; check building's main water pressure.
Water Leaks from Spout	Internal cartridge issue; loose connections.	Check and tighten connections; if problem persists, the cartridge may need replacement by a professional.
Difficulty Adjusting Temperature	Mixing valve issue; hot/cold water supply imbalance.	Ensure both hot and cold water supplies are active; contact support if the mixing valve is unresponsive.
Spray Head Not Retracting Properly	Magnetic docking mechanism obstructed or damaged; hose obstruction.	Check for obstructions around the magnetic docking area; ensure the hose moves freely under the sink.

7. SPECIFICATIONS

Attribute	Detail
Brand	GROHE
Model Name	Minta SmartControl
Model Number	31613000
Recommended Uses	Kitchen
Mounting Type	Surface, Single Hole Deck Mount
Finish Type	Chrome (GROHE StarLight)
Material	Metal (Brass handle)

Attribute	Detail
Color	Chrome
Number of Handles	1
Hole Count	1
Special Feature	Waterproof
Maximum Flow Rate	10 Liters Per Minute
Item Weight	3.08 Kilograms (6.78 pounds)
Product Dimensions	23.62 x 11.81 x 3.15 inches
Spout Design	L-shaped (Gooseneck)
Handle Location	Right
GTIN	04005176521973

8. WARRANTY AND SUPPORT

GROHE stands behind the quality of its products. Your GROHE Zedra Sink Mixer Tap is backed by a 5-year manufacturer's guarantee.



Image 8.1: The GROHE 5 Year Guarantee logo, signifying product reliability and manufacturer support.

For warranty claims, technical assistance, or further inquiries, please visit the official GROHE website or contact their customer support directly. Keep your proof of purchase for warranty validation.

