

Pool Central 33401342

Pool Central 9.75' Zray E10 Evasion Deluxe All Around Inflatable Stand-Up Paddle Board User Manual

Model: 33401342

1. INTRODUCTION

This manual provides essential information for the safe and effective use, setup, operation, and maintenance of your Pool Central Zray E10 Evasion Deluxe Inflatable Stand-Up Paddle Board. This heavy-duty inflatable paddle board behaves like a hard-shell paddle board and is perfect for all boarding skill sets. It features a crocodile skin design EVA traction pad for preventing slippage and a central fin for easy maneuvering.

2. SAFETY INFORMATION

Always prioritize safety when using the paddle board. Failure to follow these guidelines may result in injury or damage to the product.

- Always wear a personal flotation device (PFD) approved by relevant safety authorities.
- Do not exceed the maximum weight capacity of 242 lbs (110 kg).
- Recommended for ages 14 years and up. Adult supervision is advised for younger users.
- Do not use in strong currents, high winds, or stormy weather conditions.
- Be aware of your surroundings, including other watercraft, swimmers, and obstacles.
- Attach a safety leash (not included) to prevent the board from drifting away.
- Inspect the board and all accessories for damage before each use.
- Avoid sharp objects that could puncture the board.

3. PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- 1 x Inflatable Stand-Up Paddle Board (Zray E10 Evasion Deluxe)
- 1 x Adjustable Aluminum Paddle (3-piece, adjusts between 65-85 inches)
- 1 x High-Pressure Hand Pump with Pressure Gauge (reads over 20 psi)
- 1 x Backpack Carry Bag
- 1 x Repair Kit
- 1 x Central Fin





Image 1: Overview of the Zray E10 Evasion Deluxe Inflatable Stand-Up Paddle Board and its components.

4. SETUP

4.1. Unpacking and Preparation

1. Unpack the paddle board and all accessories from the backpack carry bag.
2. Lay the board flat on a clean, smooth surface, free from sharp objects.

4.2. Inflation

1. Locate the high-pressure valve on the tail of the board. Ensure the valve pin is in the UP position (closed for inflation). If it's down, press it once to pop it up.
2. Connect the hose from the high-pressure hand pump to the valve by inserting and twisting clockwise until secure.
3. Begin pumping. The pressure gauge will start to register once the board begins to firm up.
4. Inflate the board to the recommended pressure of 12-15 PSI (Pounds per Square Inch). The pump's gauge reads over 20 PSI, allowing for precise inflation. Do not overinflate.
5. Once inflated, quickly disconnect the pump hose and replace the valve cap to prevent air leakage and protect the valve.





Image 2: Inflation valve and pump connection point.

4.3. Fin Installation

1. Slide the central fin into the fin box located on the underside of the board.
2. Secure the fin with the attached clip or pin, ensuring it is firmly in place.

4.4. Paddle Assembly

1. Assemble the three pieces of the aluminum paddle. Ensure the sections click securely into place.
2. Adjust the paddle length to your height. A good starting point is to make the paddle approximately 6-8 inches taller than you are. Secure the adjustment clamp.

5. OPERATING INSTRUCTIONS

5.1. Entering the Water

Carefully carry the inflated board to the water's edge. Ensure the fin does not drag on the ground. Step onto the board in shallow water, starting on your knees for stability before attempting to stand.

5.2. Paddling Techniques

- **Stance:** For stability, place your feet shoulder-width apart, centered on the board, facing forward.
- **Paddle Grip:** Hold the paddle with one hand on the T-handle and the other on the shaft.
- **Stroke:** Reach forward with the paddle, insert the blade fully into the water, and pull it back towards your feet. Keep your core engaged.
- **Turning:** To turn right, paddle on the left side of the board. To turn left, paddle on the right side. For sharper turns, use a sweep stroke.

5.3. Using the EVA Traction Pad

The crocodile skin design EVA traction pad provides excellent grip and comfort, preventing slippage during use. Ensure your feet are clean before stepping on the pad to maintain its effectiveness.

6. MAINTENANCE

6.1. Cleaning

After each use, rinse the paddle board thoroughly with fresh water to remove salt, sand, and dirt. Use a mild soap if necessary. Avoid harsh chemicals or abrasive cleaners.

6.2. Drying

Ensure the board is completely dry before deflating and storing. Drying in the shade is recommended to prevent material degradation from prolonged sun exposure.

6.3. Storage

Deflate the board by pressing the valve pin down to the OPEN position. Once deflated, roll the board tightly from the nose to the tail, expelling all air. Store the board and accessories in the provided backpack in a cool, dry place, away from direct sunlight and extreme temperatures.



Image 3: The paddle board and accessories packed into the backpack for storage and transport.

6.4. Repair Kit Usage

The included repair kit can be used for minor punctures. Clean the damaged area, apply adhesive (not included, typically PVC glue) to both the patch and the board, and press firmly. Allow sufficient drying time before re-inflating.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Board loses air quickly.	Valve cap not secured, valve pin in OPEN position, small puncture.	Ensure valve cap is tight. Press valve pin to UP position. Check for punctures using soapy water and repair with kit.
Difficulty inflating.	Pump hose not securely connected, valve pin in OPEN position.	Ensure pump hose is twisted tightly onto valve. Press valve pin to UP position.
Paddle feels wobbly.	Paddle sections not fully engaged, adjustment clamp loose.	Ensure all paddle sections are clicked into place. Tighten the adjustment clamp firmly.

8. SPECIFICATIONS

- **Model:** Zray E10 Evasion Deluxe
- **Dimensions (L x W x H):** 9.75 feet (117 inches) x 30 inches x 5 inches
- **Weight:** Approximately 27.6 lbs
- **Material:** Vinyl (Heavy-duty reinforced PVC layer)
- **Max Weight Capacity:** 242 lbs (110 kg)
- **Recommended Age:** 14 years and up
- **Inflation Pressure:** 12-15 PSI
- **Technology:** UAL (Ultimate Agile Light) Technology, IDC (I-Drop Stitch Core)

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided at the time of purchase or contact Pool Central customer service directly. Keep your proof of purchase for any warranty claims.

Manufacturer: Pool Central

Part Number: 33401342

© 2024 Pool Central. All rights reserved.
For more information, visit [Pool Central Store](#).