



Manuals.plus /

› Auto Ventshade /

› Auto Ventshade [AVS] Outside Mount Rain Guards for 2020 - 2025 Ford Explorer | Window Vent Visors, 4 pcs. - Smoke | 94332

## Auto Ventshade 94332

# Instruction Manual: Auto Ventshade Outside Mount Rain Guards

Model: 94332 | For 2020 - 2025 Ford Explorer

## 1. INTRODUCTION

---

This manual provides detailed instructions for the installation, operation, and maintenance of your Auto Ventshade (AVS) Outside Mount Rain Guards, Model 94332. These rain guards are designed specifically for the 2020 - 2025 Ford Explorer to enhance your driving experience by allowing fresh air circulation while providing protection from weather elements.

## 2. PRODUCT OVERVIEW

---

The AVS Outside Mount Rain Guards are externally mounted side window deflectors constructed from impact-resistant acrylic. They are engineered to fit the contours of your vehicle, providing a functional and integrated appearance. The design facilitates air circulation within the vehicle cabin, assisting in the removal of odors and reduction of window fogging, even in inclement weather.



*Image: The complete set of four AVS Outside Mount Rain Guards, showcasing their smoke finish and curved shape, ready for installation.*

### **Key Features:**

- **Vehicle Specific Fit:** Precision-engineered for 2020 - 2025 Ford Explorer models.
- **Durable Construction:** Made from high-grade, impact-resistant acrylic that is scratch-resistant and UV-resistant to prevent fading or discoloration.
- **External Mount Design:** Installs on the outside of the door frame using pre-applied 3M automotive-grade adhesive tape.
- **Enhanced Ventilation:** Allows windows to be slightly open for fresh air circulation, reducing stale air and fogging without allowing rain or wind to enter.
- **Easy Installation:** Designed for quick installation without the need for drilling or special tools.

## IMPACT-MODIFIED ACRYLIC CONSTRUCTION

Flexibility  
built to last.

UV-Resistant.

Specifically formulated  
for strength & durability.



**OUTSIDE VENTVISOR®**



*Image: A close-up view of an AVS Ventvisor installed on a vehicle, demonstrating the product's robust, impact-modified acrylic material and its seamless integration with the vehicle's window frame.*

### 3. SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Ensure the installation area is well-ventilated.
- Keep all components and tools out of reach of children.
- Do not obstruct your view or the operation of your vehicle's windows or mirrors after installation.
- Dispose of packaging materials responsibly.

### 4. PACKAGE CONTENTS

Verify that all items are present and undamaged before proceeding with installation.

- Front Ventvisors (2 pcs)
- Rear Ventvisors (2 pcs)
- Prep Kit (includes alcohol pads)

- Installation Guide (this document)

## 5. INSTALLATION INSTRUCTIONS

---

**Important:** Install at room temperature (ideally above 60°F / 15°C) for optimal adhesive performance. A trial fit is recommended to ensure proper position and fit before removing the adhesive liner.

1. **Clean the Surface:** Thoroughly clean the application area on the vehicle's door frame. Use the provided alcohol pad to remove any wax, grease, or debris. Ensure the surface is completely dry with a soft cloth before proceeding.
2. **Prepare Adhesive:** Peel back approximately 2 inches (5 cm) of the red tape liner from each end of the top flange of the Ventvisor. Ensure the peeled tape ends are accessible for later removal. If applicable, also remove the tape liner from the rear flange.
3. **Align and Position:** Carefully align the Ventvisor on the outside of the door frame. The flange of the Ventvisor is designed to attach directly to the door frame. Perform a trial fit without fully exposing the adhesive to confirm correct placement.
4. **Secure and Remove Liner:** Once properly aligned, gently press the exposed adhesive areas against the vehicle surface to secure the initial position. With the Ventvisor held firmly in place, slowly pull the remaining tape liner from the free ends, pressing the Ventvisor firmly along its entire length as the liner is removed.
5. **Final Adhesion:** After removing all tape liners, firmly press along the entire length of the Ventvisor to ensure maximum adhesion. Repeat these steps for all four Ventvisors.

# INSTALLATION INSTRUCTIONS

Original Ventvisor®

External mount - installs above the window on the door.

Install at room temperature.

Trial fit is recommended to ensure proper position and fit before install.



1. Clean the area, varies by application, with provided alcohol pad, dry with a soft cloth.



2. Peel back 2" (5cm) of tape liner from each end of top flange. Ensure free ends are accessible. Remove tape liner from rear flange (if applicable).



3. Align the Front Visor on the outside of the door frame. The top flange of the Front Visor will attach to the door frame (if applicable).



4. Gently press the exposed areas of tape against the surface and verify position. With the Front Visor in its final position, remove the remaining tape liner by pulling on free ends.



5. Wipe down with soft cloth. Repeat steps for 4-pc set.



Image: Visual guide illustrating the five key steps for installing the AVS Outside Mount Rain Guards, from cleaning the surface to final adhesion.



Image: A detailed view of a person aligning the Ventvisor to the vehicle's window frame, demonstrating the precision required for proper fit.

## 6. USAGE

Once installed, your AVS Rain Guards allow you to slightly open your vehicle's windows, even during rain or snow, without water entering the cabin. This feature is beneficial for:


- **Fresh Air Circulation:** Enjoy continuous airflow to refresh the interior and reduce stuffiness.
- **Odor Elimination:** Effectively vent out unwanted odors from pets, food, or smoke.
- **Fog Reduction:** Minimize window fogging by allowing humid air to escape.

**LET THE FRESH AIR IN!**

Fog, wind noise, and heat are out. | Lets odors out while the fresh air comes in. | Complete the look of your ride.

**OUTSIDE VENTVISOR®** 

Image: A red car equipped with AVS Ventvisors, illustrating how the design allows fresh air to enter and stale air to exit, preventing fog and odors.



*Image: A dog enjoying the open window with an AVS Ventvisor in place, highlighting the product's utility for pet owners to provide ventilation without direct exposure to elements.*

## 7. CARE AND MAINTENANCE

---

Your AVS Rain Guards are designed for durability and minimal maintenance.

- **Cleaning:** The rain guards are car wash safe. Clean them with standard automotive cleaning products and a soft cloth. Avoid abrasive cleaners or harsh chemicals that could damage the acrylic finish.
- **Inspection:** Periodically inspect the adhesive bond to ensure the rain guards remain securely attached. If any part appears loose, gently press it back into place.

## 8. TROUBLESHOOTING

---

### Adhesion Issues:

- **Problem:** Ventvisor does not adhere properly or lifts after installation.
- **Solution:**
  - Ensure the installation surface was thoroughly cleaned and dry before application.
  - Verify that installation was performed at room temperature. Cold temperatures can affect adhesive performance.
  - Apply firm, consistent pressure along the entire length of the Ventvisor during and immediately after installation to ensure proper bond.
  - Avoid washing the vehicle or exposing the Ventvisors to extreme weather for at least 24-48 hours after installation to allow the adhesive to fully cure.

## 9. SPECIFICATIONS

---

<b>Model Number</b>	94332
<b>Compatibility</b>	2020 - 2025 Ford Explorer
<b>Brand</b>	Auto Ventshade (AVS)
<b>Color</b>	Smoke
<b>Exterior Finish</b>	Smooth
<b>Style</b>	Outside Mount
<b>Auto Part Position</b>	Outside
<b>Number of Pieces</b>	4
<b>Installation Type</b>	Self-Adhesive (3M automotive-grade)
<b>Item Weight</b>	2.5 pounds (approximate)
<b>Product Dimensions</b>	46.88 x 11.88 x 1.88 inches (approximate)

## 10. WARRANTY AND SUPPORT

---

The AVS Outside Mount Rain Guards are backed by a **Limited Lifetime Warranty**. For specific details regarding warranty coverage, claims, or technical support, please refer to the official Auto Ventshade website or contact their customer service directly.

For further assistance, please visit the [Auto Ventshade Store on Amazon](#) or the manufacturer's official website.