

FREDORCH C02

FREDORCH Standard 3XLR Connector Attachment User Manual

Model: C02

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of your FREDORCH Standard 3XLR Connector Attachment. Please read this manual thoroughly before initial use and retain it for future reference. This attachment is designed for use with FREDORCH A2 and F2 automatic sex machines.

2. PRODUCT OVERVIEW

The FREDORCH Standard 3XLR Connector Attachment is a removable accessory designed to enhance the functionality of compatible FREDORCH sex machines. It features a 3XLR connector for secure attachment and is constructed from TPE material.

- **Compatibility:** Designed for FREDORCH Sex Machine A2 & F2.
- **Material:** TPE (Thermoplastic Elastomer).
- **Connector Type:** 3XLR.
- **Texture:** Features textured surfaces for varied sensation.



Figure 2.1: Overall view of the FREDORCH Standard 3XLR Connector Attachment.

3. SAFETY INFORMATION

- **Cleaning:** Always wash the attachment thoroughly before and after each use. Refer to the "Maintenance and Care" section for detailed cleaning instructions.
- **Lubrication:** For optimal experience and comfort, the use of a water-based lubricant is recommended.
- **Storage:** Store the attachment in a clean, dry place, away from direct sunlight and extreme temperatures.
- **Compatibility:** Ensure the attachment is securely connected to compatible FREDORCH A2 or F2 sex machines only.
- **Disclaimer:** This product is intended for adult use only. Statements regarding this product have not been evaluated by the FDA.

4. SETUP

To attach the FREDORCH Standard 3XLR Connector Attachment to your compatible sex machine (A2 or F2), follow these steps:

1. Ensure both the attachment and the sex machine's connector port are clean and dry.
2. Align the 3XLR connector at the base of the attachment with the corresponding port on your FREDORCH sex machine.
3. Gently push the attachment onto the machine's connector until it clicks securely into place. Do not force the connection.
4. Verify that the attachment is firmly seated and does not wobble before operation.





Figure 4.1: The 3XLR connector at the base of the attachment.

5. OPERATING INSTRUCTIONS

Once the FREDORCH Standard 3XLR Connector Attachment is securely installed on your A2 or F2 sex machine, its operation is controlled by the machine itself. Refer to your specific FREDORCH sex machine's user manual for detailed operating instructions, including power settings, speed adjustments, and thrusting patterns.

- Apply a generous amount of water-based lubricant to the attachment before use.
- Ensure the attachment remains securely connected throughout operation.
- Discontinue use immediately if any discomfort or unusual operation is experienced.

6. MAINTENANCE AND CARE

Proper maintenance ensures the longevity and hygiene of your FREDORCH attachment.

1. **Before First Use:** Wash the attachment thoroughly with warm water and a mild, toy-safe soap. Rinse completely and allow to air dry.
2. **After Each Use:** Detach the accessory from the machine. Clean the attachment immediately after use with warm water and a mild, toy-safe soap. Pay attention to textured areas.
3. **Rinsing:** Rinse the attachment thoroughly under running water to remove all soap residue.
4. **Drying:** Pat dry with a lint-free cloth or allow to air dry completely before storage.
5. **Storage:** Store in a clean, dry, and dust-free environment, separate from other toys made of different materials to prevent material degradation.
6. **Avoid:** Do not use harsh chemicals, alcohol-based cleaners, or abrasive materials, as these can damage the TPE material.

7. TROUBLESHOOTING

This section addresses common concerns regarding the FREDORCH Standard 3XLR Connector Attachment.

- **Attachment feels loose:** Ensure the 3XLR connector is fully inserted and has clicked into place. Check for any debris in the connector port of the machine or on the attachment.
- **Difficulty connecting:** Ensure correct alignment of the 3XLR connector. Do not force the connection; if resistance is met, re-align and try again.

- **Reduced sensation:** Ensure adequate lubrication is used. The texture of the attachment is designed to provide specific sensations.

8. SPECIFICATIONS

Feature	Detail
Model	C02
Brand	FREDORCH
Material	TPE
Connector Type	3XLR
Overall Length	9.05 inches (23 cm)
Maximum Diameter	1.57 inches (4 cm)
Thrusting Depth	7.87 inches (20 cm)
Weight	Approximately 6 ounces (170 grams)
Compatible Machines	FREDORCH A2 & F2
Product Care	Hand Wash
ASIN	B07VDCDH8M
UPC	652042718728

3XLR Connector Dildo (Safety TPE) for Sex Machine A2&F2&F3



Size:
Insertable Length: 20cm
Diameter: 3.5-4cm
Weight: 185g

Figure 8.1: Product dimensions and connector type.

9. WARRANTY AND SUPPORT

Information regarding product warranty and customer support was not provided in the available documentation. For warranty details, technical assistance, or any other inquiries, please contact FREDORCH customer service directly through their official website or the retailer from whom the product was purchased.