Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Poagavgs 3031120

Poagavgs 3031120 Replacement Belts for Bissell Vacuum Cleaners - Instruction Manual

Introduction

This manual provides instructions for the installation and maintenance of Poagavgs 3031120 replacement belts for various Bissell vacuum cleaner models. Proper installation and regular replacement ensure optimal performance of your vacuum's brush roll.

Product Overview

The Poagavgs 3031120 replacement belts are designed for specific Bissell vacuum cleaner styles. These belts are crucial for the proper functioning of your vacuum's brush roll, which is essential for effective cleaning.



Image: A pack of five Poagavgs 3031120 replacement belts, showing their circular shape and black rubber material.

Compatibility

The 3031120 belt is compatible with numerous Bissell vacuum cleaner models. Please verify your vacuum's model number against the list below to ensure proper fit.

- **BISSELL CleanView Series:** 3575, 3590, 8975, 8990
- **CleanView II Series:** 3574, 3576
- **CleanView Helix Series:** 21K3, 22C, 82H1
- **CleanView PowerTrak Series:** 3591, 3593, 3594, 6590
- **CleanView Revolution Series:** 3595, 3596, 6591
- **Other CleanView Models:** 9595, 1816, 1235, 3918, 1243, 2410, 3583, 7482, 7636, 1212, 2412, 3247, 2970, 8531, 1330, 1331, 1326, 1334, 1320, 1413, 1332, 1327, 1333, 1322, 1328, 1319
- **Momentum Series:** 3910, 6390
- **Pet Hair Eraser Series:** 3920

- **Powerforce Series:** 3522, 3525, 6579, 6594, 6596
- **PowerGlide Series:** 3545
- **PowerTrak Series:** 6592
- **PowerTrak Velocity Series:** 6393
- **Total Floors Velocity Series:** 3990, 6393
- **Velocity Series:** 3950
- **PowerTrak Series:** 1307
- **PowerLifter Pet Series:** 1309
- **PowerGroom Series:** 92L3
- **PowerGroom Pet Series:** 4104
- **PowerGroom Helix Series:** 98N4
- **PowerForce Bagged Series:** 1398
- **Additional Models:** 2252, 2260, 1792, 1793, 2259, 2254, 22543, 21K3, 22C1, 3522, 35451, 35455, 35931, 44M3, 46E5, 6390W, 6582, 6583, 6584, 6585, 71Y7, 82G7, 92L3P

Incompatibility

The belt is not compatible with certain Bissell models. Do not attempt to use these belts with the following models:

- 1413
- 1797
- 1816
- 1831
- 1981
- 2112
- 3576
- 61C5
- 6584
- 6585
- 9595
- 23T7T
- 35831
- 68C71
- 98NA1
- 23T7-V
- 68C7-U

Dimensions

The perimeter of the Style 7/9/10 P/N 3031120 belt measures approximately 14.72 inches. It is crucial to measure the existing belt from your vacuum cleaner to confirm the correct size before purchasing and installation.



Image: A diagram illustrating the key dimensions of the replacement belt, including its perimeter, width, and thickness.

Setup and Installation

The 3031120 belts are made from high-quality, durable materials and are designed for straightforward installation. Always ensure the vacuum is unplugged from the power outlet before attempting any maintenance or installation.

1. **Safety First:** Unplug your Bissell vacuum cleaner from the power outlet.
2. **Access the Brush Roll:** Turn the vacuum over and locate the brush roll cover. This usually requires removing a few screws with a Phillips screwdriver.
3. **Remove Old Belt:** Carefully remove the brush roll and the old, broken, or worn-out belt. Note how the old belt was routed around the motor shaft and brush roll.
4. **Install New Belt:** Loop the new Poagavgs 3031120 belt around the motor shaft first, then stretch it around the brush roll. The belt may feel tight, which is normal for a new belt to ensure proper tension.
5. **Reassemble:** Place the brush roll back into its housing, ensuring it spins freely with the new belt in place. Reattach the brush roll cover and secure it with screws.

6. **Test:** Plug in the vacuum and turn it on briefly to ensure the brush roll is spinning correctly and there are no unusual noises or burning smells.



Image: Two replacement belts, demonstrating their flexible and durable rubber construction.

Operating Considerations

Once the new belt is installed, your vacuum cleaner should operate with restored brush roll function. Ensure the brush roll spins freely and effectively picks up debris. If the vacuum exhibits reduced suction or the brush roll stops spinning, refer to the troubleshooting section.

Maintenance and Replacement Cycle

To maintain optimal cleaning performance of your Bissell vacuum, it is recommended to replace the 3031120 belt every 3 to 6 months. Regular replacement prevents loss of brush roll effectiveness due to stretched or worn belts. This package includes 5 replacement parts, providing a supply for one to two years based on the recommended replacement schedule.



Image: A stack of five replacement belts, illustrating the typical quantity provided in a single package.

Troubleshooting

- **Brush Roll Not Spinning:** Ensure the belt is correctly seated on both the motor shaft and the brush roll. Check for any obstructions (hair, debris) wrapped around the brush roll or motor shaft.
- **Burning Smell:** Immediately unplug the vacuum. This could indicate the belt is incorrectly installed, too tight, or the brush roll is jammed. Re-check installation and clear any obstructions.
- **Reduced Suction:** While belts primarily affect the brush roll, a non-spinning brush roll can impact overall cleaning. Also, check for clogs in the hose or filters.
- **Belt Snapped Quickly:** Ensure the correct belt size was used. Verify there are no brush roll bearing issues or excessive resistance that could cause premature belt failure.

Specifications

Feature	Detail

Product Dimensions	14.8"L x 0.56"W x 0.04"H (approximate perimeter 14.72 inches)
Item Weight	2.39 ounces (for the pack)
Material	Rubber
Belt Style	Replacement Belts (Style 7, 9, 10, 12, 14, 16)
Compatible Devices	Bissell Vacuum Cleaners (specific models listed in Compatibility section)
OEM Replacement Numbers	2031093, 32074, P/N 3031120

Warranty and Support

For any questions regarding the Poagavgs 3031120 replacement belts, please contact the seller directly through the platform where the purchase was made. Refer to your purchase documentation for specific return or warranty policies.

Packaging

The product is supplied in a resealable bag designed to keep the belts clean and protected until use. This packaging helps maintain the integrity of the rubber material.



Image: A view of multiple replacement belts, demonstrating their flexible and durable construction, ready for storage or use.

Poagavgs 3031120 Replacement Belts Instruction Manual

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07VG7QGFT

More documents and user manuals: **https://manuals.plus/**