

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [AUTOSAVER88](#) /
- › [AUTOSAVER88 6-inch OE Style Running Boards Installation and User Manual for Jeep Wrangler JL 4-Door](#)

AUTOSAVER88 YG0801A055

AUTOSAVER88 6-inch OE Style Running Boards

INSTALLATION AND USER MANUAL

Model: YG0801A055 | Brand: AUTOSAVER88

1. Product Overview

The AUTOSAVER88 6-inch OE Style Running Boards are designed to provide a convenient and secure step for entering and exiting your vehicle, while also offering protection to the rocker panels. These running boards feature a durable construction and an anti-slip surface for enhanced safety.



Image 1.1: Overview of the AUTOSAVER88 6-inch OE Style Running Boards.

- **Sturdy Construction:** Manufactured from high-quality textured black aluminum alloy with ABS plastic, designed for durability and corrosion resistance.
- **High Weight Capacity:** Each running board is engineered to support up to 450 lbs (200 kg).
- **Anti-Slip Surface:** Features a slip-resistant textured surface to ensure secure footing in various weather conditions.
- **OE Style Design:** Provides an exact fit and seamless integration with your vehicle's aesthetics.

2. Compatibility

These running boards are specifically designed for the following vehicle models:

- **Vehicle:** Jeep Wrangler JL 4-Door
- **Model Years:** 2018, 2019, 2020, 2021, 2022, 2023, 2024

Important: These running boards are **not compatible** with Jeep Wrangler JK models (2007-2018) or 2-door Jeep Wrangler JL models. Please verify your vehicle's model and door configuration before installation.

ONLY FIT JEEP WRANGLER JL

Please Check Your Vehicle Type Before Ordering
(Not For 2007-2018 JK)



4 Door



2 Door



Image 2.1: Visual guide for vehicle compatibility, highlighting 4-door JL models.

3. Parts List

Before beginning installation, ensure all components are present and undamaged. Refer to the image below for a visual representation of the included hardware.



6pcs



12pcs



12pcs



24pcs



24pcs



24pcs

Image 3.1: Included hardware for installation.

Item	Description	Quantity
Running Boards	Left and Right Side Steps	2
Mounting Brackets	Vehicle-specific brackets	6
Hex Bolts	M8 Philips Drive Hexagon Bolts	6
Flat Washers	M8 Flat Washers	24
Lock Washers	M8 Lock Washers	12
Plastic Washers	Plastic Washers	12
Clip Nuts	Clip Nuts	24

4. Installation Instructions

Installation is a bolt-on process and typically requires no drilling or cutting. Professional installation is recommended for optimal results, but DIY installation is feasible with proper tools and care.



Image 4.1: Brackets designed for easy, bolt-on installation.

1. **Prepare Vehicle:** Park your vehicle on a level surface and engage the parking brake. For safety, consider disconnecting the battery.
2. **Identify Mounting Points:** Locate the pre-drilled mounting holes on your vehicle's frame or rocker panel. These are typically found along the underside of the vehicle where the running boards will attach.
3. **Attach Brackets to Running Boards:** Identify the correct brackets for each running board (front, middle, rear). Secure the brackets to the running boards using the provided hex bolts, flat washers, and lock washers. Do not fully tighten at this stage.
4. **Mount Running Boards to Vehicle:** Carefully lift each running board assembly into position. Align the brackets with the vehicle's mounting points. Use the remaining hardware (clip nuts, bolts, washers) to attach the brackets to the vehicle.
5. **Adjust and Tighten:** Once all bolts are loosely installed, adjust the running boards for proper alignment and desired position. Ensure they are level and evenly spaced from the vehicle body. Once satisfied with the positioning, progressively tighten all bolts to the manufacturer's recommended torque specifications.
6. **Final Check:** Double-check all connections to ensure they are secure. Test the stability of the running boards by applying pressure.

Note: Some vehicle models may require minor adjustments or specific bracket orientations. Refer to any included diagrams for precise placement.

5. Maintenance

Proper maintenance will extend the life and appearance of your running boards.

- **Regular Cleaning:** Clean the running boards regularly with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the finish or textured surface.
- **Inspect Fasteners:** Periodically check all mounting bolts and fasteners to ensure they remain tight. Re-tighten if necessary to prevent loosening due to vibrations or road conditions.
- **Surface Inspection:** Inspect the textured surface for any signs of wear or damage that could compromise its anti-slip properties.



Image 5.1: Detail of the anti-slip surface, important for regular cleaning and inspection.

6. Troubleshooting

If you encounter issues during installation or use, consider the following:

- **Misaligned Holes:** If mounting holes do not align perfectly, double-check that you have the correct running board (left/right) and the correct bracket for the specific mounting point (front/middle/rear). Slight adjustments may be possible before fully tightening.
- **Loose Fit:** Ensure all bolts are tightened securely. Over time, bolts can loosen, requiring re-tightening.
- **Missing or Damaged Parts:** Verify all parts against the parts list before starting installation. Contact customer support immediately if any parts are missing or damaged.
- **Difficulty with Bolt Length:** If bolts appear too short to accommodate all washers, ensure you are using the correct bolts for the specific connection. In some cases, slight compression of lock washers may be needed, or ensure the mounting surface is clear of obstructions.

7. Specifications

Feature	Detail
Brand	AUTOSAVER88
Model Number	YG0801A055
Material	Heavy Duty ABS Plastic, Aluminum Alloy
Color	Gray (Textured Black Finish)
Product Dimensions (L x W x H)	190 x 15.2 x 5.1 cm (74.8 x 6 x 2 inches)
Item Weight	13.3 kg (29.3 lbs)
Weight Limit	450 Pounds (200 kg) per side
Exterior Finish	Antiskid
Country of Origin	China



Image 7.1: Key dimensions of the running board.




Image 7.2: Visual representation of the 450 lb weight capacity.

8. Support & Warranty

AUTOSAVER88 is committed to providing quality products and customer satisfaction. For any questions, concerns, or assistance with your running boards, please contact our customer support.

While specific warranty details are not provided in this manual, AUTOSAVER88 strives to reduce product defects and maximize service quality. Please retain your proof of purchase for any warranty claims or support inquiries.

For further assistance, please visit the official AUTOSAVER88 website or contact their customer service department through your purchase platform.