

CLIVET Cristallo 2

Clivet Cristallo 2 9000 BTU R32 Inverter Air Conditioner User Manual

Model: Cristallo 2

1. INTRODUCTION AND OVERVIEW

This manual provides essential instructions for the safe and efficient operation, installation, and maintenance of your Clivet Cristallo 2 air conditioner. The Cristallo 2 series is designed for optimal climate control, offering cooling, heating, dehumidification, and ventilation functions with high energy efficiency and advanced air purification capabilities. It features a modern design, smart control options, and multiple comfort-enhancing functions.

2. SAFETY INFORMATION

Please read all safety warnings and instructions carefully before installing or operating the unit. Failure to follow these instructions may result in electric shock, fire, property damage, or personal injury.

- Installation must be performed by qualified personnel in accordance with local and national electrical codes.
- Ensure the power supply matches the unit's specifications.
- Do not insert fingers or objects into the air inlet/outlet.
- Do not attempt to repair or modify the unit yourself. Contact authorized service personnel.
- Keep the area around the outdoor unit clear of obstructions.
- The refrigerant R32 is mildly flammable. Handle with care and ensure proper ventilation during installation and servicing.

3. PRODUCT COMPONENTS

The Clivet Cristallo 2 system consists of an indoor unit, an outdoor unit, a remote control, and a WiFi pen for smart connectivity.



Figure 3.1: Overview of the Clivet Cristallo 2 air conditioning system, showing both the indoor unit (top) and the outdoor unit (bottom), along with the remote control and WiFi pen.

3.1 Indoor Unit

The indoor unit is designed for elegant integration into your living space. It houses the evaporator coil, fan, and air filtration system.



Figure 3.2: The sleek and modern design of the Clivet Cristallo 2 indoor unit, featuring a matte finish and clean lines.

3.2 Outdoor Unit

The outdoor unit contains the compressor, condenser coil, and expansion valve. It is responsible for releasing heat

to the outside during cooling and absorbing heat from the outside during heating.



Figure 3.3: The robust Clivet Cristallo 2 outdoor unit, featuring a large fan for efficient heat exchange.

3.3 Accessories

- **Remote Control:** Used for direct control of all unit functions.
- **WiFi Pen:** Enables smart control via the NetHome Plus app and voice assistants.

4. SETUP AND INSTALLATION

Installation of the Clivet Cristallo 2 air conditioner requires specialized knowledge and tools. It is strongly recommended that installation be carried out by a certified HVAC professional to ensure proper functioning, safety, and warranty validity.

4.1 WiFi Setup

The unit comes with an integrated WiFi kit. To enable smart control:

1. Insert the provided WiFi pen into the designated port on the indoor unit.
2. Download the "NetHome Plus" app from your smartphone's app store (available for Android and iOS).
3. Follow the in-app instructions to connect your air conditioner to your home WiFi network.
4. Once connected, you can control the unit via the app and integrate it with Amazon Alexa or Google Assistant for voice control.

5. OPERATING INSTRUCTIONS

The Clivet Cristallo 2 offers various operating modes and functions for optimal comfort and energy efficiency.

5.1 Basic Modes

- **Cooling:** Reduces room temperature.
- **Heating:** Increases room temperature.
- **Dehumidification:** Reduces humidity levels in the room.
- **Ventilation:** Circulates air without cooling or heating.

5.2 Fan Control

- **Fan Speeds:** The indoor fan speed can be adjusted through 12 continuous settings.
- **Turbo Function:** Activates maximum fan speed for rapid cooling or heating.

5.3 Comfort Functions

- **Multi-directional Flow:** Electronically adjust both horizontal and vertical airflow direction via the remote control to ensure optimal air distribution.
- **Breeze Away:** Prevents direct airflow onto occupants, enhancing comfort.
- **Anti-cold Air Function:** In heating mode, the fan delays starting until the indoor coil is sufficiently warm, preventing the discharge of cold air.
- **Anti-mold Function:** After operating in cooling or dehumidification modes, the unit continues to run at a very low power to dry condensed water and prevent mold growth.
- **Sleep Function:** Adjusts temperature settings during sleep to optimize comfort and reduce energy consumption.
- **Auto Restart:** In case of a power outage, the unit will automatically resume operation with the last used settings once power is restored.

5.4 Energy Saving Profiles

- **GEAR:** Optimizes compressor operation for balanced performance and energy saving.
- **ECO:** Maximizes energy efficiency by adjusting settings for minimal power consumption.
- **1W STANDBY:** Reduces standby power consumption to less than 1 Watt.

5.5 Smart Control

Utilize the NetHome Plus app on your smartphone or voice commands via Amazon Alexa and Google Assistant for convenient remote control and scheduling.

6. MAINTENANCE

Regular maintenance ensures the longevity and efficient operation of your Clivet Cristallo 2 air conditioner.

6.1 Air Filtration System

The unit is equipped with a multi-stage air filtration system:

- **High-density Filter:** Washable and reusable, designed to capture larger particles like dust and microbes. Clean regularly.
- **Cold Catalyst Filter:** Breaks down unpleasant odors and harmful gases (e.g., VOCs) into harmless substances.
- **Activated Carbon Filter:** Further removes odors and absorbs harmful micro-particles and bacteria.

- **Silver Ion Filter:** Continuously releases silver ions to eliminate 99% of bacteria and viruses.

Refer to the full manual for detailed instructions on cleaning and replacing filters.

6.2 Active Clean Function

The Active Clean function performs a thorough cleaning of the heat exchanger, removing accumulated dust and ensuring optimal performance and durability. Activate this function periodically as recommended in the comprehensive manual.

6.3 General Cleaning

Wipe the exterior of the indoor and outdoor units with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.

7. TROUBLESHOOTING

The Clivet Cristallo 2 air conditioner includes self-diagnosis features to help identify potential issues.

- **Fault Detection:** The unit can detect and report various operational faults.
- **Emergency Warning:** Provides alerts for critical system conditions.
- **Self-diagnosis:** Helps protect the installation by identifying malfunctions.

If the unit is not operating correctly, check the remote control batteries, ensure the power supply is stable, and verify that no air inlets or outlets are blocked. For specific error codes and detailed troubleshooting steps, please consult the comprehensive user manual provided with your product or contact authorized service personnel.

8. SPECIFICATIONS

Feature	Specification
Brand	CLIVET
Model Number	Cristallo 2
Cooling Capacity	9000 BTU
Refrigerant	R-32
Energy Efficiency (SEER)	5.6
BEE Star Rating	5 Stars
Voltage	240 Volt
Filter Type	Silver Ion Filter, Cold Catalyst Filter, Activated Carbon Filter, High-density Filter
Special Features	Inverter compressor, Heating and cooling function, Remote control operation, WiFi enabled
First Available	February 21, 2020

9. WARRANTY AND SUPPORT

Your Clivet Cristallo 2 air conditioner is covered by a comprehensive warranty.

- **Official Warranty:** 24 months from the date of purchase.
- **RELAX-GARANTIE (Italy only):**
 - For monosplit systems: Free 5-year extension, totaling 7 years.
 - For multisplit systems: Free 2-year extension, totaling 4 years.

For warranty claims, technical support, or service inquiries, please contact your authorized Clivet dealer or the official Clivet customer service. Ensure you have your purchase receipt and product model number available.

© 2024 CLIVET. All rights reserved. This manual is for informational purposes only.

Related Documents - Cristallo 2

	Clivet CRISTALLO 2 Series IMA1-Y Installation, Use, and Maintenance Manual Comprehensive manual for the Clivet CRISTALLO 2 air conditioning system (Series IMA1-Y, 27M to 70M), covering installation, operation, maintenance, troubleshooting, and safety guidelines.
	CLIVET EZCool MLA1-Y Outdoor Unit Manual Comprehensive manual for the CLIVET EZCool MLA1-Y series outdoor units, covering installation, use, and maintenance. Includes detailed instructions, safety warnings, technical specifications, and troubleshooting guidance.
	CLIVET STELVIO MH2-Y Series Outdoor Unit: Installation, Use, and Maintenance Manual Comprehensive manual for CLIVET STELVIO MH2-Y series outdoor units (models 27M, 35M). Covers installation, operation, maintenance, troubleshooting, and technical specifications for optimal performance and safety.

	CLIVET CAS-X 31-222: Installation, Use, and Maintenance Manual Comprehensive guide for the CLIVET CAS-X 31-222 packaged air-conditioner condenser, covering installation, operation, maintenance, and technical specifications.
	Clivet CASR-X 31-222 Installation, Use, and Maintenance Manual This manual provides comprehensive instructions for the installation, use, and maintenance of the Clivet CASR-X 31-222 air-conditioner. It covers general information, reception, positioning, water connections, refrigerant pipes, aeraulic connections, electrical connections, start-up procedures, control operations, and maintenance guidelines.
	CLIVET CERVINO MEA1-P Series Outdoor Unit: Installation, Use, and Maintenance Manual Comprehensive manual for CLIVET CERVINO MEA1-P series single split outdoor air conditioning units (models 27M and 35M). Covers installation, operation, safety, troubleshooting, and maintenance procedures.

Documents - CLIVET – Cristallo 2



[pdf] Guide Accessories

Guide 2025 Products and systems SPLIT v1 documentos mollier pt clivet split guide dg25a900gb 01


SPLITGuide SPLITclivet 01clivet 01documentos |||

GUIDE 2025 PRODUCTS AND SYSTEMS SPLIT 2025 CLIVET This document is dedicated to those looking fo ... FORTUNE GLOBAL 500 51.9 BN OF MIDEA

TURNOVER 2023 5 CLIVET New range features 2025 PREVIEW **CRISTALLO 2** NV

OUTDOOR UNIT Compatible with **CRISTALLO 2** IMA1-Y indoor units Extended opera...

lang:en score:39 filesize: 31.38 M page_count: 0 document date: 0000-00-00



[\[pdf\]](#) Dimension Guide Guide

POCKET GUIDE 2024 PRODUCTS AND SYSTEMS Clivet S p A dg24b044gb 00 guide Index of clivet pocket documentos mollier pt |||

POCKET GUIDE 2024 PRODUCTS AND SYSTEMS CLIVET 2024 Inspiring Solutions since 1989 This document is ... A 9,20 A 5,30 35M 12.000 3.50016.400 14.500 2.60024.600 A 9,20 A 5,30 SPLIT 34 **CRISTALLO 2** IMA1-Y SINGLE Split with hiwall indoor unit ALTODesign panel with strong, elegant line...

lang:en **score:37** filesize: 4.34 M page_count: 40 document date: 2024-02-26



[\[pdf\]](#) User Manual Guide

clivet guide 2024 ptIndex of clivetv1documentos mollier pt |||

2024 PRODUTOS E SISTEMAS CATLOGO GERAL 2024 Inspiring Solutions since 1989 Este documento dedicad ... 53M 27M 70M 27M 53M 53M - 35M 53M 70M 160T 35M 160T 35M 53M 53M 160T NOME STELVIO **CRISTALLO 2** CRISTALLO EZCool NATIV ODU-SM 2 **CRISTALLO 2** CRISTALLO EZCool NATIV BOX 2 650x650 DUCT 2 ...

lang:pt **score:36** filesize: 58.84 M page_count: 562 document date: 2024-10-07



[\[pdf\]](#) Guide

Pocket Guide 2025 Clivet S p A ✓ Full inverter technology with scroll compressors ✓ High temperature solution modular approach ✓ Natural and environmentally friendly refrigerant dg25a005gb 00 guide pocket 2025documentos mollier pt clivet dg25a005gb |||

Pocket guide 2025 AIR-TO-WATER HIGH TEMPERA- Products and systems TURE HEAT PUMP THUNDER 3 Th ... A 8,80 A 4,60 35M 12.000 4.70014.700 11.500 3.60015.000 A 8,50 A 4,60 SPLIT 44 **CRISTALLO 2** IMA1-Y SINGLE Split with hiwall indoor unit ALTO Panel Design with strong but elegant ...

lang:en **score:34** filesize: 3.79 M page_count: 56 document date: 2025-01-30



[Clivet Pocket Guide 2025: Products and Systems](#)

Explore the comprehensive Clivet Pocket Guide 2025, detailing a wide array of HVAC solutions including advanced heat pumps, chillers, VRF systems, and digital controls. Discover innovative products for efficient climate control, sustainable comfort, and smart home integration.

lang:en **score:32** filesize: 9.48 M page_count: 60 document date: 2025-03-07



[\[pdf\] User Manual Guide](#)

Pocket Guide 2025 Clivet S p A 1741335466992 3421555202 exhibitorsearch messefrankfurt images original document 10000006202501 401462 |||

Kurzanleitung 2025 Produkte und Systeme von Clivet 3 4 4 Inhalt CLIVET APPLIED HOME VRF SPLIT DI ... 3.60013.000 A 8,80 A 4,60 35M 12.000 4.70014.700 11.500 3.60015.000 A 8,50 A 4,60 **CRISTALLO 2** IMA1-Y Single Split mit wandmontierter Inneneinheit Set Klteleistung Heizleistung Nenn...

lang:de **score:32** filesize: 4.7 M page_count: 60 document date: 2025-03-07



[\[pdf\] User Manual](#)

Installatie En Onderhoud Manual CRISTALLO2 27M 70M CRISTALLO 2 Airview Luchtbehandeling airview nl resources 2024 06 |||

MANUAL FOR INSTALLATION, USE AND MAINTENANCE OUTDOOR UNIT SINGLE Split **CRISTALLO 2** MMA1-Y series from 27M to 70M en M0UE00002-00 04-2024 INTRODUCTION Dear Customer, Thank you for choosing a CLIVET product. The **CRISTALLO 2** model which you have chosen, is a high performance product of advanced de...

lang:en **score:31** filesize: 3.34 M page_count: 32 document date: 2024-04-17



[pdf] Guide

Clivet Pocket Guide 2024 AWS ✓ Full inverter technology with scroll compressors ✓ High temperature solution modular approach ✓ Natural and environmentally friendly refrigerant R290 abclive1 s3 amazonaws 2a948e9c f854 4573 b40a e6afb7008548 productfile ||| Valid from: February 2024 DG24B044GB-00 FOR OVER 30 YEARS WE HAVE BEEN OFFERING SOLUTIONS TO ENSURE ... A 9,20 A 5,30 35M 12.000 3.50016.400 14.500 2.60024.600 A 9,20 A 5,30 SPLIT 34 **CRISTALLO 2** IMA1-Y SINGLE Split with hiwall indoor unit ALTODesign panel with strong, elegant line... lang:en score:27 filesize: 8.39 M page_count: 40 document date: 2025-01-21



[pdf]

CRISTALLO 2 MANU ALE Index ofll prodotto deve essere destinato all uso previsto da CLIVET per il quale è stato espressamente realizzato CRIsTALLO IMA1 Y MMA1 series from 27M to m0im00001 00documents mollier pt clivet split monosplit ima1 y mma1 27m 70m m0im00001 00 ||| MANUALE PER L INSTALLAZIONE, L USO E LA MANUTENZIONE **CRISTALLO 2** Serie IMA1-Y da 27M a 70M - D M0IM ... N, USE AND MAINTENANCE INTRODUCTION Dear Customer, Thank you for choosing a CLIVET product. The **CRISTALLO 2** model which you have chosen, is a high performance product of advanced design and techno... lang:it score:25 filesize: 19.75 M page_count: 152 document date: 2023-11-07



[pdf] User Manual

UNITATE EXTERIOARĂ MANU AL ContentSpeedSerie CRISTALLO 2 MMA1 Y de la 27M 70M DE INSTALARE UTILIZARE Serie SIMBOLURI UTILIZATE ÎN MANUAL Și manualdeutilizareinstalaresiintretinereunitateextro 70719 10 1720746217cdn contentspeed ro pimromstal websales cs content docs products manualdeutilizareinstalaresiintretinereunitateextro 1720746217 ||| MANUAL DE INSTALARE, UTILIZARE I NTREINERE UNITATE EXTERIOAR SING LE Split Serie **CRISTALLO 2** MMA1-Y de la 27M la 70M ro M0UE00005-00 04-2024 INTRODUCERE Stimate Client, V mulumim c ai ales un produs CLIVET. Modelul **CRISTALLO 2** pe care l-ai ales este un produs de nalt performan, cu design i tehn... lang:it score:25 filesize: 3.36 M page_count: 32 document date: 2024-04-17



[Clivet CRISTALLO 2 Series IMA1-Y Installation, Use, and Maintenance Manual](#)

Comprehensive manual for the Clivet CRISTALLO 2 air conditioning system (Series IMA1-Y, 27M to 70M), covering installation, operation, maintenance, troubleshooting, and safety guidelines.

lang:it **score:25** filesize: 6.06 M page_count: 38 document date: 2024-05-15



[\[pdf\] User Manual](#)

CRISTALLO 2 MANU AL ContentSpeedINTRODUCERE Stimate Client Vă mulțumim că ați ales un produs CLIVET Modelul pe care l este de înaltă performanță

manualdeutilizareinstalaresiintretinereunitateintro 70719 10 1720746217cdn contentspeed ro pimromstal websales cs content docs products manualdeutilizareinstalaresiintretinereunitateintro 1720746217 |||

MANUAL DE INSTALARE, UTILIZARE I NTREINERE **CRISTALLO 2** Serie IMA1-Y de la 27M la 70M ro M0IM00005-00 04-2024 INTRODUCERE Stimate Client, V mulumim c ai ales un produs CLIVET. Modelul **Cristallo 2** pe care l-ai ales este un produs de nalt performan, cu design i tehnologie avansat, fiabilitate ridi...

lang:it **score:24** filesize: 6.12 M page_count: 38 document date: 2024-04-17



[CLIVET CERVINO MEA1-P Series Outdoor Unit: Installation, Use, and Maintenance Manual](#)

Comprehensive manual for CLIVET CERVINO MEA1-P series single split outdoor air conditioning units (models 27M and 35M). Covers installation, operation, safety, troubleshooting, and maintenance procedures.

lang:en **score:21** filesize: 3.31 M page_count: 32 document date: 2024-04-17



[pdf]

CLIVET INTERNA CRISTALLO2Climatizzatore Clivet Cristal2 Dual Split 12000 Btu U E 6 1

KwSCHEDA TECNICA CRISTALLO 2hydroexpertsrl it index controller attachment id 172 |||

CRISTALLO 2 27M 70M MONOSplit NEW PRODUCT A 7 A MONOSplit con unit
interna a parete PERCH SCEGLIERE **CRISTALLO 2** Pannello ALTO Design dalle
linee decise ed eleganti, in finitura opaca Filtro di purificazione: attivo contro odori,
polvere, VOC, polline, spore, batteri Gestione Smart di ...

lang:it score:21 filesize: 2.37 M page_count: 4 document date: 2024-01-24




[pdf]

m0im00001 00 Index of clivet split multisplit unidades interiores ima1 y 27m 70m documentos mollier pt |||

MANUALE PER L'INSTALLAZIONE, L'USO E LA MANUTENZIONE CRISTALLO 2
Serie IMA1-Y da 27M a 70M - D M0IM ... N, USE AND MAINTENANCE

INTRODUCTION Dear Customer, Thank you for choosing a CLIVET product. The
Cristallo 2 model which you have chosen, is a high performance product of advanced
design and techno...

lang:it score:20 filesize: 19.75 M page_count: 152 document date: 2023-11-07



[pdf]

Clivet cristal2 klima muszaki adaptlap v 1745349310 cdn shopify s files 1 0851 9843 8730 |||

CRISTALLO 2 27M 70M SINGLESplit 21 WI*FI CONTROL 21 READY SYSTEM dB
A A A D A A D SINGLE Split with hiwall indoor unit WHY CHOOSE CRISTALLO2
ALTO Panel Design with strong but elegant lines, in matt finish with contrasting logo
Purification filter: active against odours, dust, VOC...

lang:en score:20 filesize: 2.45 M page_count: 4 document date: 2025-02-25



[pdf]

m0ue00001 00 Index of clivet split multisplit unidades interiores ima1 y 27m 70m documentos mollier pt ||| MANUALE PER L'INSTALLAZIONE, L'USO E LA MANUTENZIONE UNIT ESTERNA MONOSplit **CRISTALLO 2** Serie MMA1-Y da 27M a 70M - D M0UE00001-00 11-2023 INTRODUZIONE Gentile Cliente, La ringraziamo per aver preferito un prodotto CLIVET. Il modello **CRISTALLO 2** da Lei scelto, un prodotto ad elevate prestazioni... lang:it score:20 filesize: 9.83 M page_count: 128 document date: 2023-11-20



[pdf] User Manual

Clivet Cervino varmpumpe indedel 3 5 kW 2113090503 clivet cervino outdoor unit user en v2339 ast 2979569 hjj dk media 08 b4 97 1730273238 ||| OUTDOOR UNIT SINGLE Split CERVINO MEA1-P series from 27M to 35M MANUAL FOR INSTALLATION, USE AND MAINTENANCE 9 Outdoor unit power supply 10 Remote control 11 Remote control support 12 Display led **CRISTALLO 2** Fig. 1 | WARNING The images in this manual are provided for illustrative purposes only... lang:en score:18 filesize: 3.19 M page_count: 32 document date: 2024-01-08



[pdf] Borchure Catalog

Download manufacturers brochure Clivet Edge EVO 2 0 EXC 4 2kW 1Phase Monobloc Heat Pump APP Plumbing Heating Residential Brochure appheatingdistribution co uk pub media catalog product ||| PRODUCT BROCHURE RESIDENTIAL HEAT PUMPS AIR CONDITIONING ENERGY STORAGE AIR RENEWAL FAN COILS S... 51 8.1 8.1 16,0 / 16,8 4,55 13,4 / 14,3 2,74 16,0 / 16,6 3,60 0,75 22,6 8.1 54 / 66 41 / 53 11 **CRISTALLO 2** HIGH WALL INDOOR UNIT ALTO Design panel with strong and elegant lines, matt finished P... lang:en score:18 filesize: 11.92 M page_count: 20 document date: 2024-06-21



[pdf]

CRISTALLO 2 27M ÷ 70M Schede tecniche it E lavabile e riutilizzabile ✓ Filtro catalizzatore a freddo ossido RG10A4 D2S BGEF Temperatura settabile °C 16÷30 Alimentazione Tensione CLIVET scheda tecnica condizionatore schede climatizzatori ||| ||| CRISTALLO 2 27M 70M MONOSplit NEW PRODUCT A 7 A MONOSplit con unit interna a parete PERCH SCEGLIERE CRISTALLO 2 Pannello ALTO Design dalle linee decise ed eleganti, in finitura opaca Filtro di purificazione: attivo contro odori, polvere, VO **CRISTALLO 2** 27M 70M MONOSplit NEW PRODUCT A 7 A MONOSplit con unit interna a parete PERCH SCEGLIERE **CRISTALLO 2** Pannello ALTO Design dalle linee decise ed eleganti, in finitura opaca Filtro di purificazione: attivo contro odori, polvere, VOC, polline, spore, batteri Gestione Smart di ...

lang:it score:18 filesize: 2.37 M page_count: 4 document date: 2024-01-24



[pdf]

SCHEDA TECNICA Condizionatore trial split Clivet Cristallo 2 unità esterna 6 1 kW W Climaguru CLV Cristallomulti scheda v 1738851220 cdn shopify s files 0908 4056 4049 ||| ODU-SM 2 41M 125M MONOSplit RELAX 4 YEAR A A D A A D Unit esterna per Sistemi MULTISpl ... po operativo: Riscaldamento -15C 24C ; Raffrescamento -15C 50C GAMMA COMPLETA DI UNIT INTERNE **CRISTALLO 2** BOX 2 650x650 EZCOOL MONOSplit DUCT 2 CONSOLE 3 FUNZIONE DI CORREZIONE AUTOMATICA ER...

lang:it score:17 filesize: 496.23 K page_count: 3 document date: 2025-01-14




[pdf]

Productleaflet MULTISplit MU2 Y 41M 125M QuadriMULTISplit Quadri 82M 105M Airview LuchtbehandelingProductleaflet Quadriairview nl resources 2019 10 systemsMULTISplit QuadriProductleaflet Dualairview Dual ||| ||| CLIVET MULTISplit systems MU2-Y 41M-125M WAND-, CONSOLE-, PLAFOND/WAND-, CASSETTE- EN KANAALMODELLEN MULTISPLIT Nominaal koelvermogen: Nominaal verwarmingsvermogen: 4,1 - 12,3 kW 4,4 - 12,3 kW Diverse wandmodellen Diverse plafond-/ wandmode CLIVET MULTISplit systems MU2-Y 41M-125M WAND-, CONSOLE-, PLAFOND/WAND-, CASSETTE- EN KANAALMODELLE ... steem voor inzet van n buitendeel met 1 tot 5 binnendelen Combineerbaar met diverse binnendelen: - **CRISTALLO 2** hoog aan de wand modellen - EZCool hoog aan de wand modellen - CONSOLE 3 consolemodellen...

lang:nl score:17 filesize: 966.97 K page_count: 4 document date: 2025-06-09

[pdf]

CRISTALLO 2 27M ÷ 70M ContentSpeedTHE standard control can be used to easily set the desired
louvers position Page 3 Wi Fi NWMX IMA1 Y MMA1 clivet refrigerant fisatehnicamma1y35mima1y35m
70719 41 1720746217cdn contentspeed ro pimromstal websales cs content docs products
fisatehnicamma1y35mima1y35m 1720746217 refrigerant THE NEW technical data Breeze
awayfisatehnicamma1y35mima1y35m 1720746217v1cdn 1720746217documentos mollier pt split
monosplit ima1 y mma1 27m 70m sp24a050gb 00 1720746217v1v1cdn 00documentos ||| ||| CRISTALLO
2 27M 70M SINGLESplit NEW PRODUCT A 21 A SINGLESplit with hiwall indoor unit WHY CHOOSE
OUTDOOR CRISTALLO 2 ALTO Design panel with strong and elegant lines, matt finished Purification
filter: active against odours, dust, VOC, poll ||| CRISTALLO 2 27M 70M SINGLESplit NEW PRODUCT A
21 A SINGLESplit with hiwall indoor unit WHY CHOOSE OUTDOOR CRISTALLO 2 ALTO Design panel
with strong and elegant lines, matt finished Purification filter: active against odours, dust, VOC, poll
CRISTALLO 2 27M 70M SINGLESplit NEW PRODUCT A 21 A SINGLESplit with
hiwall indoor unit WHY CHOOSE OUTDOOR **CRISTALLO 2** ALTO Design panel with
strong and elegant lines, matt finished Purification filter: active against odours, dust,
VOC, pollen, spores, bacteria Smart management as stan...
lang:en score:17 filesize: 2.4 M page_count: 0 document date: 2024-07-12



[pdf]


Airview Sparen Leaflet 2024 airview.nl resources 09 |||
SPAREN MET AIRVIEW De zomer komt er weer aan, en dat betekent dat we iets
leuks hebben Ook dit jaa ... r hoeft te doen, is zich aanmelden via
www.airview.nl/spaarprogramma. 125 cpluinvetti PALLETACTIE **CRISTALLO 2** hoog
aan de wandmodel 5 sets* 2,6 - 5,9 kW * Sets mogen gemixt worden.
www.airview.n...
lang:nl score:17 filesize: 1.31 M page_count: 4 document date: 2024-04-10



[\[pdf\]](#) User Manual

Guida SPLIT 2021 italiano Clivet DG20I013D 02 1685285886602 world clivet it openDocs c cWCHiddiQ1 IRLpgJAWNQ e Ny4kuAP 5XE d EqS4sUpcxUWOsrdSKgziuA u OX8GqouGtl4Vz79q8J5JBA ext DMjZ3DQjMD8 s UdwlxpO5b Q |||

BERSICHT 2021 PRODUKTE UND SYSTEME SPLIT Inspiring Solutions since 1989 CLIVET Dieses Handbuch i ... uss knnen gleichzeitig genutzt werden Steuersysteme siehe zugehrigen Abschnitt 25 MONOSplit **CRISTALLO 27M70M A 20 A R-32** MONOSplit-Inneneinheit fr Wandmontage WAS SPRICHT FR CRISTALLO Int... lang:de **score:16** filesize: 21.14 M page_count: 106 document date: 2021-07-15



[\[pdf\]](#)

CONSOLE 3 35M ÷ 53M Infrared remote control for indoor units CRISTALLO 2 EZCool BOX DUCT C F Optionals NWMX Wi fi kit MKCX sp23a046gb 01 documentos mollier pt clivet split gama comercial unidades interiores ic3 y mc3 35m 53m |||

CONSOLE 3 35M 53M COMFORT RELIABILITY Stepless Indoor Fan Speed Anti-cold air Temperature Multi ... 230 / 50 / 1 2 G 1 accessoires Standard RG10A-D2S-BGEF Infrared remote control for indoor units **CRISTALLO 2** / EZCool / BOX 2 / CONSOLE 3 / DUCT 2 / C F 2 Optionals NWMX MKCX Control systems Wi-f... lang:es **score:15** filesize: 823.37 K page_count: 2 document date: 2024-02-20



[\[pdf\]](#)

CERVINO Messe Frankfurt WARUM OUTDOOR ✓ R290 Technologie kombiniert starke Leistung und maximalen Umweltschutz ALTO Panel Design mit starken aber eleganten Linien 1732804440919 3095696653 marketdirectory messefrankfurt images original document 10000006202501 401462 ||| CERVINO SINGLE-SPLIT MIT WANDMONTIERTEM INNENGERÄT Inspiring Solutions since 1989 2 NEW PRODUCT CE ... / 50 / 1 2 G 2 Zubehr Standard RG10A-D2S-BGEF NWMX IR-Fernbedienung fr Inneneinheiten der Serie **CRISTALLO 2** / EZCool / BOX 2 / CONSOLE 3 / DUCT 2 / C F 2 WLAN-Bausatz fr Inneneinheiten 35M 25 10 ...

lang:de **score:15** filesize: 2.06 M page_count: 8 document date: 2024-06-04




[pdf]

Productleaflet CRISTALLO2 27M 70MCRISTALLO 2 70M Airview LuchtbehandelingProductleaflet
70Mairview.nl/resources/2024/06/

CLIVET **CRISTALLO 2** S. IMA1 MMA1-Y 27M-70M HOOG AAN DE WANDMODEL
SINGLE-SPLIT MULTISPLIT COMPATIBLE Nominaal koelvermogen: Nominaal
verwarmingsvermogen: 2,6 - 5,9 kW 2,9 - 6,7 kW **WAAROM CRISTALLO 2** -
Energieklasse A / A - Modern ontwerp - Designunit in mat wit Buitenunit Infrarood
afstands...


lang:nl score:14 filesize: 906.62 K page_count: 2 document date: 2025-06-09



[pdf]

Clivet cervino klima muszaki adatlap v 1745349185 cdn.shopify.com/files/1/0851/9843/8730/ CERVINO 27M 35M SINGLESplit 21 W*FI CONTROL 21 READY SYSTEM dB A A A
D A A D SING ... 1 2 G 230 / 50 / 1 2 G 2 accessories Standard RG10A-D2S-BGEF
NWMX Infrared remote control for **CRISTALLO 2** / EZCool / BOX 2 / CONSOLE 3 /
DUCT 2 / C F 2 indoor units Wi-fi kit for indoor units 3...


lang:en score:12 filesize: 2.63 M page_count: 4 document date: 2025-02-25



[pdf] Accessories

Clivet nativ klima muszaki adatlap v 1745349349 cdn.shopify.com/files/1/0851/9843/8730/ ESZSCEONOTILAL272M277M0M70M SINGLESplit 26 26 dB A A A D A A D SINGLE
Split with hiwal ... 0 / 50 / 1 2 G 2 accessories Standard RG10A-D2S-BGEF Optionals
NWMX Infrared remote control for **CRISTALLO 2** / EZCool / BOX 2 / CONSOLE 3 /
DUCT 2 / C F 2 indoor units Wi-Fi kit for indoor units 7...

lang:en score:11 filesize: 1.7 M page_count: 4 document date: 2025-02-25




[pdf]

RoHS CLIVET KFR88WBP3T1N8 D30 RD0 0405 16022500A74940 1 1/4 Clivet klima uređaj
Cristallo 2 6 kW MM2 Y27M IM1 XY27M FRIGO VE Slike mm2 y 27m energo frigo ve hr Documents
product document 105958 |||
A IM2-XY 27M MM2-Y 27M A 2,7 X 2,7 X 6,9 X 4,0 X 137 X 945 X 56 64 ...
lang:en score:11 filesize: 1.09 M page_count: 1 document date: 2024-06-06




[\[pdf\]](#) Dimension Guide Accessories

BOX 2 650X650 27M ÷ 53M RG10A D2S BGEF standard WIRED REMOTE CONTROL KJR 120X2
 TFBG E optional PANEL T MBQ4 03B4 mandatory accessory COMFORT RELIABILITY Anti
 sp23a042gb 01 documentos mollier pt clivet split multisplit unidades interiores ib3 xy 27m 53m |||
 BOX 2 650X650 27M 53M MULTISplit 29 Cassette indoor unit for MULTISplit systems
 WHY CHOOSE BOX 2 ... -D2S-BGEF Optionals T-MBQ4-03B4 WF-60A1-C Control
 Systems Infrared remote control for indoor units **CRISTALLO 2** / EZCool / BOX 2 /
 CONSOLE 3 / DUCT 2 / C F 2 Panel for Box 2 650x650, 360 air delivery,...
 lang:it score:10 filesize: 760.97 K page_count: 2 document date: 2024-02-20



[\[pdf\]](#) Accessories

ESSENTIAL 2 27M÷70M EZCool 27M ÷ 70M WHY CHOOSE ✓ Silent operation with low power
 consumption Optional smart management via smartphone the NetHome Plus App sp23a038gb 02
 documentos mollier pt clivet split monosplit ila1 y mla1 27m 70m |||
 ESZSCEoNoITi2A7ML2702M7M70M SINGLESplit 26 A A SINGLESplit with hiwall
 indoor unit WHY CHOOS ... G 2 accessoires Standard RG10A-D2S-BGEF Optionals
 NWMX Infrared remote control for indoor units **CRISTALLO 2** / EZCool / BOX 2 /
 CONSOLE 3 / DUCT 2 / C F 2 Wi-Fi kit for indoor units 70M 50 25 1,45...
 lang:en score:10 filesize: 1.74 M page_count: 4 document date: 2024-02-20



[\[pdf\]](#) Accessories

SINGLE Split MULTI with Hiwall indoor unitRG10A4 D BGEF standard Opposite fan rotation Set 27M
 35M 53M 70M Cooling capacity Standard Min ~Max Btu h 9 000 3 100÷11 600 12 800÷ v1documentos
 mollier pt clivet split monosplit iz2 xy mz2 y sp24b039gb 00 |||
 NATIV 27M70M SINGLESplit 25 A A SINGLE Split / MULTI Split with Hiwall indoor
 unit WHY CHOOS ... / 1 2 G 2 accessories Standard RG10A-D2S-BGEF Standard
 Wireless remote control fo indoor units **CRISTALLO 2** / CRISTALLO / ESSENTIAL 2 /
 NATIV Optionals Control systems learn more at Control Sys...
 lang:en score:9 filesize: 2.25 M page_count: 0 document date: 2025-06-26



[\[pdf\]](#) Accessories

SCHEDA TECNICA SCHEDA TECNICA Condizionatore monosplit Clivet EZCool

Climaguru Condizionatore Climaguru CLV EzCool CLV EzCoolcdn shopify s files 1 0908 4056 4049 CLV

EzCool v 1739007455cdn 1739007455 Scheda informativa fornitore SCHEDA TECNICA Clivet Essential 2

53M Monosplit Air Conditioner 18000 Btu A R32 New Model 2019 Amazon it Home

Kitchen Condizionatore Climaguru A1O3qO1eEpLm media amazon images I A1O3qO1eEpL ref dp

product quick viewcdn |||

ESZSCEoNoITi2A7ML2702M7M70M MONOSplit 26 A A MONOSplit con unit interna

a parete PERCH SCEGLI ... G 2 accessori Standard RG10A-D2S-BGEF Opzionali

NWMX Telecomando a infrarossi per unit interne **CRISTALLO 2** / EZCool / BOX 2 /

CONSOLE 3 / DUCT 2 / C F 2 Kit Wi-Fi per unit interne 70M 50 25 1,45...

lang:it score:9 filesize: 1.67 M page_count: 0 document date: 0000-00-00