TOOLPORT Weideunterstand 3.3x4.8m

TOOLPORT Robust Pasture Shelter 3.3x4.8m PVC Tarpaulin - Instruction Manual

Model: Weideunterstand 3.3x4.8m

1. Introduction

This manual provides essential instructions for the safe assembly, operation, and maintenance of your TOOLPORT Robust Pasture Shelter. This shelter is designed to provide a stable and secure storage space for machinery, equipment, feed, hay, harvest, and agricultural vehicles. Please read these instructions carefully before beginning assembly or use to ensure proper function and longevity of the product.



Image 1.1: The TOOLPORT Robust Pasture Shelter in an open field setting.

2. Safety Instructions

WARNING: This shelter requires careful assembly. Follow the assembly instructions precisely to prevent injury. Ensure all components are securely fastened. Close the front and rear walls as needed to prevent safety risks, especially during adverse weather conditions.

- Always wear appropriate personal protective equipment (PPE) during assembly, such as gloves and safety glasses.
- Ensure the assembly area is clear of obstructions and hazards.
- Do not attempt to assemble the shelter in strong winds or heavy rain.
- Verify that all connections are tight and secure after assembly and periodically during use.
- The shelter must be properly anchored to the ground using the provided concrete anchors to prevent movement or collapse.
- Keep children and pets away from the assembly area.
- Do not use the shelter for purposes other than its intended use (storage and shelter).

3. Package Contents

Before starting assembly, ensure all parts are present and undamaged. The package typically includes:

- Steel frame components (fully galvanized tubes, rounded square profiles).
- Roof tarpaulin (PVC material, 800N tear resistance, waterproof).
- Gable sections with ventilation windows.
- Fastening materials (e.g., concrete anchors, straps, bolts, nuts).
- Assembly manual (this document).

If any parts are missing or damaged, please contact TOOLPORT customer support before proceeding with assembly.

4. Setup Instructions

Follow these steps carefully for a secure and stable assembly.

4.1. Site Preparation

1. Choose a level and stable surface for the shelter. For concrete anchoring, ensure the ground is suitable for drilling.
2. Clear the area of any debris, sharp objects, or vegetation that could damage the tarpaulin.
3. Mark the footprint of the shelter (3.3m x 4.8m) to ensure correct positioning.




Image 4.1: Shelter dimensions (3.3m width, 4.8m length, 2.56m height).

4.2. Frame Assembly

1. Unpack all steel frame components and lay them out according to the included diagram.
2. Connect the individual frame sections using the provided bolts and nuts. Ensure all connections are finger-tight initially.
3. Assemble the roof structure, including the cross-bracing and additional roof reinforcement.
4. Once the main frame is assembled, tighten all bolts securely.



Image 4.2: View of the assembled internal steel frame structure.

4.3. Tarpaulin Installation

1. Carefully unfold the roof tarpaulin. The roof tarpaulin is a single piece for enhanced stability.
2. Drape the roof tarpaulin over the assembled frame, ensuring it is centered and evenly distributed.
3. Secure the tarpaulin to the frame using the provided straps and fastening mechanisms. Ensure the tarpaulin is taut to prevent water pooling and wind damage.
4. Attach the side walls and gable sections. The gable sections include ventilation windows.



Image 4.3: Detail of a ventilation window on the shelter's gable section.

4.4. Anchoring

1. For concrete anchoring, drill appropriate holes into the concrete foundation at each base plate location.
2. Insert the concrete anchors and secure the shelter's base plates firmly to the ground.
3. Ensure all anchoring points are fully tightened to withstand environmental forces.



Image 4.4: Close-up of the tarpaulin fastening strap and frame anchoring point.

5. Operating Instructions

The TOOLPORT Pasture Shelter offers flexible usage options:

- **Flexible Configuration:** The shelter can be used with partially or fully closed gable sections, or completely open, depending on your needs and weather conditions.
- **Weather Protection:** The robust PVC tarpaulin and stable steel frame provide reliable protection against rain, sun, wind, and snow throughout the year.
- **Ventilation:** Utilize the ventilation windows in the gable sections to ensure adequate airflow, especially when storing hay or animals, to prevent condensation and maintain air quality.



Image 5.1: The shelter providing protection for stored hay bales.

6. Maintenance

Regular maintenance will extend the lifespan of your pasture shelter.

- **Cleaning:** Clean the PVC tarpaulin periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the material. Rinse thoroughly.
- **Inspection:** Regularly inspect the entire structure for any signs of wear, damage, or loose connections. Check the tarpaulin for tears or punctures and the frame for rust or bending.
- **Anchoring:** Verify that the concrete anchors remain secure, especially after strong winds or heavy precipitation. Re-tighten if necessary.
- **Snow Load:** In areas with heavy snowfall, regularly remove accumulated snow from the roof to prevent excessive load on the structure.

7. Troubleshooting

Here are solutions to common issues:

- **Water Pooling on Roof:** Ensure the tarpaulin is stretched tautly and evenly over the frame. Check for any sagging areas and adjust the tension straps.
- **Frame Instability:** Verify that all frame connections are securely tightened and that the shelter is properly anchored to the ground. Inspect for any damaged frame components.
- **Tarpaulin Tears:** Small tears can often be repaired with a suitable PVC repair kit. For larger damage, consider replacing the affected tarpaulin section.
- **Condensation Inside:** Ensure adequate ventilation by utilizing the gable windows. If storing moisture-producing items, consider additional airflow solutions.

8. Specifications

Feature	Detail
Brand	TOOLPORT
Model Number	Weideunterstand
Product Dimensions	480 x 330 x 256 cm (4.8L x 3.3W x 2.56H meters)
Item Weight	112 Kilograms
Color	Green
Material (Anchoring)	With concrete anchors
Frame Material	Steel (fully galvanized)
Tarpaulin Material	PVC (Polyvinyl Chloride)
Tear Resistance (Tarpaulin)	800N
Water Resistance Level	Waterproof (sealed seams)
UV Protection	Yes
Recommended Use	Storage of machines, equipment, feed, hay, harvest products, or agricultural vehicles
Country of Origin	Germany

9. Warranty and Support

TOOLPORT is committed to providing high-quality products. For any questions regarding assembly, operation, maintenance, or if you encounter any issues with your pasture shelter, please contact TOOLPORT customer support. Refer to your purchase documentation for specific warranty details and contact information.

You can often find support resources and contact details on the official TOOLPORT website or through your retailer.

© 2026 TOOLPORT. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question