

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Keuco](#) /

> [Keuco X-Line 33198140006 Floor Frame User Manual](#)

Keuco 33198140006

Keuco X-Line 33198140006 Floor Frame User Manual

1. INTRODUCTION

This manual provides essential information for the safe and correct installation, operation, and maintenance of your Keuco X-Line 33198140006 Floor Frame. Please read these instructions thoroughly before beginning installation and retain them for future reference.

The Keuco X-Line Floor Frame is a painted steel base frame designed for use with specific Keuco tall cabinets (models 33130, 33131, 33132). It features integrated height adjustment for optimal alignment.

2. SAFETY INFORMATION

- **Read all instructions:** Ensure you understand all steps before installation.
- **Proper tools:** Use appropriate tools for installation to prevent damage to the product or injury.
- **Secure installation:** Ensure the floor frame is securely installed and stable before placing any cabinet on it.
- **Weight limits:** Do not exceed the recommended weight capacity of the associated tall cabinet or the floor frame itself.
- **Professional assistance:** If you are unsure about any part of the installation process, consult a qualified professional.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.

- Keuco X-Line Floor Frame (Model 33198140006)
- Integrated height adjustment mechanism
- Installation hardware (screws, brackets, etc. - specific items may vary, refer to packaging)

Note: The floor frame is designed for use with Keuco tall cabinets models 33130, 33131, and 33132. These cabinets are sold separately.

4. INSTALLATION INSTRUCTIONS

Follow these steps to properly install your Keuco X-Line Floor Frame.

1. **Prepare the installation area:** Ensure the floor surface is clean, level, and capable of supporting the combined weight of the floor frame and the tall cabinet.
2. **Unpack the frame:** Carefully remove the floor frame and all components from the packaging. Inspect for any damage.
3. **Position the frame:** Place the floor frame in the desired location. Ensure it is correctly oriented for the tall cabinet it will support.
4. **Adjust height:** Utilize the integrated height adjustment mechanism to level the frame. This is crucial for the stability and proper alignment of the tall cabinet. Use a spirit level to ensure perfect horizontal alignment.




Figure 1: Keuco X-Line Floor Frame, Front View. This image shows the overall appearance of the floor frame.

5. **Secure the frame:** Depending on the specific tall cabinet model and installation requirements, secure the floor frame to the floor or wall using appropriate fasteners. Refer to the tall cabinet's manual for specific attachment points and methods.
6. **Place the tall cabinet:** Carefully lift and place the compatible Keuco tall cabinet (33130, 33131, or 33132) onto the installed floor frame. Ensure it sits flush and is stable.
7. **Final adjustments:** Make any final height or alignment adjustments as needed to ensure the cabinet is perfectly level and stable.




Figure 2: Keuco X-Line Floor Frame Dimensions Diagram. This technical drawing illustrates the key measurements of the floor frame, including width (478mm), height (255mm), and depth (289mm).



Figure 3: Keuco X-Line Floor Frame Component Diagram. This diagram shows a specific component or section of the frame with dimensions of 650mm, 155mm, and 525mm, providing detail for assembly or understanding the structure.

5. MAINTENANCE

The Keuco X-Line Floor Frame requires minimal maintenance to ensure its longevity and appearance.

- **Cleaning:** Wipe the painted steel frame with a soft, damp cloth. Use mild, non-abrasive cleaning agents if necessary. Avoid harsh chemicals or abrasive scrubbers, which can damage the finish.
- **Regular inspection:** Periodically check all connections and fasteners to ensure they remain tight and secure. Re-tighten if necessary.
- **Height adjustment:** If the floor frame or cabinet appears uneven over time, re-adjust the integrated height mechanism as needed.

6. TROUBLESHOOTING

- **Frame is wobbly/unstable:**
 - Ensure the floor surface is level.
 - Re-adjust the integrated height adjustment feet until the frame is stable and level.
 - Verify all securing fasteners are properly tightened.
- **Cabinet does not sit flush on the frame:**

- Check for any obstructions between the cabinet and the frame.
- Ensure the frame is perfectly level using a spirit level.
- Confirm that the cabinet model is compatible with the floor frame (33130, 33131, or 33132).

7. SPECIFICATIONS

Feature	Detail
Model Number	33198140006
Product Dimensions (W x H x D)	480 mm x 250 mm x 290 mm (approx. 18.9 x 9.8 x 11.4 inches)
Material	Painted Steel
Color	Truffle
Item Weight	7.92 pounds (approx. 3.6 kg)
Compatibility	Suitable for Keuco tall cabinets 33130, 33131, 33132
Special Features	Integrated height adjustment

8. WARRANTY AND SUPPORT

For warranty information, technical support, or replacement parts, please contact Keuco customer service or your authorized Keuco dealer. Refer to your purchase documentation for specific warranty terms and contact details.

Manufacturer: Keuco