

[Manuals.plus](#) /

› [Cumbor](#) /

› Cumbor Baby Gate Instruction Manual

## Cumbor S7V2

# Cumbor Baby Gate Instruction Manual

Model: S7V2

## INTRODUCTION AND SAFETY INFORMATION

---

This manual provides essential instructions for the safe installation, operation, and maintenance of your Cumbor Baby Gate. Please read all instructions thoroughly before assembly and use. Keep this manual for future reference.

### Important Safety Warnings:


- Always install and use the gate as directed. Incorrect installation can lead to serious injury.
- Never leave children unattended.
- This gate is designed for children aged 6-24 months.
- Regularly check all parts for tightness and proper function. Do not use if any parts are missing or damaged.
- Ensure the gate is securely latched after each passage.
- Do not allow children to climb on the gate.
- This gate is suitable for both children and pets (cats, dogs).

## PACKAGE CONTENTS

---

Verify all components are present before beginning installation.

29.7IN-40.6IN



## PACKAGE CONTENTS

<b>A</b> Main Gate.	X 1	<b>G</b> Stair Tension Bolt	X 2
<b>B</b> Extension	X 2	<b>H</b> Up Cup	X 2
<b>C</b> Tension Bolt	X 4	<b>I</b> Wall Anchor	X 4
<b>D</b> Wall Cup	X 4	<b>J</b> Screw	X 4
<b>E</b> Pedal	X 1	<b>K</b> Sticky Pad	X 4
<b>F</b> Position plate	X 1	<b>L</b> Wrench	X 1

Figure 1: Package Contents Diagram. Includes Main Gate, Extensions, Tension Bolts, Wall Cups, Pedal, Position Plate, Stair Tension Bolts, U-Cup, Wall Anchor, Screws, Sticky Pads, and Wrench.

- A: Main Gate (x1)
- B: Extension (x2)
- C: Tension Bolt (x4)
- D: Wall Cup (x4)
- E: Pedal (x1)
- F: Position Plate (x1)
- G: Stair Tension Bolt (x2)
- H: U-Cup (x2)
- I: Wall Anchor (x4)
- J: Screw (x4)
- K: Sticky Pad (x4)
- L: Wrench (x1)

## SETUP AND INSTALLATION

The Cumbor Baby Gate offers both pressure-mounted and hardware-mounted installation options. Choose the method best suited for your needs and wall type.

### Pressure-Mounted Installation (No Tools Required)

This method is ideal for doorways, hallways, and open spaces where drilling is not desired. The gate is designed with a slight gap before installation, which disappears as pressure is applied.



## Keep curves safe

The Y pressure mount for rounded banisters is a friendly, secure baby gate solution for curves

## Pressure-mount installation

No tools or hardware required. Simply rotate the tension bolt until secure within opening



Figure 2: Pressure-Mount Installation Detail. Simply rotate the tension bolt until secure within the opening.

1. Measure your opening: The gate fits widths from 29.7 to 40.6 inches. Use extensions (B) if needed to fit wider openings.
2. Insert the tension bolts (C) into the four corners of the gate. Ensure wall cups (D) are attached to the bolts. For rounded banisters, use the U-Cups (H) with the stair tension bolts (G).
3. Position the gate in the desired opening.
4. Rotate the tension bolts (C) by hand to increase pressure against the walls. Continue tightening until the gate is secure and the initial gap between the lock and door frame disappears.
5. Use the provided wrench (L) for final tightening to ensure maximum stability.

6. Once fully installed and secure, you may cut the zip tie that holds the gate frame together.

## Official Installation Video: Pressure Mounting

Your browser does not support the video tag.

Video: Cumbor Baby Gate - Pressure Mounted Installation. This video demonstrates the step-by-step process for pressure mounting the gate without drilling.

## Hardware-Mounted Installation (Drilling Required)

For a more permanent and secure installation, especially at the top of stairs, hardware mounting is recommended.

1. Place the gate in the desired location and mark the positions for the wall anchors (I).
2. Drill pilot holes and insert the wall anchors (I) into the wall.
3. Attach the wall cups (D) to the wall using screws (J).
4. Insert the tension bolts (C) into the gate and align them with the installed wall cups.
5. Tighten the tension bolts using the wrench (L) until the gate is firmly secured.

## OPERATING INSTRUCTIONS

---

The Cumbor Baby Gate features a convenient walk-through design with a double-lock safety release and auto-close function.

# One-Handed Operation



Press



Lift



Open



Figure 3: One-Handed Operation. Simple steps to open the gate.

- **Opening the Gate:** To open, press the button on the top of the latch, then lift the gate handle and pull or push the gate open. This double-lock mechanism prevents accidental openings by children or pets.
- **Auto-Close Feature:** The gate will automatically swing shut and latch securely when opened less than 90 degrees.
- **Stay-Open Feature:** When the gate is opened to 90 degrees or more, it will remain open, providing convenient walk-through access.
- **Walk-Through Design:** The gate creates a 23.6-inch wide gap, making it easy to walk through even while holding your baby.



## Auto-Close and Auto-Lock hinge

Gate locks in place at a 90 degree angle and automatically swings shut below that

Figure 4: Auto-Close and Auto-Lock Hinge. Ensures the gate is always securely closed.

### PRODUCT FEATURES

---

The Cumbor Baby Gate is designed with durability and convenience in mind.

- **Durable and Sturdy Construction:** Made of steel, this gate can withstand impacts of up to 150N, ensuring it remains stable and secure.
- **Adjustable Width:** The gate is adjustable to fit openings from 29.7 to 40.6 inches wide, with extensions available for wider spaces.
- **Accessible Ramp:** An accessible ramp (E) can be installed in seconds, allowing for smooth passage without tripping hazards.

# Size Guide For Your Space






Figure 5: Size Guide for Your Space. Illustrates various configurations for different openings.



## Accessible Ramp

Our accessible ramp installs in seconds allowing you to breeze through the gate with ease

Figure 6: Accessible Ramp. Facilitates easy passage for strollers and other wheeled items.

### MAINTENANCE

---

Proper maintenance ensures the longevity and safe operation of your Cumbor Baby Gate.

- **Cleaning:** Wipe the gate regularly with a damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Periodically check all screws, bolts, and locking mechanisms to ensure they are tight and functioning correctly. Re-tighten any loose components.
- **Lubrication:** If the hinge or latch mechanism becomes stiff, apply a small amount of silicone-based lubricant.

### TROUBLESHOOTING

---

If you encounter any issues with your Cumbor Baby Gate, refer to the following common solutions:

- **Gate feels loose:** Re-tighten the tension bolts using the provided wrench. Ensure the wall cups are firmly against the wall surface.
- **Gate does not auto-close:** Check that the gate is installed level and plumb. Ensure there are no obstructions

preventing the gate from swinging freely. The auto-close feature works when the gate is opened less than 90 degrees.

- **Latch is difficult to operate:** Ensure the gate is properly aligned. Apply a small amount of silicone lubricant to the latch mechanism if it feels stiff.
- **Gap at the latch:** This is normal before full installation. The gap should disappear once the tension bolts are fully tightened and the gate is securely installed.

## SPECIFICATIONS

---

Attribute	Detail
Brand	Cumbor
Model Number	S7V2
Mounting Type	Pressure Mounted / Hardware Mounted
Target Species	Cats, Dogs
Age Range (Description)	6-24 Months
Closure Type	Latch
Material Type	Metal
Product Dimensions	40.6 x 40.6 x 30.5 inches (Adjustable Width: 29.7-40.6 inches, Height: 30.5 inches)
Item Weight	12.81 pounds (5.82 Kilograms)
Additional Features	Self Closing, Pet Door, Expandable, Dual Lock, Walk Through

## WARRANTY AND SUPPORT

---

For warranty information or additional support, please refer to the official Cumbor website or contact customer service.

A detailed User Guide (PDF) is available for download: [Download User Guide](#)