

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [SupplySource](#) /
- › [SupplySource AC/DC Adapter User Manual for Ridgeway QS-2915BS](#)

SupplySource QS-2915BS

SupplySource AC/DC Adapter User Manual

Model: QS-2915BS / QS2915BS Compatible Power Supply

INTRODUCTION

This manual provides essential information for the safe and effective use of your SupplySource AC/DC Adapter, designed as a replacement power supply for the Ridgeway QS-2915BS / QS2915BS 15-inch Rechargeable Portable Bluetooth PA Speaker System. Please read this manual thoroughly before use and retain it for future reference.

SAFETY INFORMATION

Your SupplySource AC/DC Adapter is manufactured with high-quality materials and incorporates multiple smart features to ensure safety. These include safeguards against incorrect voltage (IV), short circuits (SC), and internal overheating (IO). The charger is certified with CE and FCC standards.

- Ensure the DC output and tip size of this adapter match your device's requirements before connecting.
- Do not expose the adapter to excessive heat, humidity, or direct sunlight.
- Avoid placing the adapter on skin products or in poorly ventilated areas during prolonged use to prevent overheating.
- Do not attempt to disassemble or repair the adapter. Refer servicing to qualified personnel.
- Keep out of reach of children.

PRODUCT OVERVIEW

The SupplySource AC/DC Adapter is a reliable power supply unit featuring a durable copper core wire for extended lifespan. It is designed for wall-mount use and provides stable power to compatible devices.



Image 1: The SupplySource AC/DC Adapter, showing the main power brick and the coiled power cord with a hook-and-loop fastener.



Image 2: The SupplySource AC/DC Adapter, illustrating its compact size and the approximate 4-foot length of its power cord.

SETUP

1. **Verify Compatibility:** Before connecting, confirm that your device, specifically the Ridgeway QS-2915BS / QS2915BS PA Speaker System, requires a power supply with the specifications of this adapter. Check the input voltage and connector type of your speaker system. This adapter has a barrel connector.
2. **Inspect Adapter:** Visually inspect the adapter and its cable for any signs of damage. Do not use if damaged.
3. **Connect to Device:** Insert the barrel connector of the adapter firmly into the power input port of your Ridgeway QS-2915BS / QS2915BS speaker system.
4. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard 100-240V wall power outlet.

OPERATING INSTRUCTIONS

Once connected, the adapter will supply power to your Ridgeway QS-2915BS / QS2915BS speaker system. The speaker system can then be operated according to its own user manual.

- This adapter is designed for continuous power supply and battery charging for compatible devices.
- Ensure the adapter is placed in a well-ventilated area during operation to prevent heat buildup.
- Unplug the adapter from the wall outlet when not in use for extended periods.

MAINTENANCE

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Do not bend, twist, or pull the cable excessively. Avoid placing heavy objects on the cable.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Device not powering on/charging.	Adapter not properly connected to outlet or device.	Ensure both ends of the adapter are securely plugged in.
	Power outlet is not active.	Test the outlet with another device. Check circuit breaker.
	Adapter or device is incompatible.	Verify the adapter's specifications (voltage, amperage, tip size) match your device's requirements.
Adapter feels hot.	Normal operation, or poor ventilation.	A slight warmth is normal. Ensure the adapter is in a well-ventilated area and not covered. If excessively hot, disconnect immediately.
Visible damage to adapter or cable.	Physical damage.	Discontinue use immediately. Do not attempt to repair. Replace the adapter.

SPECIFICATIONS

- **Model Compatibility:** Ridgeway QS-2915BS / QS2915BS
- **Input Voltage:** 100-240V AC
- **Connector Type:** Barrel Connector
- **Cable Length:** Approximately 4 feet
- **Safety Certifications:** CE, FCC
- **Included Components:** 1 x Charger

Note: For precise output voltage and amperage, please refer to the product packaging or the label on the adapter itself.

WARRANTY AND SUPPORT

Warranty information for your SupplySource AC/DC Adapter is typically provided by the manufacturer or seller at the time of purchase. Please retain your proof of purchase for any warranty claims.

For technical support or inquiries regarding this product, please contact SupplySource directly or the retailer from whom you purchased the adapter. Contact information can usually be found on the product packaging or the seller's website. You may also visit the [product page on Amazon](#) for additional details or to contact the seller.

