

## Marg DT191SA

# Marg Global 9V AC/DC Adapter Instruction Manual

For Digital Labs 7" TFT LCD TV Model DT191SA

## INTRODUCTION

---

This manual provides essential information for the safe and efficient use of your Marg Global 9V AC/DC Adapter. This adapter is designed as a replacement power supply for the Digital Labs 7" TFT LCD TV, model DT191SA. Please read these instructions carefully before use and retain them for future reference.

## SAFETY INFORMATION

---

- Ensure the adapter's voltage and current specifications match your device's requirements before connecting. This adapter is specifically designed for 9V DC input devices.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or modify the adapter. This can lead to electric shock or damage to the unit.
- Unplug the adapter from the power outlet when not in use for extended periods.
- Keep out of reach of children.
- Equipped with advanced safety features, including overcharging and overheating protection, guaranteeing the safety of your devices during charging.

## SETUP

---

1. **Inspect the Adapter:** Before first use, visually inspect the adapter and its cable for any signs of damage. Do not use if damaged.
2. **Connect to Device:** Locate the power input port on your Digital Labs 7" TFT LCD TV (Model DT191SA). Carefully insert the adapter's DC output connector into the device's power input port. Ensure a secure connection.
3. **Connect to Power Outlet:** Plug the adapter's AC input prongs into a standard 100-240V AC wall outlet.

4. **Verify Connection:** Once connected, your device should indicate that it is receiving power or charging.



**Figure 1:** Marg Global 9V AC/DC Adapter. This image shows the adapter with its power prongs and the coiled output cable, ready for connection.

## OPERATING INSTRUCTIONS

---

Once the adapter is properly connected to both the power outlet and your Digital Labs 7" TFT LCD TV, it will begin to supply power to the device. The adapter is designed for continuous use within its specified voltage and current limits.

- The adapter provides stable power delivery to your devices.
- For optimal performance, ensure the adapter is used in a well-ventilated area.
- Unplug the adapter from the wall outlet before disconnecting it from your device.



**Figure 2:** Marg Global 9V AC/DC Adapter from an alternative view. This image highlights the adapter's compact design and the connection point for the output cable.

## MAINTENANCE

- **Cleaning:** Disconnect the adapter from both the power outlet and your device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Regularly check the cable for any kinks, cuts, or fraying. If any damage is observed, discontinue use immediately and replace the adapter.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Device not powering on/charging.	Adapter not properly plugged into outlet or device. No power from outlet. Damaged adapter or cable. Incorrect adapter for device.	Ensure all connections are secure. Test the outlet with another device. Inspect adapter and cable for damage; replace if necessary. Verify adapter specifications match device requirements (9V DC).
Adapter feels hot during use.	Normal operation (slight warmth). Overload or poor ventilation.	A slight warmth is normal. Ensure the adapter is in a well-ventilated area. If it becomes excessively hot, unplug immediately and discontinue use.
Intermittent power supply.	Loose connection. Damaged cable.	Check for loose connections at both the outlet and the device. Inspect the cable for damage.

## SPECIFICATIONS

**Brand:** Marg

**Model Compatibility:** Digital Labs 7" TFT LCD TV DT191SA

**Input Voltage:** 100-240V AC (Standard Wall Outlet)

**Output Voltage:** 9 Volts DC

**Connector Type:** Male-to-Male (DC Barrel Connector)

**Special Feature:** Portable

**Safety Features:** Overcharging Protection, Overheating Protection

**ASIN:** B07WWZ6KTC

## WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the retailer's return policy or contact the manufacturer directly. Keep your purchase receipt as proof of purchase.

**Manufacturer:** Marg

**Date First Available:** August 21, 2019