Toli CF9407

Toli Cushion Floor CF Sheet-H User Manual

Model: CF9407

Product Overview

The Toli Cushion Floor CF Sheet-H is a high-quality, durable, and easy-to-install flooring material designed to enhance the aesthetic and comfort of your living spaces. This product, specifically the Ash wood grain pattern (Model CF9407), offers a realistic wood appearance with the added benefits of cushion flooring, including sound absorption and comfort underfoot. It is suitable for various indoor applications, providing a practical and attractive flooring solution.



Image: Toli Cushion Floor CF Sheet-H in an Ash wood grain pattern, installed in a modern living room, showcasing its natural appearance and how it complements interior decor.

Key Features

- **Cost-Effective:** Compared to traditional floor tiles or wood flooring, cushion floor sheets offer a more economical solution without compromising on appearance or durability.
- **Easy Installation:** The material can be easily cut with standard scissors or a utility cutter, allowing for straightforward installation even in complex room layouts. Its wide width (182cm) facilitates quick coverage of large areas.
- **Simple Maintenance:** Featuring a vinyl surface, the cushion floor is water-resistant and can be easily wiped clean with a damp cloth. This makes it highly resistant to stains and ensures long-lasting cleanliness.



Image: A visual representation highlighting the key features of the cushion floor, including its affordability, the ease with which it can be cut using scissors, and its simple cleaning process, showing a spill being wiped away.

Installation Guide

Follow these steps for proper installation of your Toli Cushion Floor CF Sheet-H:

1. **Preparation and Temporary Placement:**

   Clean the floor thoroughly before laying out the sheet. Spread the cushion floor sheet on the cleaned floor and make a temporary placement. Cut the sheet to the required size, ensuring to leave a few centimeters of excess around the edges for a clean finish. This excess will be trimmed later.

2. **Adhesion:**

   Peel back half of the temporarily placed sheet. Apply adhesive to the exposed floor area. Carefully lay the sheet back down, ensuring it adheres smoothly. Repeat this process for the other half of the sheet. For simpler installation, double-sided tape can also be used as an alternative adhesive.

3. **Finishing:**

   As you lay the sheet, gently press down to remove any trapped air bubbles. Use a utility cutter to trim any excess material along the edges of the room, ensuring a neat and precise fit. Repeat these steps until the entire room is covered.



Image: A step-by-step visual guide demonstrating the installation process of the cushion floor, from initial temporary placement and cutting, to applying adhesive, and finally trimming the edges for a finished look.

Product Specifications

Attribute	Detail
Brand	Toli
Model Number	CF9407
Shape	Rectangular
Thickness	1.8 mm
Width	182 cm
Pattern Repeat (Tate)	125 cm
Pattern Repeat (Yoko)	182 cm
ASIN	B07X281VYG
First Available Date	August 30, 2019



Image: A detailed view of the Ash wood grain patterns, including CF9405, CF9406, and CF9407, along with measurements indicating the board width (approx. 15cm) and pattern repeat dimensions (Tate 125cm, Yoko 182cm).

Maintenance and Care

Maintaining your Toli Cushion Floor is straightforward due to its durable vinyl surface. Regular cleaning will help preserve its appearance and extend its lifespan.

- **Routine Cleaning:** For daily maintenance, simply sweep or vacuum the floor to remove dust and loose debris.
- **Spot Cleaning:** For spills or stains, wipe immediately with a damp cloth. A mild, neutral detergent can be used for tougher spots. Avoid abrasive cleaners or harsh chemicals, as these can damage the vinyl surface.
- **Deep Cleaning:** Periodically, the floor can be mopped with a damp mop using a small amount of mild floor cleaner. Ensure the mop is well-wrung to avoid excessive water on the floor.
- **Protection:** Use furniture pads under heavy furniture legs to prevent indentations or scratches. Avoid dragging heavy objects across the floor.

Troubleshooting

While Toli Cushion Floor is designed for easy installation and durability, here are some common issues and their potential solutions:

- **Bubbles or Lifts After Installation:**

  Ensure proper adhesive application and sufficient pressure during installation to remove air. If bubbles appear later, they might be due to moisture or improper adhesion. For small bubbles, a syringe can be used to inject adhesive and then press down. For larger areas, re-adhesion might be necessary.

- **Visible Seams:**

  Proper cutting and alignment during installation are crucial. Ensure edges are perfectly straight and butt together tightly. Using a seam sealer designed for vinyl flooring can help make seams less noticeable and prevent dirt accumulation.

- **Scratches or Dents:**

  While durable, sharp objects or heavy impacts can cause damage. For minor scratches, a vinyl floor repair kit might be used. For significant damage, a section of the flooring may need to be replaced.

- **Discoloration:**

  Prolonged exposure to direct sunlight can cause fading over time. Use curtains or blinds to protect the floor from intense UV rays. Certain rubber-backed mats can also cause yellowing; use non-staining mats.

Delivery Information

Your Toli Cushion Floor CF Sheet-H will be delivered in the following manner:

- **Rolled Delivery:** The product is delivered in a rolled form, cut to the length specified in your order. Please note that the weight of the product can vary depending on its thickness and the ordered length. It is advisable to confirm the weight on the product page before ordering.
- **Simple Packaging:** To help achieve lower prices, the product is shipped with simple packaging. While sufficient care is taken to prevent damage during transit, please contact the seller immediately if you find any damage or dirt upon arrival for prompt exchange.



Image: A visual representation of the product as it is delivered, showing the cushion floor sheet rolled up, indicating its compact and efficient packaging for transport.

Warranty and Support

For information regarding product warranty, returns, or technical support, please refer to the purchase platform or contact the seller directly. Keep your purchase receipt as proof of purchase.

- **Seller Contact:** For specific inquiries related to your order or product issues, please reach out to "　　" (Viva Kenzai Tsūhan) via the Amazon platform.
- **General Inquiries:** For general product information or installation advice, you may visit the official Toli website or consult with a professional flooring installer.

© 2024 Toli Corporation. All rights reserved.
This manual is for informational purposes only. Specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question