

WOODBRIDGE F0008

WOODBRIDGE F0008BG Freestanding Tub Filler Faucet with Hand Shower Instruction Manual

Brand: WOODBRIDGE | Model: F0008

INTRODUCTION AND OVERVIEW

The WOODBRIDGE F0008BG Contemporary Single Handle Floor Mount Freestanding Tub Filler with Hand Shower is designed for modern bathrooms, offering both functionality and aesthetic appeal. Crafted from solid brass, this faucet is built for reliability and durability, especially in hard water conditions. It features a single lever handle for easy control of water flow and temperature, a telephone-style hand shower for versatile use, and a stable tripod base for secure installation.



Image: WOODBRIDGE F0008BG Freestanding Tub Filler Faucet in Brushed Gold, installed next to a white freestanding bathtub.

KEY FEATURES


- **Premium Quality Construction:** Faucet body crafted from solid brass; hand shower from 304 Grade (18/10) Stainless Steel for resistance against tarnish and corrosion. Features a drip-free ceramic disc cartridge and standard 1/2" IPS connection.
- **Elegant Design:** Low arch flat spout with a quick freestanding mount to floor design, including a high and rigid tripod mounting bracket.
- **Single Handle Operation:** Allows for easy control of both water flow rate and temperature with one hand.
- **Versatile Hand Shower:** Contemporary square hand shower with 67 clogged-free nozzles and a 60-inch double spiral stainless steel hose for rinsing the tub or personal use.
- **Efficient Flow Rates:** Max spout flow rate of 4.6 GPM at 80 PSI; max hand shower flow rate of 1.8 GPM at 80 PSI, meeting CEC requirements.
- **NEOPERL Aerator:** High-quality aerator controls water stream, reduces noise and splashing, saves water, and filters sediments. Easily removable for cleaning.

- **Easy Installation:** Includes a high-quality brass tripod base with expansion bolts for concrete installation, ensuring stability and seamless water supply passage.

DIMENSIONS AND SPECIFICATIONS

WOODBRIDGE[®]

F0003BN F0004CH
F0008BG F0009BL



ATTENTION! Dimensions may vary by up to 3/8". It is highly recommended to pull all dimensions of actual model for installation and measuring purposes.

ATTENTION! Measurements in inches are rounded to the nearest 1/8".

woodbridgebath.com

Image: Dimensional drawing of WOODBRIDGE F0008BG Freestanding Tub Filler Faucet with key

measurements.

Specification	Detail
Overall Size (L x W x H)	6" x 6" x 42-1/2"
Spout Height	35-1/2"
Spout Reach	8-3/4"
Spout Clearance	34-3/8"
Material	Brass, Stainless Steel
Finish Type	Brushed Gold
Number of Handles	1
Item Weight	14 Pounds
Mounting Type	Floor Mount
Flow Rate (Spout)	4.6 Gallons Per Minute (at 80 PSI)
Flow Rate (Hand Shower)	1.8 Gallons Per Minute (at 80 PSI)
Maximum Pressure	60 Pound per Square Inch
Included Components	Faucet Body, Brass Tube, Hand Shower with 60" Double Spiral Stainless Steel Hose, 35" Hot and Cold Water Inlet Hoses, Base Cover, Metal Tripod with Mounting Hardware, Installation Instruction
Certifications	ICC-ES certified, ASME A112.18.1-2018, CSA B125.1-18 compliant

SETUP AND INSTALLATION

The WOODBRIDGE F0008BG faucet is designed for easy and stable installation. The high-quality brass tripod base comes with expansion bolts for secure mounting on concrete floors, allowing water supply lines to pass through seamlessly. Refer to the included installation instruction manual for detailed steps and diagrams.

High Quality Ceramic Cartridge


Lead free with built in sediment filter and high temperature resistant seals to prolong faucet life and prevent leaks




Installation step 1: Preparing the water supply connections.



Installation step 2: Marking the floor for tripod base placement.




Installation step 3: Securing the metal tripod base to the floor.



Installation step 4: Connecting the hot and cold water hoses to the faucet body.



Installation step 5: Attaching the faucet body to the secured tripod base.



Installation step 6: Final assembly with the base cover in place.

OPERATING INSTRUCTIONS

The single lever handle allows for precise control over water flow and temperature. Push the handle back for cold water, pull forward for hot water, and adjust left or right to control the flow rate. The integrated hand shower can be activated by a diverter knob, providing flexibility for various bathing needs.

Your browser does not support the video tag.

Video: Official product video demonstrating the features and operation of the WOODBRIDGE F0008BG Freestanding Tub Filler Faucet.



Image: Water flowing from the waterfall spout of the WOODBRIDGE F0008BG Freestanding Tub Filler Faucet.



Image: Hand shower of the WOODBRIDGE F0008BG Freestanding Tub Filler Faucet spraying water.

MAINTENANCE

To ensure the longevity and optimal performance of your WOODBRIDGE F0008BG faucet, regular maintenance is recommended. The drip-free ceramic disc cartridge includes a built-in sediment filter, designed to prevent leaks and ensure smooth operation for over 500,000 uses. The NEOPERL coin slot aerator can be easily removed using a coin for cleaning any debris or mineral buildup. After daily use, simply wipe down the faucet with a soft cloth to prevent water spots and maintain its brushed gold finish. Avoid using abrasive cleaners or harsh chemicals, as these can damage the finish and internal components.



Image: Diagram of the high-quality ceramic disc cartridge with sediment filter.



Image: Close-up of the NEOPERL coin slot aerator on the faucet spout.

TROUBLESHOOTING

If you encounter any issues with your WOODBRIDGE F0008BG faucet, please refer to the troubleshooting section in the comprehensive installation manual provided with your product. Common issues such as low water pressure or leaks can often be resolved by checking water supply connections, cleaning the aerator, or inspecting the ceramic cartridge for sediment buildup. For persistent problems or complex repairs, it is recommended to contact a qualified plumber or the WOODBRIDGE product support team for assistance.

WARRANTY AND SUPPORT

The WOODBRIDGE F0008BG Freestanding Tub Filler Faucet comes with a **1-year limited warranty**, covering defects in material and workmanship. For any sales inquiries, product questions, or assistance with installation or replacement parts, the WOODBRIDGE USA-based product support team is available to help. Please refer to your product packaging or the official WOODBRIDGE website for contact information.



Image: USA-based support team is available to assist with product queries.