

Cordivari Lisa 22

Cordivari Lisa Hydronic Towel Warmer User Manual

Model: Lisa 22 | Brand: Cordivari

1. PRODUCT OVERVIEW

The Cordivari Lisa 22 is a hydronic towel warmer designed to provide warmth and dry towels efficiently. Characterized by its fresh design and innovative heating elements, this radiator is suitable for use with US standard pipes and central heating systems. It is finished with ecological epoxy powders for durability and a clean aesthetic.



Image 1.1: Front view of the Cordivari Lisa 22 Hydronic Towel Warmer, showcasing its white, straight design with multiple horizontal bars.



Image 1.2: The Cordivari Lisa 22 Towel Warmer installed in a bathroom, demonstrating its integration into a typical bathroom setting next to a toilet and tiled wall.

2. IMPORTANT SAFETY INFORMATION

Please read and understand all safety instructions before installing or operating the towel warmer. Failure to follow these instructions may result in property damage, injury, or death.

- **Hot Surfaces:** The surface of the towel warmer will become hot during operation. Avoid direct contact with the hot surfaces to prevent burns. Keep children and pets away from the unit.

- **Water Leaks:** Ensure all connections are properly sealed to prevent water leaks. Regularly inspect the unit for any signs of leakage.
- **Installation:** Installation must be performed by a qualified professional in accordance with local building and plumbing codes.
- **Electrical Safety:** If the unit includes any electrical components (e.g., for a dual energy system), ensure all electrical connections are made by a licensed electrician and comply with local electrical codes. This model is hydronic and does not require electrical connection for heating.
- **Pressure and Temperature:** Do not exceed the maximum operating temperature of 230 °F (110 °C) or maximum pressure of 130 PSI (9 Bar).
- **Ventilation:** Ensure adequate ventilation in the installation area.

3. PACKAGE CONTENTS

Carefully unpack the box and ensure all items are present and undamaged. If any items are missing or damaged, contact your supplier immediately.

- Cordivari Lisa 22 Hydronic Towel Warmer
- Thermostatic Valve Kit
- Mounting Brackets
- Air Vent
- Hexagonal Tool
- Plugs and Screws for mounting (suitable for either compact or hollow brick walls)
- Installation Instructions Manual



Image 3.1: Components of the thermostatic valve kit, including the valve body, control knob, and connection fittings.



Image 3.2: Mounting brackets and various screws and plugs provided for secure installation of the towel warmer.

4. INSTALLATION GUIDE

The Cordivari Lisa 22 towel warmer is designed for easy connection to US standard pipes and central heating systems. Professional installation is recommended.

4.1 Pre-Installation Checks

- Verify that the wall where the radiator will be installed is structurally sound and can support the weight of the unit when filled with water.
- Ensure that the pipe centers match the radiator's specifications (20 inches / 500 mm).
- Confirm that all necessary tools and safety equipment are available.

4.2 Mounting the Radiator

1. **Marking:** Using the provided template or measurements, mark the drilling points on the wall for the mounting brackets. Ensure the marks are level and correctly spaced.
2. **Drilling:** Drill holes at the marked points using an appropriate drill bit for your wall type. Insert the wall plugs.
3. **Attaching Brackets:** Secure the mounting brackets to the wall using the provided screws. Ensure they are firmly attached.
4. **Positioning Radiator:** Carefully lift the towel warmer and position it onto the mounted brackets. Ensure it is securely seated.

4.3 Plumbing Connections

1. **Connect Valves:** Attach the thermostatic valve and return valve to the radiator's connections (n° 2 x 1/2" gas). Use appropriate sealant or PTFE tape to ensure watertight connections.
2. **Connect to System:** Connect the radiator's valves to your central heating system's supply and return pipes.
3. **Air Vent:** Install the air vent (n° 1 x 1/2" gas) at the top of the radiator. This allows for bleeding air from the system.
4. **Leak Test:** Once all connections are made, slowly fill the heating system and check for any leaks at all connection points. Tighten as necessary.

WARM EVERYTHING!

*The mold grows in your towels after showing.
The towel warmer help you decrease mold and mildew. It warms your under wears,
handkerchief, swimsuits, baby blankets and bedding without the use of your dryer.*

Made in ITALY!

*100% Made in Italy production, that has constantly evolved over the years.
The historical products of Cordivari have been joined by systems and solutions that are the result of research
and development, and that today represent strategic assets for the growth and the future of the company.
Today the production philosophy is essentially oriented towards high efficiency
products designed to optimize the well-being and energy efficiency of buildings.*

20"x48" (500x1200 mm) Straight, White

CENTRAL HEATING SYSTEM

Lisa 22 HOT WATER RADIATOR IN PAINTED MILD STEEL

Lisa 22 WHITE is a hydronic radiator characterized by a fresh design
with an original composition of heating elements an innovative shape.

Lisa 22 model makes connection to the US Standards pipes easy.

The radiator is finished with ecological epoxy powders (Certificate DIN 55900-1,-2)
Finish: Standard White RAL9010

Dimensions: Width 20" (500 mm) x Height 48" (1200 mm)

Pipe Centers: 18" (550 mm) Weight: 18 lbs (7.8 kg)

Thermal Output: 1925 BTU (700 Watt)

Max Temperature: 230 °F (110 °C)

Max Pressure: 130 PSI (9 Bar)

Connections: n° 2 x 1/2" gas – n° 1 x 1/2" gas for Air vent

**Each kit includes brackets, Airvent, hexagonal tool, plugs and screws suitable for use
on either compact or hollow brick walls.**

*A bathroom/kitchen radiator made by Italian decorative manufacturer,
which is easy to place in every bathroom thanks to its simple functional Italy design.*

New: A brand-new, unused, unopened, undamaged item in its original packaging
(where packaging is applicable).

Image 4.1: Technical drawing illustrating the dimensions and connection points of the Cordivari Lisa 22 radiator, crucial for accurate installation.

5. OPERATING INSTRUCTIONS

The Cordivari Lisa 22 Hydronic Towel Warmer operates as part of your central heating system. The thermostatic valve allows for control over the heat output.

- **Thermostatic Valve:** The thermostatic valve automatically regulates the flow of hot water through the radiator to maintain a desired room temperature. Turn the knob to adjust the setting. Higher numbers typically indicate higher heat output.
- **Drying Towels:** Hang towels evenly over the bars of the warmer. Do not overload the unit, as this can impede

heat distribution and drying efficiency.

- **Bleeding Air:** If the radiator is not heating evenly (cold spots), it may have air trapped inside. Use the air vent key to slowly open the air vent until water begins to escape, then close it. Perform this operation when the heating system is cold.

6. MAINTENANCE

Regular maintenance will ensure the longevity and efficient operation of your Cordivari Lisa 22 towel warmer.

- **Cleaning:** Clean the surface of the radiator regularly with a soft, damp cloth. Avoid abrasive cleaners, solvents, or harsh chemicals, as these can damage the ecological epoxy powder finish.
- **Inspections:** Periodically check all pipe connections for any signs of leaks or corrosion. Address any issues promptly.
- **System Pressure:** Ensure your central heating system maintains the correct operating pressure as recommended by your heating system manufacturer.
- **Bleeding:** Bleed the radiator annually, or whenever cold spots are noticed, to remove trapped air and ensure optimal heating performance.

7. TROUBLESHOOTING


This section provides solutions to common issues you might encounter with your towel warmer.

- **Radiator Not Heating:**
 - Check if the central heating system is operational.
 - Ensure the thermostatic valve is open and set to a desired temperature.
 - Bleed the radiator to remove any trapped air.
 - Verify that the isolation valves (if present) on the pipes leading to the radiator are fully open.
- **Cold Spots on Radiator:**
 - This usually indicates trapped air. Bleed the radiator as described in the Operating Instructions.
- **Water Leaks:**
 - Immediately turn off the water supply to the radiator if possible.
 - Identify the source of the leak (e.g., pipe connection, valve).
 - Tighten connections or replace faulty components. If unsure, contact a qualified plumber.
- **Low Heat Output:**
 - Ensure the thermostatic valve is set to a higher temperature.
 - Check the overall pressure of your central heating system.
 - Bleed the radiator for air.


8. TECHNICAL SPECIFICATIONS

Feature	Specification
Model	Lisa 22

Feature	Specification
Dimensions (W x H)	24" x 48" (600 mm x 1200 mm)
Pipe Centers	20" (500 mm)
Weight	20 lbs (8.2 kg)
Thermal Output	1925 BTU (700 Watt)
Max Temperature	230 °F (110 °C)
Max Pressure	130 PSI (9 Bar)
Connections	2 x 1/2" gas (inlet/outlet), 1 x 1/2" gas (air vent)
Finish	Standard White RAL9010, Ecological Epoxy Powders
Material	Painted Mild Steel
Compatibility	US Pipes and US Central Heating Systems



Detail of the 50 mm
Pipe Centres version



TOWEL RAILS

LISA® 22

Height [mm]	Width L [mm]	Pipe Centres I [mm]	STANDARD PIPE CENTRES		PIPE CENTRES 50 MM		Colour PURE WHITE R01-RAL 9010.					Dual energy kit
			Art. nr.		Art. nr.		Dry weight [kg]	Surface [m ²]	Water content [lt]	$\Delta t=50^{\circ}\text{C}$ [Watt]	Exponent [n]	
700	400	350	3551646101077		3551646101081		3,8	0,46	2,6	257	1,22270	300
	450	400	3551646101001		3551646101021		4,0	5,10	2,9	282	1,22320	300
	500	450	3551646101002		3551646101022		4,3	0,55	3,1	306	1,22371	300
	550	500	3551646101003		3551646101023		4,6	0,60	3,3	330	1,22421	400
	600	550	3551646101004		3551646101024		4,9	0,64	3,5	355	1,22472	400
	750	700	3551646101133		3551646101137		5,7	0,75	4,1	427	1,22623	500
1160	400	350	3551646101078		3551646101082		6,0	0,73	4,2	408	1,23621	500
	450	400	3551646101005		3551646101025		6,4	0,80	4,5	448	1,23736	500
	500	450	3551646101006		3551646101026		6,8	0,87	4,9	487	1,23852	600
	550	500	3551646101007		3551646101027		7,2	0,94	5,2	526	1,23967	600
	600	550	3551646101008		3551646101028		7,6	1,01	5,5	565	1,24082	700
	750	700	3551646101134		3551646101138		8,9	1,18	6,5	683	1,24428	700
1385	400	350	3551646101079		3551646101083		7,3	0,90	5,2	509	1,22627	600
	450	400	3551646101009		3551646101029		7,8	0,99	5,6	558	1,22868	600
	500	450	3551646101010		3551646101030		8,3	1,07	6,0	606	1,23108	700
	550	500	3551646101011		3551646101031		8,8	1,16	6,4	655	1,23349	700
	600	550	3551646101012		3551646101032		9,3	1,25	6,8	703	1,23589	700
	750	700	3551646101135		3551646101139		10,9	1,45	8,0	849	1,24311	900
1732	400	350	3551646101080		3551646101084		8,9	1,10	6,3	634	1,25108	700
	450	400	3551646101013		3551646101033		9,5	1,20	6,8	695	1,24984	700
	500	450	3551646101014		3551646101034		10,1	1,31	7,3	756	1,24860	900
	550	500	3551646101015		3551646101035		10,8	1,41	7,8	817	1,24736	900
	600	550	3551646101016		3551646101036		11,4	1,51	8,3	878	1,24613	900
	750	700	3551646101136		3551646101140		13,3	1,76	9,8	1062	1,24241	1200

For output at different Δt than 50°C , please refer to the following formula: $\text{desired output} = \text{output at } \Delta t 50^{\circ}\text{C} \times (\text{desired } \Delta t / 50)^n$

PROMOTION PACKAGES (STANDARD PIPE CENTRES)

Height [mm]	Width [mm]	Art. nr.	Art. nr.	Height [mm]	Width [mm]	Art. nr.	Art. nr.
700	500	355164610100205	355164610100210	1385	450	355164610100905	355164610100910
1160	450	355164610100505	355164610100510	1385	500	355164610101005	355164610101010
1160	500	355164610100605	355164610100610	1385	550	355164610101105	355164610101110
1160	550	355164610100705	355164610100710	1732	500	355164610101405	355164610101410
				1732	550	355164610101505	355164610101510
				1732	600	355164610101605	355164610101610



Image 8.1: Detailed technical specifications table for various Lisa 22 radiator configurations, including dimensions, water content, and thermal output.

9. WARRANTY AND SUPPORT

Cordivari products are manufactured to high standards and are backed by a manufacturer's warranty. Specific warranty terms and conditions may vary by region and purchase date. Please refer to the warranty card included with your product or visit the official Cordivari website for detailed information.


9.1 Customer Support


For technical assistance, troubleshooting beyond this manual, or warranty claims, please contact Cordivari customer support or your authorized dealer. Have your product model number and purchase date ready when contacting support.

You can typically find contact information on the manufacturer's official website:www.cordivari.it

© 2024 Cordivari. All rights reserved. This manual is for informational purposes only.

Related Documents

	Cordivari ALICE 18 Tandem Horizontal Radiator Specifications Detailed technical specifications, dimensions, and thermal output data for the Cordivari ALICE 18 Tandem Horizontal radiator, including material, fixing kits, and available accessories.
	Cordivari Mixed Operation Kits User Manual Comprehensive user manual for Cordivari mixed operation kits, covering installation, operation, and safety guidelines for 'Top' and 'Eco' models.
	Alice 18 Tandem Vertical Radiator Technical Specifications and Data Detailed technical specifications, thermal output data, dimensions, and ordering information for the Cordivari Alice 18 Tandem Vertical radiator. Includes material, connections, and color options.



Documents - Cordivari – Lisa 22




[pdf] User Manual Instructions

cls 1 fill 1d1d1b Manuale d uso Termostato Eco KELLY 5010 SX ELETTRICO Cordivari LISA 22 BLACK 1910000000048 nv07 R 077 IT EN DE NL SL SK UA CZ cordivari it 2022 10 |||

Istruzioni d uso radiatori elettrici con Termostato Ambiente Digitale Top e Eco
Operating instru ... a - Lucy 18 - Gloria 22 - Gloria 22 Chrome - Dory - Kelly 5010 - Elen 18 Sandy - Leila - Stefania - **Lisa 22** - **Lisa 22** Black - **Lisa 22** Chrome - Roberta - Roberta Chrome Kelly 18 - Jacky - Frame - Frame...

lang:tl **score:32** filesize: 5.14 M page_count: 98 document date: 2022-11-17




[pdf] User Manual Instructions

files 1910000000048 Cordivari Istruzioni duso Radiatori elettrici OjSvXI4 cordivaridesign it en user manual electric radiators |||

Istruzioni d uso radiatori elettrici con Termostato Ambiente Digitale Top e Eco
Operating instru ... - Lucy 18 - Gloria 22 - Gloria 22 Chrome - Dory - Kelly Flat - Elen 18 - Sandy - Leila - Stefania - **Lisa 22** - **Lisa 22** Chrome - Roberta - Roberta Chrome - Kelly 18 - Jacky - Frame - Frame Inox - Andrea...

lang:tl **score:29** filesize: 5.17 M page_count: 98 document date: 2022-11-04



[pdf] User Manual Instructions

Manuals InstructionsALESSANDRA ELECTRIC POLISHED STAINLESS STEEL Cordivari v1 cordivari it 2025 06 1910000000392 nv00 RDT 202 LISA 22 Per control Domot IT EN DE NL SL SK UK CZ 1 |||

MANUALE D USO RADIATORI ELETTRICI PER CONTROLLO DOMOTICO USER
MANUAL OF ELECTRIC RADIATORS FOR DOMOT ... OR AVTOMATIZACIJE
DOMA NVOD K POUZIT ELEKTRICKCH RADITOR PRO ZEN DOMC
AUTOMATIZACE Models: **Lisa 22** - **Lisa 22** Black - **Lisa 22** Chromed
www.cordivari.com www.cordivaridesign.com Cod. 191000000...

lang:af **score:29** filesize: 2.31 M page_count: 36 document date: 2023-11-21



[\[pdf\]](#) Accessories Catalog

IT Cordivari TEC Scheda LISA 22 CROMATO 10 2024 cordivari it 2023 |||

Lisa 22 CROMATO GARANZIA EUROPEA Funzionamenti disponibili: Acqua calda Elettrico Funzionamento Mi ... NTI 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CROMATO INTERASSE** 50 mm Altezza Largh. Interasse mm L mm I mm 400 350 450 400 700 50...

lang:it score:29 filesize: 367.85 K page_count: 2 document date: 2024-10-28



[\[pdf\]](#) Accessories Catalog

IT Cordivari TEC Scheda LISA 22 CURVO 10 2024 cordivari it 2023 |||

Lisa 22 CURVO GARANZIA EUROPEA Funzionamenti disponibili: Acqua calda Funzionamento misto vedere ... NTI 1/2 87 - 107 62 - 82 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CURVO INTERASSE** 50 mm Colore BIANCO R01 - RAL 9010 Altezza Largh. Interasse mm L mm I...

lang:it score:29 filesize: 420.25 K page_count: 2 document date: 2024-10-28



[\[pdf\]](#) Accessories Catalog

Scheda tecnica LISA 22 CURVO Cordivari Lisa curvo cordivari it 2022 10 |||

Lisa 22 CURVO NF 047/143 Funzionamenti disponibili: Acqua calda Funzionamento misto Pressione max ... NTI 1/2 87 - 107 62 - 82 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CURVO INTERASSE** 50 mm Colore BIANCO R01-RAL 9010 Altezza mm Largh. Interasse L mm I ...

lang:it score:28 filesize: 623.36 K page_count: 2 document date: 2021-10-14

LISA® 22 BLACK

TECNOLOGIA INNOVATIVA

Acqua calda

Elettrico

Funzionamento Misto

MATERIE: Corpi radianti verticali in acciaio al carbonio verniciato a strati multipli. Corpi radianti orizzontali in acciaio al carbonio verniciato a strati multipli. Corpi radianti misti in acciaio al carbonio verniciato a strati multipli.

INTELLIGENTE: Il sistema Lisa 22 Black è dotato di un sistema di riscaldamento intelligente che regola la temperatura in base alle esigenze dell'utente. Il sistema è controllato da un pannello di comando a touch screen.

Accessori: Corpi radianti misti, Corpi radianti elettrici, Corpi radianti a acqua calda.

Garanzia: 10 anni.

[\[pdf\]](#) Accessories Catalog

Schede Tecniche Radiatore Scaldaservietto LISA 22 BLACK Cordivari IT TEC Scheda 10 2024 cordivari it 2023 |||

Lisa 22 Black GARANZIA EUROPEA Funzionamenti disponibili: Acqua calda Elettrico Funzionamento Misto ... NTI 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 BLACK INTERASSE STANDARD INTERASSE 50 mm** Colore T01 NERO OPACO Altezza Largh. Interasse ...

lang:it score:27 filesize: 389.69 K page_count: 2 document date: 2024-10-28

LISA® 22 CHROMÉ ÉLECTRIQUE

TECNOLOGIA INNOVATIVA

Acqua calda

Elettrico

Funzionamento Misto

MATERIE: Corpi radianti verticali in acciaio al carbonio verniciato a strati multipli. Corpi radianti orizzontali in acciaio al carbonio verniciato a strati multipli. Corpi radianti misti in acciaio al carbonio verniciato a strati multipli.

INTELLIGENTE: Il sistema Lisa 22 Chromé Électrique est doté d'un système de chauffage intelligent qui régule la température en fonction des besoins de l'utilisateur. Le système est contrôlé par un panneau de commande à écran tactile.

Accessori: Corpi radianti misti, Corpi radianti elettrici, Corpi radianti a acqua calda.

Garanzia: 10 anni.

[\[pdf\]](#) Instructions

Fiche produit LISA 22 CHROMÉ ÉLECTRIQUE Cordivari Produit Lisa Chrome electrique 09 2022 cordivari it 10 |||

LISA 22 CHROM ELECTRIQUE ECO DESIGN ErP GARANTIE EUROPEENNE MATRIEL: Collecteurs verticaux en acier au carbone vernis semiovale 30x40 mm. Corps radiants horizontaux en acier au carbone vernis 22 mm. Rempli avec fluide caloporteur. FIXATION: Consoles, cl hexagonale, vis et chevrons pour parois en... lang:fr score:27 filesize: 228.22 K page_count: 2 document date: 2023-06-08

Lisa® 22 CROMATO

TECNOLOGIA INNOVATIVA

Acqua calda

Elettrico

Funzionamento Misto

MATERIE: Corpi radianti verticali in acciaio al carbonio verniciato a strati multipli. Corpi radianti orizzontali in acciaio al carbonio verniciato a strati multipli. Corpi radianti misti in acciaio al carbonio verniciato a strati multipli.

INTELLIGENTE: Il sistema Lisa 22 Cromato è dotato di un sistema di riscaldamento intelligente che regola la temperatura in base alle esigenze dell'utente. Il sistema è controllato da un pannello di comando a touch screen.

Accessori: Corpi radianti misti, Corpi radianti elettrici, Corpi radianti a acqua calda.

Garanzia: 10 anni.

[\[pdf\]](#) Accessories Catalog

Scheda tecnica LISA 22 CROMATO Cordivari Lisa cromato cordivari it 2022 10 |||

Lisa 22 CROMATO Funzionamenti disponibili: Acqua calda Elettrico Funzionamento Misto Pressione max ... NTI 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CROMATO INTERASSE 50 mm** Altezza mm Largh. L mm Interasse I mm Codice Codice Pes... lang:it score:27 filesize: 536.24 K page_count: 2 document date: 2021-10-14



[pdf] User Manual Warranty

EN Cordivari TEC Scheda towel rail LISA 22 CHROMED ELECTRIC 10 2024 cordivari it 2023 |||

Lisa 22 CHROMED ELECTRIC EUROPEAN WARRANTY Detail of the version with Thermostat PLUS Electrical o ... 13 ELEMENTS 20 ELEMENTS 25 ELEMENTS 30 ELEMENTS 82 - 102 L L L L 250 manual on/off 93 **LISA 22 CHROMED ELECTRIC - WITH MANUAL ON/OFF** Height mm Width L mm Art. nr. 700 400 358164...

lang:en score:27 filesize: 485.29 K page_count: 2 document date: 2024-11-06



[pdf] User Manual Warranty Accessories Catalog

EN Cordivari TEC Scheda towel rail LISA 22 10 2024 cordivari it 2023 |||

Lisa 22 EUROPEAN WARRANTY Available functions: Hot water Electric Dual energy see Cordivari Radia ... NTS 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22** Height Width mm L mm 400 450 700 500 550 600 750 400 450 1160 500 550 600 7...

lang:en score:27 filesize: 439.3 K page_count: 2 document date: 2024-11-06



[pdf] User Manual Instructions

MODELS 1910000000392 nv00 RDT 202 LISA 22 Per control Domot IT EN DE NL SL SK UK CZ cordivari it 2025 06 |||

MANUALE D USO RADIATORI ELETTRICI PER CONTROLLO DOMOTICO USER MANUAL OF ELECTRIC RADIATORS FOR DOMOT ... OR AVTOMATIZACIJE DOMA NVOD K POUZIT ELEKTRICKCH RADITOR PRO ZEN DOMC AUTOMATIZACE Models: **Lisa 22 - Lisa 22 Black - Lisa 22 Chromed** www.cordivari.com www.cordivaridesign.com Cod. 191000000...

lang:af score:27 filesize: 2.31 M page_count: 36 document date: 2023-11-21



[pdf] User Manual Warranty Accessories Catalog

EN Cordivari TEC Scheda towel rail LISA 22 CHROMED 10 2024 cordivari it 2023 |||

Lisa 22 CHROMED EUROPEAN WARRANTY Available functions: Hot water Electric Dual energy see Cordiva ... NTS 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CHROMED** Height Width mm L mm 400 450 700 500 550 600 400 450 1160 500 550 600 400 450 1...

lang:en score:27 filesize: 415.64 K page_count: 2 document date: 2024-11-06




[pdf]

IT Cordivari TEC Scheda LISA 22 BLACK ELETTRICO CONTROLLO DOMOTICO 10 2024 cordivari it 09 |||

Lisa 22 Black ELETTRICO Per controllo domotico GARANZIA EUROPEA NEW CONTROLLO DOMOTICO Resistenza ... enza elettrica con cappuccio cromato e cavo grigio da 1200 mm, per controllo domotico esterno. 40 **LISA 22 BLACK ELETTRICO - PER CONTROLLO DOMOTICO** Altezza mm Largh. L mm Codice Potenza Watt...

lang:it score:27 filesize: 382.96 K page_count: 2 document date: 2024-10-28



[pdf] User Manual Warranty Accessories Catalog

EN Cordivari TEC Scheda towel rail LISA 22 BLACK 10 2024 cordivari it 2023 |||

Lisa 22 Black EUROPEAN WARRANTY Available functions: Hot water Electric Dual energy see Cordivari ... NTS 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 BLACK** Height mm 700 1160 1385 1732 Width L mm 400 450 500 550 600 750 400 450 500 550 ...

lang:en score:26 filesize: 440.2 K page_count: 2 document date: 2024-11-06



[pdf]

Schede Tecniche Radiatore Scaldasalviette LISA 22 BLACK ELETTRICO Cordivari IT TEC Scheda 10 2024 cordivari it 2023 |||

Lisa 22 Black ELETTRICO GARANZIA EUROPEA Resistenze elettriche disponibili:
Con termostato ambient ... ingombro complessivo del radiatore in altezza va calcolato considerando l'altezza del termostato. **LISA 22 BLACK ELETTRICO - CON TERMOSTATO DIGITALE ECO** Altezza mm Largh. L mm Codice 700 400...
lang:it score:26 filesize: 392.28 K page_count: 2 document date: 2024-10-28



[pdf] Accessories Catalog

Schede Tecniche Radiatore Scaldasalviette LISA 22 CURVO CROMATO Cordivari IT Cordivari TEC Scheda 10 2024 cordivari it 2023 IT 2024 |||


Lisa 22 CURVO CROMATO GARANZIA EUROPEA Funzionamenti disponibili:
Acqua calda Funzionamento misto ... NTI 1/2 87 - 107 62 - 82 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CURVO CROMATO INTERASSE** 50 mm Altezza Largh. Interasse mm L mm I mm Codice Codice ...
lang:it score:26 filesize: 389.51 K page_count: 2 document date: 2024-10-28



[pdf]

Novità Cordivari cordivari it â° 2024 09 IT C Depliant LISA 22 elettrico controllo domotico 11 2023 |||

LISA 22 ELETTRICO PER CONTROLLO DOMOTICO C A T A L O G O Novità **Lisa 22 ELETTRICO** Per controllo domotico CONTROLLO DOMOTICO Resistenza elettrica senza sistema di regolazione con predisposizione per comando esterno Il radiatore pu essere utilizzato esclusivamente con un sistema di gestione domotica o...
lang:it score:25 filesize: 957.98 K page_count: 8 document date: 2024-09-20




[pdf] User Manual Tech Sheet Warranty Accessories

How to place electric radiators digital thermostat Electrical only With Certificate DIN 55900 1 2 Colour Pure white RAL 9010 resistors White Class IP44 View Cordivari Technical Sheet Lisa 22 cordivari 7728 2034 |||

Lisa 22 ELECTRIC EUROPEAN WARRANTY Electrical only: With digital thermostat Electrical resistors: ... igital thermostat ECO The general footprint has to be calculated considering the thermostat height **LISA 22 ELECTRIC - WITH ECO DIGITAL THERMOSTAT** Height mm Width L mm Art. nr. 700 400 35816...

lang:en score:24 filesize: 594.85 K page_count: 2 document date: 2021-12-03



[pdf] Catalog

COMFORT EN Cordivari Catalogue RDT 2025 10 2024 cordivari it 2023 ||| TOWEL RAILS serie COMFORT CATALOGUE N 8 Cordivari company has a proven industrial tradition and i ... C, please refer to the following formula: desired output = output at t 50C x desired t/50 n 21 **Lisa 22 EUROPEAN WARRANTY** Available functions: Hot water Electric see page 48 Dual energy see C...

lang:en score:23 filesize: 7.28 M page_count: 80 document date: 2024-11-05



[pdf] User Manual Warranty Accessories Catalog

siitKäterätikuivati LISA 22 500x700 Cordivari kroom Toru JüriEN TEC Scheda towel rail EN 10 2024e 1torujyri ee 2025 04 1 |||

Lisa 22 EUROPEAN WARRANTY Available functions: Hot water Electric Dual energy see Cordivari Radia ... NTS 1/2 84 - 104 69 - 89 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22** Height Width mm L mm 400 450 700 500 550 600 750 400 450 1160 500 550 600 7...

lang:en score:23 filesize: 439.31 K page_count: 2 document date: 2024-11-06

CORDIVARI

RADIATORI

Serie
COMFORT

C A T A L O G O
2 0 2 5

[\[pdf\]](#) Catalog

COMFORT IT Cordivari CAT Catalogo ITA 2025 10 2024 cordivari it 2023 |||

RADIATORI serie COMFORT CATALOGO 2025 La Cordivari vanta una consolidata tradizione industriale e ... Watt - 300 300 300 300 300 300 300 400 400 400 500

500 500 500 500 600 500 600 600 37 **Lisa 22** GARANZIA EUROPEA

Funzionamenti disponibili: Acqua calda Elettrico vedi pag. 64 Funzionam...

lang:it **score:23** filesize: 5.34 M page_count: 96 document date: 2024-10-09

CORDIVARI

Serie
Comfort
TOWEL RAILS
FANCOIL UNITS

C A T A L O G U E N ° 7

[\[pdf\]](#) Catalog

Serie Comfort Cordivari Catalogue radiators COMFORT EN 2022 cordivari media userfiles files |||

CSomerfioert TOWEL RAILS FANCOIL UNITS CATALOGUE N 7 Cordivari company has a proven industrial tr ... Watt - 300 300 300 300 300 300 300 400 400 400 400

500 500 500 500 500 600 500 500 600 600 19 **Lisa 22** EUROPEAN WARRANTY

Available functions: Hot water Electric see page 46 Dual energy for d...

lang:en **score:23** filesize: 8.11 M page_count: 80 document date: 2023-01-16

CORDIVARI

Serie
Comfort
RADIATORI
VENTILCONVETTORI

C A T A L O G O
2 0 2 2

[\[pdf\]](#) Catalog

IT Cordivari Cat Rdt SERIE COMFORT 2022 R19 2024 cordivari it 2023 10 |||

CSomerfioert RADIATORI VENTILCONVETTORI CATALOGO 2022 La Cordivari vanta una consolidata tradizio ... Watt - 300 300 300 300 300 300 300 400 400 400

400 500 500 500 500 500 600 500 500 600 600 35 **Lisa 22** Funzionamenti disponibili:

Acqua calda Elettrico vedi pag. 62 Funzionamento Misto vedere...

lang:it **score:23** filesize: 6.39 M page_count: 96 document date: 2024-05-09

ACCESSORIES

KIT 1200SL WHITE COLOR

REF.:

1200SL
UG 20 internal
UG 20 external
UG 20 base
BUSH
BUSH 1/2 internal
BUSH 1/2 external
BUSH 1/2 base
UG 20 base
UG 20 base and wing

REQUISITI:

SOMER BAR WHITE COLOR

REF.:

SOMERBAR
UG 20 internal
UG 20
BUSH
BUSH 1/2
UG 20 internal
UG 20 external
UG 20 base
UG 20 base and wing

REQUISITI:

disegnare la tavola di dettaglio

KIT 1200SL CHROMED

REF.:

1200SL
UG 20 internal
UG 20 external
UG 20 base
BUSH
BUSH 1/2 internal
BUSH 1/2 external
BUSH 1/2 base
UG 20 base
UG 20 base and wing

REQUISITI:

FINILL BLUE - CHROMED

REF.:

FINILL
UG 20 internal
UG 20 external
UG 20 base
BUSH
BUSH 1/2 internal
BUSH 1/2 external
BUSH 1/2 base
UG 20 base
UG 20 base and wing

REQUISITI:

disegnare la tavola di dettaglio

INFANTUS FINING KIT - WHITE COLOR

REF.:

INFANTUS
UG 20
UG 20 internal
UG 20 external
UG 20 base
BUSH
BUSH 1/2 internal
BUSH 1/2 external
BUSH 1/2 base
UG 20 base
UG 20 base and wing

REQUISITI:

disegnare la tavola di dettaglio
disegnare la tavola di dettaglio
disegnare la tavola di dettaglio

INFANTUS FINING KIT - POLISHED

REF.:

INFANTUS
UG 20 internal
UG 20 external
UG 20 base
BUSH
BUSH 1/2 internal
BUSH 1/2 external
BUSH 1/2 base
UG 20 base
UG 20 base and wing

REQUISITI:

disegnare la tavola di dettaglio
disegnare la tavola di dettaglio
disegnare la tavola di dettaglio

REVERSIBILE FINING KIT - BLACK

REF.:

REVERSIBILE
UG 20 internal
UG 20 external
UG 20 base
BUSH
BUSH 1/2 internal
BUSH 1/2 external
BUSH 1/2 base
UG 20 base
UG 20 base and wing

REQUISITI:

disegnare la tavola di dettaglio
disegnare la tavola di dettaglio
disegnare la tavola di dettaglio

 CORDVARI

[\[pdf\]](#) Accessories

EN Cordivari TEC Scheda Accessorios COMFORT 10 2024 cordivari.it |||

ACCESSORIES KIT 2 HOOKS - WHITE COLOR Suitable for: Art. nr. LISA 25 LISA
25 curved **LISA 22 LISA 22** curved BELEN BELEN curved 5991990310171
ROBERTA ROBERTA curved LISA 2 blower LISA 2 blower dual energy KIT 2
HOOKS - CHROMED Suitable for: Art. nr. LISA 25 chromed **LISA 22** chromed L...
lang:en score:23 filesize: 434.4 K page_count: 2 document date: 2024-11-06



[\[pdf\]](#)

Lisa 22 BLACK Cordivari Scheda tecnica 31 ott 2022 — Kit di fissaggio conformi VDI 6036 a garanzia
 massima tenuta sicurezza e stabilità del termoarredo I kit sono comprensivi di LISA BLACK ELETTRICO
 Lisa Black elettrico cordivari it 10 |||

Lisa 22 Black ELETTRICO NEW Resistenze elettriche disponibili: Con termostato ambiente digitale ... ingombro complessivo del radiatore in altezza va calcolato considerando l'altezza del termostato. **LISA 22 BLACK ELETTRICO - CON TERMOSTATO DIGITALE ECO** Altezza mm Largh. L mm Codice 700 400...
lang:it score:23 filesize: 557.01 K page_count: 2 document date: 2021-10-14



[\[pdf\]](#) Accessories Catalog

CAT RDT COMFORT ITA 2018 no prezzi pagine 6301381340084 indd PC073 Ver la ficha técnica

Radiador Toallero Cordivari Lisa 22 Blanco H 1385 L 450 I 400 12913960 cdn manomano files |||

LISA 22 RADIATORI, CONVETTORI E PANNELLI RADIANTI AD ACQUA CALDA
NF-047 Disponibile: Pressione max: 8 bar A E Temperatura massima d esercizio: 110
C F vedere catalogo CORDIVARI RADIATORI E SCALDASALVIETTE Attacchi: 2 da
1/2 gas- 1 da 1/2 gas per valvola di sfiato Materiali: Collett...

lang:it score:23 filesize: 290.74 K page count: 2 document date: 2018-11-12



C A T A L O G O
2 0 2 2

[\[pdf\]](#) Catalog

Serie Comfort Cordivari Catalogo RDT COMFORT ITA 2022 R21 2023 cordivari it 05 |||

CSomerfioert RADIATORI VENTILCONVETTORI CATALOGO 2022 La Cordivari vanta una consolidata tradizio ... Watt - 300 300 300 300 300 300 300 400 400 400 400 500 500 500 500 500 600 500 500 600 600 35 **Lisa 22** Funzionamenti disponibili: Acqua calda Elettrico vedi pag. 62 Funzionamento Misto vedere...

lang:it **score:23** filesize: 6.38 M page_count: 96 document date: 2023-05-23



C A T A L O G U E N ° 7

[\[pdf\]](#) Catalog

Download Towel Rails and Fancoil Units Serie Comfort Catalogue Cordivari radiators COMFORT n7 EN R21 2023 cordivari it 05 |||

CSomerfioert TOWEL RAILS FANCOIL UNITS CATALOGUE N 7 Cordivari company has a proven industrial tr ... Watt - 300 300 300 300 300 300 300 400 400 400 400 500 500 500 500 500 600 500 500 600 600 19 **Lisa 22** EUROPEAN WARRANTY Available functions: Hot water Electric see page 46 Dual energy for d...

lang:en **score:23** filesize: 8.16 M page_count: 80 document date: 2023-05-23



C A T A L O G O
2 0 2 2

[\[pdf\]](#) Catalog

scarica il catalogo serie comfort radiatori e ventilconvettori Cataloghi Sistemi Solari Radiatori Serbatoi Cordivari Catalogo Serie COMFORT IT 2022 10 2021 cordivari it media userfiles files |||

CSomerfioert RADIATORI VENTILCONVETTORI CATALOGO 2022 La Cordivari vanta una consolidata tradizio ... Watt - 300 300 300 300 300 300 300 400 400 400 400 500 500 500 500 500 600 500 500 600 600 35 **Lisa 22** NF 047/143 Funzionamenti disponibili: Acqua calda Elettrico vedi pag. 62 Funzionamento M...

lang:it **score:22** filesize: 11.59 M page_count: 96 document date: 2021-09-08



[pdf] Catalog

EN Cordivari Cat Rdt COMFORT 2022 R21 2023 towel rails fancoil units 30 ott — company has a proven industrial tradition and is now one of the most important manufacturers in heating plumbing industry cordivari it 10 |||

CSomerfiort TOWEL RAILS FANCOIL UNITS CATALOGUE N 7 Cordivari company has a proven industrial tr ... Watt - 300 300 300 300 300 300 300 400 400 400 400 500 500 500 500 500 600 500 500 600 600 19 **Lisa 22** EUROPEAN WARRANTY Available functions: Hot water Electric see page 46 Dual energy for d... lang:en score:22 filesize: 8.18 M page_count: 80 document date: 2023-10-17



[pdf] User Manual Warranty

CA T AL OGUE New cordivari it EUROPEAN WARRANTY Electrical resistors Class 1 Minimum ingress protection IP 54 Power supply 230Vac Wire lenght 1200 mm FOR DOMOTIC CONTROL Electric heater without thermostat for external home automation control EN Cordivari Depliant LISA 22 elettrico controllo domotico 11 2023 2024 09 |||

LISA 22 ELECTRIC FOR DOMOTIC CONTROL C ATA L O G U E New **Lisa 22** ELECTRIC For domotic control EUROPEAN WARRANTY FOR DOMOTIC CONTROL Electrical resistors: Class 1 Electric heater without thermostat for external home automation control Minimum ingress protection: IP 54 The radiator can only be...

lang:en score:22 filesize: 1019.38 K page_count: 8 document date: 2024-09-20




[pdf] User Manual Tech Sheet Warranty Accessories

Lisa 22 BLack ViVa eshop 1 giorno fa — Power supply 230Vac 50 60Hz Seasonal energy efficiency ηs 38% with ECO digital thermostat Electrical only With cordivari technical sheet lisa black electric vivaeshop sk 5 products 35230 |||

Lisa 22 Black EUROPEAN WARRANTY ELECTRIC NEW Electrical only: With digital thermostat Electrica ... igital thermostat ECO The general footprint has to be calculated considering the thermostat height **LISA 22** BLACK ELECTRIC - WITH ECO DIGITAL THERMOSTAT Height mm Width L mm Art. nr. 700 400 ...

lang:en score:21 filesize: 593.79 K page_count: 2 document date: 2021-12-03




[pdf] Accessories Catalog

lisA@ 22 Cordivari Scheda tecnica Lisa curvo cromato cordivari 2207 109 |||

Lisa 22 CURVO CROMATO Funzionamenti disponibili: Acqua calda Funzionamento misto Pressione max: 8 ... NTI 1/2 87 - 107 62 - 82 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22 CURVO CROMATO INTERASSE** 50 mm Altezza mm Largh. Interasse L mm I mm Codice Codice ...

lang:it score:21 filesize: 576.77 K page_count: 2 document date: 2021-10-14



[pdf] Accessories

ACCESSORI TUBOLARE Oct 31 2024 — Peso totale di 1 elemento con acqua 2 35* peso vuoto 3 91* contenuta nell 6 26 Kg della batteria IT Cordivari TEC Scheda Accessori Radiatori COMFORT 10 cordivari it |||

ACCESSORI TUBOLARE MENSOLE A MURO Per l'installazione dei radiatori Ardesia si consiglia di utiliz ... 4 ACCESSORI KIT 2 APPENDIABILI - COLORE BIANCO Applicabile su: Codice LISA 25 LISA 25 curvo **LISA 22 LISA 22** curvo BELEN BELEN curvo 5991990310171 ROBERTA ROBERTA curvo LISA 2 blower LIS...

lang:it score:21 filesize: 778.74 K page_count: 4 document date: 2024-10-28



[pdf] Catalog

Scarica il catalogo Serie Comfort radiatori e ventilconvettori Cordivari Download 20 gen 2023 — La vanta una consolidata tradizione industriale ed è delle più importanti realtà italiane nel settore dell idrotermosanitaria Catalogo RDT COMFORT 2022 IT cordivari it 01 |||

CSomerfiort RADIATORI VENTILCONVETTORI CATALOGO 2022 La Cordivari vanta una consolidata tradizio ... Watt - 300 300 300 300 300 300 300 400 400 400 400 500 500 500 500 500 600 500 500 600 600 35 **Lisa 22** Funzionamenti disponibili: Acqua calda Elettrico vedi pag. 62 Funzionamento Misto vedere...

lang:it score:21 filesize: 5.86 M page_count: 96 document date: 2022-11-24

[\[pdf\]](#) Catalog

EN Cordivari Cat Rdt COMFORT 2022 R21 2023 All electric radiators are in line with the new European regulation UE 2015 1188 The imposes a seasonal energy efficiency of voltar ua files document srsltid AfmBOorR4kyTdKydr6NRvV3gflLooglxButEVq5xCggnWXA vVBeyd Ua Serie Comfort CatalogAll of Catalog USCordivari Catalog No 7voltar Uacdn shopify s 1 0793 3152 4881 7 v 1749588094 of Painted ecological epoxy powders Certificate DIN 55900 2 Colour Pure white RAL 9010 Lisa® 22Catalog Uavoltar AfmBOorKLxcWYjUMQpESw1MGuPfL vCtudeigtpzd fK6rmxdU1l9D4qcdn ||| ||| CSomerfioert TOWEL RAILS FANCOIL UNITS CATALOGUE N 7 Cordivari company has a proven industrial tradition and is now one of the most important manufacturers in the heating and plumbing industry in Italy. Founded in 1972 by Ercole Cordivari, ||| CSomerfioert TOWEL RAILS FANCOIL UNITS CATALOGUE N 7 Cordivari company has a proven industrial tradition and is now one of the most important manufacturers in the heating and plumbing industry in Italy. Founded in 1972 by Ercole Cordivari, CSomerfioert TOWEL RAILS FANCOIL UNITS CATALOGUE N 7 Cordivari company has a proven industrial tr ... Watt - 300 300 300 300 300 300 300 300 400 400 400 400 500 500 500 500 500 600 500 500 600 600 19 **Lisa 22** EUROPEAN WARRANTY Available functions: Hot water Electric see page 46 Dual energy for d...

lang:en score:21 filesize: 8.18 M page_count: 80 document date: 2023-10-17



CATALOGUE N° 7



[\[pdf\]](#) User Manual Tech Sheet Warranty Accessories Catalog

Cordivari Technical Sheet Lisa 22 Chromed cordivari 2199 101 |||

Lisa 22 CHROMED EUROPEAN WARRANTY Available functions: Hot water Electric Dual energy Max pressur ... H 45 110 1732 1385 1160 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22** CHROMED PIPE CENTRES 50 mm Height mm Width L mm Pipe Centres I mm Art. nr. Art. ...

lang:en score:20 filesize: 586.44 K page_count: 2 document date: 2021-12-03




[\[pdf\]](#) User Manual Tech Sheet Warranty Accessories Catalog

Cordivari Technical Sheet Lisa 22 Curved cordivari 2206 107 |||

Lisa 22 CURVED EUROPEAN WARRANTY Available functions: Hot water Dual energy Max pressure: 8 bar ... H 45 110 1732 1385 1160 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L 1/2 1/2 I L **LISA 22** CURVED PIPE CENTRES 50 mm Colour PURE WHITE R01- RAL 9010 Height mm Width L mm Pipe ...

lang:en score:20 filesize: 658.97 K page_count: 2 document date: 2021-12-03






[pdf] User Manual Instructions

Manuali d uso IstruzioniRadiatore Scaldasalviette LISA 22 BLACK Cordivariiv1cordivari it 2023 10 RDT
077 1910000000048 NV08 IT EN DE NL SL SK UK CS |||

IStruzioni d uso radiatori elettrici con Termostato Ambiente Digitale Top e Eco Design
Operating ... ST - Federica - Gloria 22 - Gloria 22 Chrome Dory - Kelly 5010 - Elen 18
- Sandy - Leila - Stefania **Lisa 22** - **Lisa 22** Black - **Lisa 22** Chrome - Roberta -
Roberta Chrome Kelly 18 - Jacky - Frame - Frame...


lang:it score:20 filesize: 5.02 M page_count: 100 document date: 2025-05-22



[pdf] User Manual

USER MANUAL PLUS DIGITAL RAUMTHERMOSTATROBERTA ELECTRIC Cordivariiv1cordivari it 2025
06 RDT 131 19100000000276 NV05 ISTRUZ TERM DIGITALE IT EN DE ES PT NL |||

Manuale d uso User manual Gebrauchsanweisung Manual de uso Manual de utilizao
NL - Gebruikshandleidi ... N TERMOSTATO AMBIENTE DIGITALE PLUS 864 500
500 864 600 600 1312 500 700 1536 500 900 **LISA 22** EL. CON TERMOSTATO
AMBIENTE DIGITALE PLUS 700 400 300 700 500 400 1160 400 400 116...
lang:it score:20 filesize: 66.15 M page_count: 122 document date: 2025-06-11



[pdf]

Lisa® 22 IT Cordivari TEC Scheda LISA ELETTRICO 10 2024 cordivari it 2023 |||
Lisa 22 ELETTRICO GARANZIA EUROPEA Particolare della versione con
Termostato PLUS Resistenze elett ... ombro complessivo del radiatore in altezza va
calcolato considerando l'altezza del termostato. 75 **LISA 22 ELETTRICO** - CON
TERMOSTATO DIGITALE ECO Altezza mm Largh. L mm Codice 700 400 3581...
lang:it score:20 filesize: 434.8 K page_count: 2 document date: 2024-10-28

lang:fr score:20 filesize: 1.5 M page count: 11 document date: 2023-06-08



[pdf] User Manual Instructions

Istruzioni d uso radiatori elettrici Cordivari cordivari cordivaridesign Cod 1910000000048 nv03 con Termostato Ambiente Digitale Top e Eco R 077 RADIATORI ELETTRICI IT EN DE SK SL UA 2224 3723 ||| Istruzioni d uso radiatori elettrici con Termostato Ambiente Digitale Top e Eco Operating instru ... - Lucy 18 - Gloria 22 - Gloria 22 Chrome - Dory - Kelly Flat - Elen 18 - Sandy - Leila - Stefania - **Lisa 22 - Lisa 22 Chrome** - Roberta - Roberta Chrome - Kelly - Jacky - Frame - Frame Inox - Andrea - ... lang:it **score:20** filesize: 4.92 M page_count: 62 document date: 2019-11-13



[pdf] Instructions

Fiche produit LISA 22 Cordivari Produit Lisa 09 2022 cordivari it 10 ||| **LISA 22 GARANTIE EUROPEENNE MATRIEL:** Collecteurs verticaux en acier au carbone vernis semiovale 30x40 mm. Corps radiants horizontaux en acier au carbone vernis 22 mm. FIXATION: Consoles, cl hexagonale, vis et chevrons pour parois en dur, instructions de montage. Le kit est conforme la norme VDI... lang:fr **score:20** filesize: 271.31 K page_count: 2 document date: 2023-06-08