Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- VECELO /
- VECELO Classic Metal Twin Daybed Frame Instruction Manual (Model KHD-YT-T24-BLACK)

VECELO KHD-YT-T24-BLACK

VECELO Classic Metal Twin Daybed Frame Instruction Manual

Model: KHD-YT-T24-BLACK

1. SAFETY INFORMATION

Please read and understand all instructions before assembling and using this product. Retain this manual for future reference.

- Weight Limit: Do not exceed a total weight of 250 pounds on the daybed frame.
- **Assembly:** Ensure all parts and screws are firmly attached before use. Always follow the assembly instructions carefully to prevent instability or collapse.
- Maintenance: Periodically check all connections to ensure they remain tight.
- Placement: Place the daybed on a level surface.
- Children: Keep small parts away from children during assembly.

2. PACKAGE CONTENTS

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact VECELO customer service.

2.1 Components

- A. A: Headboard (1 pc)
- B. B: Side Panels (2 pcs)
- C. C: Vertical Support Bars (2 pcs)
- D. D: Horizontal Support Bars (2 pcs)
- E. E: Side Rails (2 pcs)
- F. F: Center Support Bar (1 pc)
- G. G: Bed Slats (14 pcs)

2.2 Hardware 1. 1: M6*60mm Screws (8 pcs) 2. 2: M8*50mm Screws (4 pcs) 3. 3: M6 Nuts (4 pcs) 4. 4: M8 Washers (4 pcs) 5. 5: Allen Wrench (1 pc) 6. 6: Spanner (1 pc) Figure 1: Exploded view of all daybed components and hardware. 3. ASSEMBLY INSTRUCTIONS Follow these steps carefully for proper assembly. It is recommended to assemble with two people. **Step 1: Attach Side Panels to Vertical Support Bars** 1. Connect the two Side Panels (B) to the Vertical Support Bars (C) using M6*60mm Screws (1). 2. Ensure the decorative elements of the side panels face outwards. Figure 2: Illustration of attaching side panels to vertical support bars. Step 2: Attach Headboard to Vertical Support Bars 1. Connect the Headboard (A) to the assembled Vertical Support Bars (C) using M6*60mm Screws (1). 2. Tighten all screws securely with the provided Allen Wrench (5). Figure 3: Illustration of attaching the headboard to the vertical support bars. Step 3: Install Side Rails and Center Support Bar 1. Attach the Side Rails (E) to the assembled headboard and side panels using M8*50mm Screws (2), M8 Nuts (3), and M8 Washers (4). 2. Insert the Center Support Bar (F) into the designated slots on the side rails. 3. Ensure all connections are firm. Figure 4: Illustration of installing side rails and the center support bar. **Step 4: Place Bed Slats**

- 1. Carefully place the Bed Slats (G) across the side rails, ensuring they fit into the designated slots or supports.
- 2. Distribute the slats evenly for optimal mattress support.

Figure 5: Illustration of placing the bed slats onto the frame.

Once all components are assembled, double-check that all screws and bolts are tightened. The daybed is now ready for use.



Figure 6: The VECELO Classic Metal Twin Daybed Frame fully assembled.

4. USAGE

The VECELO Classic Metal Twin Daybed Frame is designed for versatile use in various rooms.

- **Multi-functional:** This daybed can serve as a comfortable bed for sleeping or as a stylish sofa for seating in living rooms, bedrooms, guest rooms, apartments, or dormitories.
- Mattress Compatibility: Designed for a standard Twin size mattress.
- **Under-bed Storage:** The frame provides approximately 12.6 inches of clearance underneath, offering space for storage containers or boxes to help organize your room.



Figure 7: Daybed configured as a sofa with pillows.



Figure 8: Illustration of the 12.6-inch under-bed clearance for storage.

5. MAINTENANCE

Proper care will extend the life and appearance of your VECELO daybed.

- Cleaning: Wipe the metal frame with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Tighten Connections:** Periodically (e.g., every 3-6 months) check and re-tighten all screws and bolts to ensure the frame remains stable and secure.
- Avoid Excessive Weight: Adhere to the stated weight limit to prevent structural damage.

6. TROUBLESHOOTING

If you encounter any issues with your daybed, refer to the following common solutions:

• Squeaking Noises: Squeaking often indicates loose connections. Re-tighten all screws and bolts on the

frame. Ensure the mattress is properly seated on the slats.

- Instability/Wobbling: This is typically caused by uneven assembly or loose hardware. Disassemble and reassemble the affected sections, ensuring all parts are correctly aligned and tightened. Verify the daybed is on a level surface.
- **Missing Parts:** If you find any parts missing upon unboxing, refer to the 'Package Contents' section and contact VECELO customer service for assistance.

7. Specifications

Feature	Detail
Model Number	KHD-YT-T24-BLACK
Size	Twin
Product Dimensions	77.4"L x 41.3"W x 39.2"H
Color	Dark Black
Material	Metal (Steel)
Item Weight	39.2 pounds
Ground To Item Distance	12.6 Inches
Assembly Required	Yes
Compatible Mattress Size	Twin

8. WARRANTY AND SUPPORT

VECELO is committed to providing quality products and customer satisfaction. For any questions, concerns, or assistance with your product, please contact our customer support team.

While specific warranty details are not provided in this manual, VECELO offers friendly customer service to address any issues you may encounter. Please retain your proof of purchase for any warranty claims or support inquiries. For further information or to contact support, please visit the official VECELO store or contact the retailer where the product was purchased.

© 2025 VECELO. All rights reserved.

Related Documents - KHD-YT-T24-BLACK

