

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Aquatic AV](#) /

› [Aquatic AV GP1 Gauge Size Waterproof Marine Stereo User Manual](#)

## Aquatic AV GP1

# Aquatic AV GP1 Gauge Size Waterproof Marine Stereo User Manual

## 1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Aquatic AV GP1 Gauge Size Waterproof Marine Stereo. Please read this manual thoroughly before using the product to ensure proper function and longevity. The GP1 is designed for marine environments, offering robust performance and durability.

## 2. PRODUCT OVERVIEW

The Aquatic AV GP1 Marine Stereo is a compact, high-performance audio system designed to fit into a standard dash gauge space. It features a powerful amplifier and multiple input options suitable for various marine applications.

### Key Features:


- Bluetooth / MP3 / USB / AUX:** Supports streaming from various devices.
- AM/FM Radio:** Includes 18 FM and 12 AM presets, compatible with US and European frequencies.
- 288 Watt Amplifier:** Powers up to 8 speakers or a combination of speakers and subwoofers (Class A/B, 2 Ohm stable).
- Standard Gauge Size:** Designed for seamless integration into a standard dash gauge opening.
- Monochrome Display:** Optically bonded, tempered glass screen for clear track information.
- Variable Brightness:** Adjusts from 100% to 30% for optimal viewing in different lighting conditions.
- Multi-Environment Protection:** IP65 waterproof rating, UV, salt, and fog resistant.

### What's in the Box:

- 12-pin Wiring Harness (AQ-UNH-2)
- Mounting Bracket
- USB Cable
- Aquatic AV GP1 Marine Stereo Unit



**Figure 1:** Front view of the Aquatic AV GP1 Marine Stereo, showing the monochrome display, control buttons (Mute, Mode, Disp, Dim, Band), and the central rotary knob. The display shows 'AQUATIC AV USB MODE' and 'Bluetooth' and 'GP1' logos are visible.



**Figure 2:** Side view of the Aquatic AV GP1 Marine Stereo, illustrating its compact depth and the heat sink fins on the casing for thermal management.

### 3. SAFETY INFORMATION

- Ensure all wiring is correctly connected to prevent damage to the unit or vehicle.
- Do not attempt to open or modify the unit. This will void the warranty and may cause damage.
- Always disconnect power before performing any installation or maintenance.
- Avoid exposing the unit to extreme temperatures or direct sunlight for prolonged periods.
- While waterproof, ensure all connections are properly sealed to maintain water resistance.

### 4. INSTALLATION AND SETUP

#### Mounting:

1. Identify a suitable location in your dash that accommodates a standard gauge size opening.
2. Carefully cut or prepare the opening according to the provided template (if applicable, refer to packaging for template).
3. Insert the GP1 stereo into the opening.
4. Secure the unit using the supplied mounting bracket and hardware. Ensure it is firmly in place to withstand marine conditions.

#### Wiring Connections:

Use the included 12-pin wiring harness (AQ-UNH-2) for all electrical connections. Refer to the wiring diagram provided with the harness for specific connections. Key connections typically include:

- **Power (12V DC):** Connect to a fused 12V power source.
- **Ground:** Connect to a reliable ground point.
- **Accessory/Ignition:** Connect to a switched 12V source.
- **Speaker Outputs:** Connect to your marine speakers. Ensure correct polarity.
- **Antenna:** Connect your AM/FM antenna.
- **USB Input:** Connect the USB cable for media playback or charging.
- **AUX Input:** Connect external audio devices via a 3.5mm jack.

**Important:** Incorrect wiring can cause damage to the unit or vehicle's electrical system. If unsure, consult a qualified marine electronics technician.

## 5. OPERATING INSTRUCTIONS

### Basic Controls:

- **Power/Mute Button:** Press to turn the unit on/off. Press briefly to mute/unmute audio.
- **Mode Button:** Cycles through available audio sources (AM, FM, Bluetooth, USB, AUX).
- **DISP Button:** Changes display information (e.g., track name, station frequency).
- **DIM Button:** Adjusts display brightness (100% to 30%).
- **BAND Button:** In radio mode, cycles through AM/FM bands.
- **Rotary Knob:** Adjusts volume. Press to select menu options.
- **Skip/Track Buttons (◀◀ / ▶▶):** Skips tracks in media modes or tunes stations in radio mode.
- **Play/Pause Button (▶▶):** Plays or pauses media playback.

### Bluetooth Operation:

1. Press the **Mode** button until 'Bluetooth' is selected.
2. On your mobile device, enable Bluetooth and search for available devices.
3. Select 'Aquatic AV GP1' from the list to pair.
4. Once paired, you can stream audio from your device to the stereo.

### AM/FM Radio:

1. Press the **Mode** button to select 'AM' or 'FM'.
2. Use the **BAND** button to switch between FM1, FM2, FM3, AM1, AM2.
3. Use the **Skip/Track** buttons to manually tune or seek for stations.
4. To save a preset, tune to the desired station, then press and hold one of the numbered preset buttons (if available, or refer to specific model instructions for saving presets).

### USB/AUX Input:

- Connect your USB device to the USB port for MP3 playback.
- Connect an external audio device to the AUX input using a 3.5mm audio cable.
- Press the **Mode** button to select 'USB' or 'AUX' as the source.

## 6. MAINTENANCE

The GP1 stereo is designed for durability in harsh marine environments. Regular maintenance will ensure optimal performance.

- **Cleaning:** Wipe the unit with a soft, damp cloth. Avoid abrasive cleaners or solvents.
- **Inspection:** Periodically check all wiring connections for corrosion or damage. Ensure the mounting is secure.
- **Environmental Protection:** The unit is IP65 rated, meaning it is protected against dust and low-pressure water jets. While resistant to UV, salt, and fog, rinsing with fresh water after exposure to saltwater is recommended.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No Power	Blown fuse, incorrect wiring, loose power connection.	Check the fuse in the power line. Verify all power and ground connections are secure.
No Audio Output	Volume too low, incorrect source selected, speaker wiring issues, unit muted.	Increase volume. Select the correct audio source. Check speaker connections. Ensure unit is not muted.
Bluetooth Not Connecting	Device not in pairing mode, stereo not in Bluetooth mode, interference.	Ensure stereo is in Bluetooth mode. Put your device in pairing mode. Move closer to the stereo. Forget and re-pair the device.
Poor Radio Reception	Antenna not connected, damaged antenna, environmental interference.	Check antenna connection. Ensure antenna is properly installed and undamaged.

If problems persist after attempting these solutions, contact Aquatic AV customer support or a qualified technician.

## 8. SPECIFICATIONS


- **Product Dimensions:** 5.5 x 5.5 x 6.25 inches
- **Item Weight:** 1.5 pounds
- **Amplifier:** 288 Watt (Class A/B, 2 Ohm stable)
- **Connectivity:** Bluetooth, USB, AUX, AM/FM Radio
- **Display:** Monochrome LCD, Optically Bonded, Tempered Glass
- **Environmental Protection:** IP65 Waterproof, UV/Salt/Fog Resistant
- **Memory Storage Capacity:** 4 GB (for USB media)
- **Compatible Devices:** Speakers
- **Included Components:** 12-pin Wiring Harness (AQ-UNH-2), Mounting Bracket, USB Cable
- **Model Number:** GP1
- **ASIN:** B07XZHSB2S

## 9. WARRANTY AND SUPPORT

This Aquatic AV GP1 Marine Stereo comes with a **Two-Year Warranty**. For warranty details and to extend your product warranty, please register your product online via the Aquatic AV website or through the Aquatic AV App.

For technical support or service inquiries, please refer to the contact information provided on the official Aquatic AV website.

## Related Documents - GP1

	<p><a href="#">Nikon GP-1A GPS Unit User's Manual</a></p> <p>This manual provides instructions for the Nikon GP-1A GPS Unit, detailing its features, connections, and usage with compatible Nikon cameras. Learn how to attach the unit, connect it to your camera, and utilize its GPS capabilities for geotagging your photos.</p>
	<p><a href="#">Aquatic AV AQ-MP-5UBT-S Waterproof Media Player User/Installation Manual</a></p> <p>Comprehensive user and installation manual for the Aquatic AV AQ-MP-5UBT-S waterproof media player, covering features like SiriusXM, Bluetooth, iPod/iPhone, USB, MP3, and AM/FM radio, along with installation, operation, and specifications.</p>
	<p><a href="#">BenQ Joybee GP1 Mini Projector User Manual</a></p> <p>Comprehensive user manual for the BenQ Joybee GP1 Mini Projector, covering setup, operation, maintenance, troubleshooting, and specifications.</p>
Welcome	
	<p><a href="#">Aquatic AV AQ-SWA8-6BT Combined Bluetooth Stereo Subwoofer User Installation Manual</a></p> <p>User and installation manual for the Aquatic AV AQ-SWA8-6BT Combined Bluetooth Stereo Subwoofer. Details features, specifications, wiring, Bluetooth connectivity, auxiliary input, and warranty information.</p>
	<p><a href="#">Aquatic AV AQ-MP-5BT-H Waterproof Media Player User &amp; Installation Manual</a></p> <p>User and installation guide for the Aquatic AV AQ-MP-5BT-H waterproof media player, compatible with 1998-2013 Harley-Davidson motorcycles. Covers installation, controls, Bluetooth, radio, specifications, and warranty.</p>
	<p><a href="#">Thermo Scientific Centrifuge Spare Parts for GP1 Pro and Plus Series</a></p> <p>A comprehensive guide to spare parts for Thermo Scientific Sorvall X1 Pro, Sorvall ST1 Plus, Thermo Scientific SL1 Plus, Multifuge X1 Pro, and Megafuge ST1 Plus centrifuges. Includes detailed parts lists and diagrams for front panel, lid, and electronics.</p>


[\[pdf\]](#) User Manual Quick Start Guide Diagram



User Manual AQUATIC AV GP1 WBQGP1 gp1

Aquatic AV 282 Kinney Drive San Jose, CA 95112, USA E-mail: info aquaticav.com  
US Canada: 1 877 579 2782 International: 1 408 559 1668 Fax: 1 408 559 0125  
[www.aquaticav.com](http://www.aquaticav.com) **GP1 - WATERPROOF STEREO** USER / INSTALLATION  
MANUAL DSP EQ AM/FM RADIO 288W POWER DSP EQ AM/FM RADIO  
CHARGING PLEASE RE...


lang:en score:40 filesize: 983.85 K page\_count: 8 document date: 2019-04-03



[\[pdf\]](#) Aquatic AV GP1 Waterproof Stereo User and Installation Manual

This manual provides comprehensive instructions for the installation, operation, and features of the Aquatic AV GP1 waterproof stereo, including Bluetooth connectivity, USB playback, AM/FM radio, and audio settings.

lang:en score:34 filesize: 989.22 K page\_count: 16 document date: 2019-04-03



[\[pdf\]](#) User Manual Quick Start Guide Diagram

Provided by ManualsAndMore Download User Manual Aquatic GP1 Installation manualsandmore |||

**GP1 - WATERPROOF STEREO** USER / INSTALLATION MANUAL DSP EQ AM/FM  
RADIO 288W POWER DSP EQ AM/FM RADIO CHARGING PLEASE READ THIS  
INSTRUCTION MANUAL BEFORE INSTALLATION AND OPERATION Table of  
Contents **GP1** WATERPROOF STEREO 1 Getting  
Started.....

lang:en score:32 filesize: 990.16 K page\_count: 16 document date: 2019-04-03

**GP1 - WATERPROOF STEREO**

USER / INSTALLATION MANUAL



Bluetooth® **USB** **AM/FM**  
**AUX** **288W POWER** **DSP EQ** **IP65**

! PLEASE READ THIS INSTRUCTION MANUAL BEFORE  
INSTALLATION AND OPERATION !

[\[pdf\] User Manual Owner's Manual Quick Start Guide Diagram](#)

261GC112 Aquatic AV GC112 Gauge Stereo Marine Bundle CRUTCHFIELD COM Stereo Marine

HNEWBERRY owner s manual audio system for gauge style openings — includes marine digital media receiver and 6 1 2 speakers at Crutchfield crutchfieldonline ImageBank v20200814164300 Manuals 261

|||

**GP1 - WATERPROOF STEREO USER / INSTALLATION MANUAL DSP EQ AM/FM  
RADIO 288W POWER DSP EQ AM/FM RADIO CHARGING PLEASE READ THIS  
INSTRUCTION MANUAL BEFORE INSTALLATION AND OPERATION Table of  
Contents GP1 WATERPROOF STEREO 1 Getting  
Started.....**

lang:en score:30 filesize: 2.04 M page\_count: 20 document date: 2020-08-14

**FCC Test Report**

Report No: AGC02581190302FE03

FC ID : WBQGP1  
APPLICATION PURPOSE : Original Equipment  
PRODUCT DESIGNATION : GP1  
BRAND NAME : AQUATIC  
MODEL NAME : GP1.RA611  
CLIENT : AQUATIC AV  
DATE OF ISSUE : Apr. 16, 2019  
STANDARD(S) : FCC Part 15.247  
REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd  
CONDITION: This report shall not be reproduced or distributed without the written permission of the test laboratory and shall not be quoted out of context.



[\[pdf\] Declaration of Conformity Test Report](#)

EMC COMPLIANCE TEST REPORT Simon Test Report AQUATIC AV GP1 WBQGP1 gp1

FCC Test Report Page 1 of 62 Report No.: AGC02581190302FE03 FCC ID

APPLICATION PURPOSE PRODUCT DESIGNATION BRAND NAME MODEL

NAME CLIENT DATE OF ISSUE STANDARD S REPORT VERSION : WBQGP1 :

Original Equipment : **GP1** : AQUATIC : **GP1**, RA611 : AQUATIC AV : Apr. 16, 2019 :  
FCC Part 15.247 : V1.0 Attestation of Global Compliance (Shenzhen) Co., Ltd

lang:en score:28 filesize: 3.56 M page\_count: 45 document date: 2019-04-25

**GP1**  
WATERPROOF GAUGE SIZE STEREO



KEY FEATURES

Bluetooth® Stream your Audio Easily stream your favorite tunes from your smartphone with Bluetooth Audio support. View track info including a song's name, artist, and album information right on the display.

USB Play USB hands-free with supported audio formats. Charge USB devices such as smartphones with USB charging.

IP65 Multi-Environment Protection Install anywhere with waterproof protection. IP65 rating is equivalent to 12 IP65 products available. Compatible with both US and European markets.

DSP EQ 100% in advance music control, such as FM, Classical, Rock, Pop, Jazz, and more. DSP EQ settings can be adjusted and stored in memory.

288W Amplifier Amplifier that powers up to 8 speakers or a combination of speakers and subwoofers.

AM/FM Radio Listen to your favorite AM and FM radio stations. View track info including a song's name, artist, and album information right on the display.

Design and specification subject to change without notice E OE SPECIFICATIONS Supported Media Bluetooth USB MP3

[\[pdf\] Installation Guide Specifications Datasheet Dimension Guide](#)

GP1 DATASHEET Waterdichte Audio DIMENSIONS Aquatic AV © 2019 Design and specification subject to change without notice E OE SPECIFICATIONS Supported Media Bluetooth USB MP3

r875mW30v4Z29444161639Y0vH9bP7Zf waterdichteaudio nl Files 2 23000 23699 Attachments Product

|||

**GP1 DATASHEET GP1 WATERPROOF GAUGE SIZE STEREO KEY FEATURES**

Bluetooth Audio Easily stream your favorite tunes from your smartphone with Bluetooth Audio support. View track info including a song's name, artist, and album information right on the display. 288W Amplifier Keep your system going ...

lang:en score:25 filesize: 876.47 K page\_count: 2 document date: 2019-07-02

RF EXPOSURE EVALUATION	
1. PRODUCT INFORMATION	
Product Description	GP1
Model Name	GP1, RA611
FCC ID	WBQGP1
2. EVALUATION METHOD	
<p>According to IEC62209-201 (IEEE C95.1 RF Exposure Guidance v05) The 1 g SAR and 2.15 g SAR test emission thresholds for 100 MHz to 6 GHz at test separation distances <math>\leq 50</math> mm are determined by:  <math display="block">[1.0 \text{ g SAR}] = 3.0 \text{ for } 1 \text{ g SAR} \text{ and } 5.7 \text{ for } 1 \text{ g extreme SAR}</math> <math display="block">[2.15 \text{ g SAR}] = 3.0 \text{ for } 1 \text{ g SAR} \text{ and } 5.7 \text{ for } 1 \text{ g extreme SAR}</math> Where 1 g SAR and 2.15 g SAR are the RF Specific Absorption Rate (SAR).  Power and distance are rounded to the nearest 1/W and mm before calculation. </p>	
3. CALCULATION	
$\text{Pd} = 2.24 \text{ dBm} = 2.11 \text{ mW}$ <p>The value of the Maximum output Power <math>P_d</math> is referred to the test report of the CF474 [515.247]</p> <p>The result for RF exposure evaluation SAR=[2.11mW/5mm] / [2.48/GHz]= 0.66&lt;3.0 for 1 g SAR and 5.7 for 1 g extreme SAR.</p>	
4. CONCLUSION	
The SAR evaluation is not required.	

## [pdf] Test Report SAR Rating

USER RF Exposure AQUATIC AV GP1 WBQGP1 gp

## RF EXPOSURE EVALUATION 1. PRODUCT INFORMATION Product Description

**GP1 Model Name GP1, RA611 FCC ID WBQGP1 2. EVALUATION METHOD**

According to 447498 D01 General RF Exposure Guidance v05 The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances 50 mm are de...

lang:en score:23 filesize: 72.24 K page count: 1 document date: 2019-04-17

## [pdf] Agent Authorization

Terre Wolak Letter of Agency AQUATIC AV GP1 WBQGP1 gp

2019-04-25 Federal Communications Commission 445 12th Street SW Washington, DC 20554 Subject: Limited Agency Agreement AQUATIC AV FCC ID: WBQGP1 To Whom It May Concern: We, AQUATIC AV hereby authorized Intertek Testing Services to act as our Agent for the purpose of preparing application for ...

lang:en score:22 filesize: 30.58 K page\_count: 1 document date: 2019-04-25

GP1 DATASHEET

AQUATIC AV<sup>®</sup>

products with a waterproof reputation

# GP1

## WATERPROOF GAUGE SIZE STEREO

A black, waterproof gauge-style stereo unit. It features a circular face with a digital display showing '145.4 MHz 76.0'. Below the display are buttons for 'PWR', 'BAND', 'TUNER', and 'FREQ'. A large central control knob is positioned below these buttons. The bottom half of the unit contains a speaker grille and a row of small buttons labeled '1', '2', '3', '4', '5', '6', '7', '8', '9', '0', and 'DOT'.

### KEY FEATURES

**Bluetooth®** Bluetooth Audio: Connect and stream your favorite tunes from your smartphone or tablet via a 3.5mm audio input. View tracks info including artist, song name, artist, and album information via the digital display.

**380W MAX** 380W Amplifier: Keep your system going with a 200W RMS amplifier. The GP1 is built up to 8 speakers with a combination of speakers and subwoofers.

**IP65** Multi-Environment Protection: Install anywhere with protection against dust and water. The GP1 is designed to withstand the harshest environmental conditions.

**DSP (Digital Signal Processor)**: DSP allows consumers to adjust the sound quality of the GP1 to their personal preference. The GP1 has a manual audio adjustment feature to provide a better listening experience.

**DISPLAY**: The GP1 features a large, easy-to-read digital display. The display shows the radio frequency, the current time, and the current track information. The display is also backlit for night time operation.

**DISPLAY BRIGHTNESS**: Adjust the display brightness from 100% to 0% to match the ambient light. The display will reduce screen glare during night time operation.

**Standard Gauge Size**: Our smallest style yet, designed to fit in your vehicle's standard gauge housing. Simply remove your vehicle's gauge, fit the GP1, and you're ready to go. Includes a gauge adapter, an air filter, and mounting hardware.

**USB**: MP3/WMA/OGG/AAC/AAC+/WAV/AIFF/AIFF+ files can be played via a standard USB port.

**AM/FM**: AM/FM Radio: Listen to your favorite AM and FM radio stations. The GP1 has a built-in antenna and a speaker. You can also connect an external antenna to the GP1.

**REMOTE**: Remote Control: Control your GP1 with a standard remote control. The remote control has buttons for power, volume, and track selection.

**AUX**: AUX: Connect devices via a stereo RCA cable with a 3.5mm input. The GP1 has a built-in volume control for high performance with all of devices.

**YEAR**: 2 Year Warranty: Aquatic AV products are built to be reliable. We stand behind our products with a 2 year warranty that can be extended with product registration.

Image and specification subject to change without notice.

© 2015 Aquatic AV, Inc. All rights reserved.

Aquatic AV © 2015

[\[pdf\]](#) Installation Guide Datasheet

GP1 Datasheet Apr19 Gauge size marine bluetooth stereo gp1 datasheet apr19 marathonleisure co uk media sebwite product g p |||

## GP1 DATASHEET GP1 WATERPROOF GAUGE SIZE STEREO KEY FEATURES

Bluetooth Audio Easily stream your favorite tunes from your smartphone with Bluetooth Audio support. View track info including a song's name, artist, and album information right on the display. 288W 288W Amplifier Keep your system going ...  
lang:en score:22 filesize: 880.29 K page\_count: 2 document date: 2019-04-09




### [\[pdf\] Confidentiality Request Letter](#)

eason Confidentiality Request AQUATIC AV GP1 WBQGP1 gp1

Apr. 17, 2019 Federal Communication Commission Authorization and Evaluation Division FCC ID: **WBQGP1** Re: Confidentiality Request Pursuant to Sections 0.457 and 0.459 of the Commission's Rules, the applicant hereby requests confidential treatment of information applied this application as outlined below...

lang:en score:22 filesize: 96.89 K page\_count: 1 document date: 2019-05-06



### [\[pdf\] Installation Guide Datasheet](#)

Dodatne informacije Radio i zvučnici bijeli unimar hr gp1 datasheet jan23 3 Documents product additional info |||

### **GP1 DATASHEET GP1 WATERPROOF GAUGE SIZE STEREO KEY FEATURES**

Bluetooth Audio Easily stream your favorite tunes from your smartphone with Bluetooth Audio support. View track info including a song's name, artist, and album information right on the display. 288W Amplifier Keep your system going with a 288W 288W amplifier that powers up to 8 speakers or a combination of speakers and subwoofers.

**IP65** Multi-Environment Protection Insulated with waterproof and dustproof housing, the GP1 is designed to withstand perfect sealing related performance in the harshest environments.

**DSP EQ**

DSP EQ Allows tone settings to be applied and Rock or manually adjust tone and treble for a tailored sound experience.

**AUX**

AUX Connected devices via stereo RCA cable with input and output ports for a wide range of devices.

**2YEAR**

2 Year Warranty Aquatic AV products are built to be warranty that can be extended to 5 years.

100% normal operation to 20% brightness to reduce power during a gift time.

lang:en score:20 filesize: 881.93 K page\_count: 2 document date: 2023-01-16




### [\[pdf\] Product Photos](#)

Administrator External Photos AQUATIC AV GP1 WBQGP1 gp1

External Photos ALL VIEW OF EUT TOP VIEW OF EUT BOTTOM VIEW OF EUT FRONT VIEW OF EUT BACK VIEW OF EUT LEFT VIEW OF EUT RIGHT VIEW OF EUT ...


lang:en score:16 filesize: 701.91 K page\_count: 4 document date: 2019-04-25



[\[pdf\]](#) Product Photos

Administrator Test Setup AQUATIC AV GP1 WBQGP1 gp1

Test Setup Photos RADIATED EMISSION TEST SETUP BELOW 1GHZ RADIATED EMISSION TEST SETUP ABOVE 1GHZ CONDUCTED EMISSION TEST SETUP ...  
lang:en **score:16** filesize: 336.27 K page\_count: 2 document date: 2019-04-25



[\[pdf\]](#) Product Photos Teardown

Administrator Internal Photos AQUATIC AV GP1 WBQGP1 gp1


Internal Photos OPEN VIEW OF EUT INTERNAL VIEW OF EUT-1 Antenna  
INTERNAL VIEW OF EUT-2 INTERNAL VIEW OF EUT-3 INTERNAL VIEW OF EUT-4 INTERNAL VIEW OF EUT-5 ...  
lang:en **score:16** filesize: 1.01 M page\_count: 4 document date: 2019-04-25



[\[pdf\]](#) Label

USER Label Artwork and Location AQUATIC AV GP1 WBQGP1 gp1


FCC ID Label Location 10mm\*30mm FCC ID: WBQGP1 ...  
lang:en **score:16** filesize: 132.31 K page\_count: 1 document date: 2019-04-25



### [\[pdf\] Diagram Test Report](#)

EMC COMPLIANCE TEST REPORT Simon Test Report AQUATIC AV GP1 WBQGP1 gp1  
 Report No.: AGC02581190302FE03 Page 46 of 62 TEST PLOT OF LOW CHANNEL  
 Report No.: AGC02581190302FE03 Page 47 of 62 TEST PLOT OF MIDDLE CHANNEL Report No.: AGC02581190302FE03 Page 48 of 62 TEST PLOT OF HIGH CHANNEL Report No.: AGC02581190302FE03 Page 49 of 62 13. FREQUENCY SEPARATION 13.1. ME...

lang:en score:15 filesize: 3.14 M page\_count: 17 document date: 2019-04-25



### [\[pdf\] Accessories Catalog](#)

Elab List Formali NAUTICA g romeo listino prezzi nautica ottobre 2024 UFLEX Srl Oct 9 · Pompa frizione manuale P Max 75 l min@ 1400 rpm 933 00 64858E Carica batterie portatile Blue Smart GX 12 7 IP65 119 21657B 25 10 24 Listino Prezzi 1 uflex it 11 ||| UFLEX rev. 09/10/2024 listino prezzi nautica ottobre 2024 Prezzi soggetti a variazione senza prea ... UATIC AV . AQUATIC AV . AQUATIC AV 48 AQUATIC AV Sistemi stereo Audio/Video marini STEREO SYSTEM **GP1** Stereo, conness. Bluetooth, dimensione stereo standard STEREO SYSTEM **GP100B** Kit stero **GP1** co... lang:it score:13 filesize: 439.01 K page\_count: 65 document date: 2024-11-25



### [\[pdf\] User Manual Accessories Catalog](#)

UFLEX 24 2023 09 05 — Service Temperatura gas di scarico pressione olio Manual Bilge Lights Book Furl Bridge Burglar Alarm CB Radio Cell Phone 2024 ITA web ufex it srl Catalogo Italiano ↓ Download area Uflex 06 Area ||| A World of Marine Equipment 2024 HIGHLIGHTS AQUATIC AV Kit **GP100W GP100B** pag. 31 VERATRON MARINE Display VMH35-D pag. 79 VERATRON MARINE LinKup 0-5V pag. 86 UFLEX - Elettropompe reversibili con motori a magneti permanenti pag. 138 MARINCO Trombe elettriche compatte pag. 170 VICTRON EN... lang:it score:11 filesize: 29.42 M page\_count: 335 document date: 2023-09-06