

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [EJEAS](#) /
- › [EJEAS V6 Pro Motorcycle Helmet Bluetooth Headset Instruction Manual](#)

EJEAS V6 Pro

EJEAS V6 Pro Motorcycle Helmet Bluetooth Headset Instruction Manual

Model: V6 Pro

1. INTRODUCTION

The EJEAS V6 Pro is a Bluetooth communication system designed for motorcycle helmets, enabling two-way intercom communication, mobile phone connectivity, music playback, and GPS navigation audio. This manual provides detailed instructions for installation, operation, and maintenance of your device.



Image: Two EJEAS V6 Pro units, showing the main module, microphone, and speakers.

2. PACKAGE CONTENTS

Verify that all items are present in your package:

- EJEAS V6 Pro Bluetooth Intercom Unit(s)
- Headphone Velcro pads
- Charging Cable(s)
- Mounting Clip(s)
- Screws and Allen wrench
- Earphone/Microphone Set(s)
- User Manual



Image: A complete set of EJEAS V6 Pro package contents, including two main units, headphones, microphones, charging cables, and mounting accessories.

3. PRODUCT FEATURES

- **Bluetooth Connectivity:** Bluetooth 4.0 for stable connection with mobile devices.
- **Intercom System:** Supports 2-way full-duplex communication for up to 6 riders, with any 2 riders able to talk simultaneously. Maximum intercom range of 1200 meters in open line of sight.
- **Long Battery Life:** 850mAh rechargeable battery provides up to 12 hours of intercom talk time, 18 hours of music listening, and 360 hours of standby time.
- **Noise Cancellation:** Advanced DSP noise cancelling technology reduces wind, engine, and ambient noise for clear audio.
- **Water Resistance:** IP65 rated for water and dust resistance, suitable for light rain conditions. Note: Not designed for immersion in water.
- **Phone Functions:** Automatic answering of phone calls (after 5 seconds), manual hang-up/rejection, last number redial.
- **Media Functions:** Listen to GPS navigation, music playback, volume control, track switching.

Product Features:



Bluetooth 5.1



2-way intercom, 1 main device
can switch 5 sub-devices



Intercom distance
800 meters



Connect 2 mobile phones



Automatically connect to call



Intercom time 18 hours



Music time 25 hours



Standby time 260 hours



Waterproof level IP65



Image: Visual representation of key product features such as Bluetooth connectivity, intercom range, and battery life.

4. CONTROLS AND INDICATORS

The EJEAS V6 Pro unit features several buttons and an indicator light for various functions:

- **Intercom (Power/A) Button:** Used for power on/off, initiating intercom, and speaking to the 1st sub-unit.
- **Phone Button:** Used for answering/ending calls, playing/pausing music, and redialing.
- **Volume + Button:** Increases volume, long-press for previous track.
- **Volume - Button:** Decreases volume, long-press for next track.
- **Button B:** Used for speaking to the 2nd sub-unit.
- **Button C:** Used for speaking to the 3rd sub-unit.
- **Button D:** Used for speaking to the 4th sub-unit.
- **Button E:** Used for speaking to the 5th sub-unit.
- **Indicator Light:** Displays device status (e.g., blue for power on, red/blue flashing for pairing mode).

ISED Test Report

Report No.: AGC00749200101CE03

IC : 26311-V6
 APPLICATION PURPOSE : Original Equipment
 PRODUCT DESIGNATION : bluetooth intercom headset
 BRAND NAME : EJEAS
 MODEL NAME : V6, Q7, V4
 APPLICANT : Shenzhen EJEAS Technology Co., Ltd
 DATE OF ISSUE : Jul 20, 2020
 STANDARD(S) : RSS-GEN: issue 5
 : RSS-247: issue 2
 REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

CAUTION:

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Test Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Image: Detailed view of the EJEAS V6 Pro unit highlighting the function of each button and the indicator light.

5. SETUP AND INSTALLATION

5.1 Attaching the Earphone/Microphone Set

1. Connect the earphone/microphone jack into the corresponding port on the V6 Pro unit.
2. Attach the speaker pads to the inside of your helmet using the provided Velcro. Ensure speakers are positioned directly over your ears for optimal audio.
3. Secure the microphone in front of your mouth, ensuring it is close but not touching.

5.2 Mounting the V6 Pro Unit to Your Helmet

The V6 Pro unit can be mounted using either the plastic clip or the metal clip for enhanced durability.

1. Choose a suitable location on the side of your helmet.

2. Attach the chosen mounting clip to the helmet. The metal clip offers a more secure and durable attachment.
3. Slide the V6 Pro unit onto the mounted clip until it clicks securely into place.



Image: An EJEAS V6 Pro unit securely mounted on the side of a motorcycle helmet.

6. OPERATING INSTRUCTIONS

6.1 Power On/Off

- **Power On:** Short-press the Intercom (Power/A) button. The indicator light will flash blue.
- **Power Off:** Long-press the Intercom (Power/A) button until the indicator light turns off.

6.2 Bluetooth Pairing with Mobile Phone

1. Ensure the V6 Pro is powered off.
2. Long-press the Phone button until the indicator light flashes red and blue alternately. This indicates pairing mode.
3. On your mobile phone, enable Bluetooth and search for available devices.
4. Select "V6" or "EJEAS V6 Pro" from the list to connect. The indicator light on the V6 Pro will flash blue when successfully paired.

6.3 Music Playback

- **Play/Pause:** Short-press the Phone button.
- **Volume Up:** Short-press the Volume + button.
- **Volume Down:** Short-press the Volume - button.

- **Next Track:** Long-press the Volume - button.
- **Previous Track:** Long-press the Volume + button.

6.4 Phone Call Management

- **Answer Call:** The V6 Pro will automatically answer incoming calls after 5 seconds.
- **Hang Up Call:** Short-press the Phone button.
- **Reject Call:** Long-press the Phone button for 3 seconds.
- **Redial Last Number:** Long-press the Phone button for 3 seconds when not on a call.

6.5 Intercom Pairing (Multiple Units)

The V6 Pro supports pairing with up to 5 other units (total 6 riders). One unit acts as the 'master' and can communicate with any of the 'sub-units'.

1. Ensure all V6 Pro units are powered off.
2. On all units, long-press the Intercom (Power/A) button until the indicator lights flash red and blue alternately.
3. Choose one unit to be the 'master'. On the master unit, short-press the Intercom (Power/A) button to start searching for other units.
4. Wait for 5-10 seconds. When the master and a sub-unit are flashing blue at the same rate, pairing is successful.
5. To pair additional units, repeat steps 2-4, using the master unit to initiate pairing with each new sub-unit by pressing the corresponding button (B, C, D, E) on the master unit.

6.6 Intercom Communication

- After successful pairing, short-press the Intercom (Power/A) button on the master unit to enter intercom mode.
- To switch communication to a specific sub-unit, short-press the corresponding button (A, B, C, D, E) on the master unit.
- Only two machines can speak at the same time. All communication switching must be done by the master unit.

6.7 Reconnecting Intercom Units

To reconnect previously paired units:

1. Power on all V6 Pro units by short-pressing the Intercom (Power/A) button.
2. On the master unit, short-press the Intercom (Power/A) button to re-establish the intercom connection.
3. For multiple units, short-press the corresponding button (A, B, C, D, E) on the master unit to reconnect each sub-unit.

6.8 Reset (Clear Pairing Records)

To clear all pairing records from a V6 Pro unit:

1. Ensure the V6 Pro unit is powered on.
2. Press the Phone button and Button B simultaneously.
3. The indicator light will flash red twice and then blue once, confirming that pairing records have been removed.

Instructional Videos:

Video: Overview of the EJEAS V6 Pro Bluetooth Headset and its 2-way intercom capabilities.

Video: Detailed product introduction, usage guide, and pairing methods for the EJEAS V6 Pro.

Video: Instructions on how to pair and use the intercom function for two EJEAS V6 Pro riders.

7. MAINTENANCE

- **Cleaning:** Wipe the unit with a soft, damp cloth. Do not use harsh chemicals or solvents.
- **Charging:** Charge the device fully before first use and after prolonged storage. Use the provided charging cable. Charging time is approximately 3.5 hours.
- **Storage:** Store the device in a cool, dry place when not in use.
- **Water Resistance:** While water-resistant (IP65), avoid immersing the unit in water or prolonged exposure to heavy rain.

8. TROUBLESHOOTING

- **No Power:** Ensure the battery is charged. Connect to a power source and try again.
- **Cannot Pair with Phone:** Ensure the V6 Pro is in pairing mode (red and blue flashing light). Clear previous pairing records on both the V6 Pro and your phone, then try pairing again.
- **Intercom Not Connecting:** Ensure all units are powered on and in pairing mode (red and blue flashing) before initiating master pairing. If issues persist, clear pairing records on all units and re-pair.
- **Poor Audio Quality:** Check microphone and speaker placement inside the helmet. Ensure the microphone is close to your mouth and speakers are aligned with your ears. Verify volume settings on both the V6 Pro and your connected device.
- **Intermittent Connection:** Ensure units are within the specified range and there are no significant obstacles. Avoid strong electromagnetic interference.

9. SPECIFICATIONS

Feature	Specification
Model Name	V6 Pro Motorcycle Helmet Bluetooth
Connectivity Technology	Wireless (Bluetooth 4.0)
Noise Control	Active Noise Cancellation (DSP chip)
Intercom Range	Up to 1200 meters (line of sight)

Max Riders for Intercom	6 (2 simultaneous talkers)
Battery Capacity	850mAh Lithium Ion
Charging Time	Approx. 3.5 hours
Intercom Working Time	Up to 12 hours
Music Listening Time	Up to 18 hours
Standby Time	Up to 360 hours
Water Resistance Level	IP65
Item Weight	1.28 ounces
Material	Plastic



10. WARRANTY AND SUPPORT

For any issues or questions regarding your EJEAS Motorcycle Bluetooth Headset, please contact customer support. The manufacturer offers support and will reply within 12 hours.

Please refer to your purchase documentation for specific warranty details.

Related Documents - V6 Pro

 <p>The cover features the EJEAS logo, a QR code, a line drawing of a helmet, and a small table with the following content:</p> <table border="1"> <tr> <td>Certified Model</td> <td>Version</td> <td>User Manual</td> </tr> <tr> <td>AiH2</td> <td>4-people</td> <td>Motorcycle Bluetooth Intercom System</td> </tr> <tr> <td colspan="3">www.ejeas.com</td> </tr> </table>	Certified Model	Version	User Manual	AiH2	4-people	Motorcycle Bluetooth Intercom System	www.ejeas.com			<p>EJEAS AiH2 Motorcycle Helmet Intercom System User Manual</p> <p>This user manual provides detailed instructions for operating the EJEAS AiH2 4-people Motorcycle Helmet Intercom System. It covers basic operations, menu navigation, mesh intercom features, mobile phone pairing, call handling, voice assistant, music control, optional remote controller, and firmware upgrades.</p>
Certified Model	Version	User Manual								
AiH2	4-people	Motorcycle Bluetooth Intercom System								
www.ejeas.com										
 <p>The cover features the text 'Q2 USER MANUAL' and 'Motorcycle Intercom System', along with a line drawing of the intercom system and the website 'www.ejeas.com'.</p>	<p>EJEAS Q2 Motorcycle Intercom System User Manual</p> <p>Comprehensive user manual for the EJEAS Q2 Motorcycle Intercom System, detailing installation, operation, Bluetooth pairing, FM radio, and SafeRiding App integration for motorcycle riders.</p>									

	<p>EJEAS Q2 Motorcycle Intercom System User Manual</p> <p>Comprehensive user manual for the EJEAS Q2 Motorcycle Intercom System, detailing product features, installation, operations, Bluetooth pairing, FM radio functionality, and FCC compliance information.</p>
	<p>EJEAS S2 Ski Helmet Intercom System User Manual</p> <p>User manual for the EJEAS S2 Ski Helmet Intercom System, detailing features like Mesh Intercom, mobile phone pairing, music sharing, and firmware upgrades. This guide explains operation, pairing, and advanced functions for optimal use.</p>
	<p>EJEAS Q8 Mesh Motorcycle Intercom System User Manual</p> <p>Comprehensive user manual for the EJEAS Q8 mesh motorcycle intercom system, detailing features like group intercom, Bluetooth connectivity, music sharing, FM radio, voice assistant, installation, and operation.</p>
	<p>EJEAS V6 Pro+ 6-Riders Motorcycle Helmet Intercom System User Manual</p> <p>User manual for the EJEAS V6 Pro+ 6-Riders Motorcycle Helmet Intercom System, covering installation, phone and intercom operations, EUC remote controller functions, and mobile app integration for motorcycle riders.</p>

Documents - EJEAS – V6 Pro



[pdf]

Bluetooth мотогарнитура EJEAS V6 Pro Minicam24 ru — это стабильная для шлема Максимальное расстояние разговора составляет 800 метров обычно на открытом воздухе расстояние в bluetooth мотогарнитура ejeas v6 pro srsllid AfmBOooRa3sP4E7Guj8d gjugBdAExuEXq9OyUSBYIzGAIA1v9sfQ1DI minicam24 upload content ||| Bluetooth EJEAS **V6 Pro** 1. , 2. B 3. C 4. D 5. 6. 7. 8. 9. 10. 11. / V6 -- Bluetooth- . 800 , 300 800 . Bluetooth- 10 . . . , HD-Voice. , 1.0 minicam24.ru 2 1. / : MOTOR 2 , , . : . 2. ... lang:tl score:27 filesize: 942.51 K page_count: 2 document date: 2024-03-26



[pdf]

Bluetooth мотогарнитура EJEAS V6 Pro Micam24 ruV6 — это стабильная для шлема

Максимальное расстояние разговора составляет 800 метров обычно на открытом воздухе

расстояние b bluetooth motogarnitura ejeas v6 prominicam24 ru upload content b pro srs/tid

AfmBOopkhU7wWzmMVwEyej11FPIPYH3C4Nkht3RWzSZC3fFaux9ZXhr |||

Bluetooth EJEAS V6 Pro 1. , 2. B 3. C 4. D 5. 6. 7. 8. 9. 10. 11. / V6 -- Bluetooth- . 800

, 300 800 . Bluetooth- 10 . . , HD-Voice. , . 1.0 minicam24.ru 2 1. / : MOTOR 2 , , . : 2.

...

lang:tl score:25 filesize: 942.51 K page_count: 2 document date: 2024-03-26



[EJEAS V6 Pro+ 6-Rider Motorcycle Helmet Intercom User Manual](#)

Comprehensive user manual for the EJEAS V6 Pro+ 6-Rider Motorcycle Helmet Intercom. Learn installation, button functions, phone and intercom operations, pairing with multiple devices, EUC remote controller usage, mobile app features, and troubleshooting for safe and efficient communication while riding.

lang:sw score:23 filesize: 439.73 K page_count: 10 document date: 2024-04-23



[Руководство пользователя EJEAS V6 Pro+ 6-гонщиков: Мотоциклетный Bluetooth Интерком для Шлема](#)

Подробное руководство пользователя для EJEAS V6 Pro+ 6-гонщиков, высокопроизводительного Bluetooth интеркома для мотоциклетных шлемов. Узнайте о функциях, установке, сопряжении, управлении звонками и музыкой, а также мерах предосторожности.

lang:i-klinton score:23 filesize: 400.08 K page_count: 9 document date: 2024-04-23



[EJEAS V6 Pro+ 6-Rider Motorradhelm-Interaktionssystem Benutzerhandbuch](#)

Entdecken Sie das EJEAS V6 Pro+ 6-Rider Motorradhelm-Interaktionssystem. Dieses Benutzerhandbuch bietet detaillierte Anleitungen zur Installation, Bedienung, Bluetooth-Kopplung und Intercom-Funktionen für bis zu 6 Fahrer. Erfahren Sie mehr über HD-Voice, wasserdichte Funktionen und die Nutzung der SafeRiding-App für ein sicheres Fahrerlebnis.

lang:de score:23 filesize: 370.19 K page_count: 9 document date: 2024-04-23



[Manual de Usuario EJEAS V6 Pro+ Intercomunicador Bluetooth para Casco de Motocicleta](#)

Descubre el manual completo del intercomunicador Bluetooth EJEAS V6 Pro+ para casco de motocicleta. Aprende sobre sus funciones, instalación, emparejamiento con hasta 6 jinetes, control de llamadas y música, y precauciones de uso. Ideal para una comunicación segura y estable en tus viajes.

lang:es score:22 filesize: 365.77 K page_count: 9 document date: 2024-05-15



[Manuale Utente Interfono Bluetooth EJEAS V6 Pro+ 6-Riders per Casco Moto](#)

Scopri il manuale utente completo per l'interfono Bluetooth EJEAS V6 Pro+ 6-Riders. Guida all'installazione, funzionamento, abbinamento con telefono e altri interfoni, controllo musica e chiamate. Impermeabile, HD-Voice, ideale per motociclisti.


lang:it score:22 filesize: 363.41 K page_count: 9 document date: 2024-05-15



[Manuel d'Utilisation EJEAS V6 Pro+ Interphone Bluetooth pour Casque de Moto](#)

Découvrez le manuel d'utilisation complet de l'interphone Bluetooth EJEAS V6 Pro+ 6-cavalliers pour casque de moto. Apprenez l'installation, le fonctionnement, le couplage avec téléphones et autres interphones, ainsi que les précautions d'emploi pour une communication stable et sécurisée en groupe.

lang:fr score:22 filesize: 366.87 K page_count: 9 document date: 2024-05-15



[\[pdf\]](#)

20 211304 RED Certificate Q7 twhw02 TW TAI N0038 Bekijk de CE marking EJEAS V6 Pro Motor communicatiesysteem Bluetooth 1200 Meter 2 Stuks bol original media s q8O6xrDZ769r ||| EU-TYPE EXAMINATION MODULE B CERTIFICATE Radio Equipment Directive RED 2014/53/EU PHOENIX TESTLAB Notified Body Number 0700 Recognised by This is to certify that: PHOENIX TESTLAB did undertake the relevant type examination procedures for the radio equipment identified below which was found to b...

lang:en score:20 filesize: 87.56 K page_count: 3 document date: 2022-09-26



[\[pdf\] User Manual Diagram](#)

V6PRO EspanholManual do usuário EJEAS Sistema de fone ouvido intercomunicador sem fioV6PRO user manual ESejeas pt 5464 EspanholEspañolManual fioManual usuario auriculares intercomunicación inalámbricaV6PRO ESV6PRO 5464ejeas es ||| ||| Experto en intercomunicacin MESH Ms idiomas B E C D Modelo Versin V6 Pro 6-Jinetes Manual de usuario Sistema de intercomunicacin para casco de motocicleta Espaol 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. Botn MOTOR/A encendido 2. Botn B 3. Botn C Experto en intercomunicacin MESH Ms idiomas B E C D Modelo Versin V6 Pro 6-Jinetes Manual de usuario Sistema de intercomunicacin para casco de motocicleta Espaol 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. Botn MOTOR/A encendido 2. Botn B 3. Botn C 4. Botn D 5. Botn E 6. Botn de telfon...

lang:es score:17 filesize: 365.77 K page_count: 9 document date: 2024-05-15



[\[pdf\]](#) User Manual

V6pro ItalianoManual de usuario EJEAS Sistema auriculares intercomunicación inalámbricaV6pro user manual ITEjeas es 5467 ItalianoItalianoManual do usuário fone ouvido intercomunicador sem fioManual ITV6pro pt 5467ejeas ||| ||| Esperto interfonico MESH Pi lingue B E C D Modello Certificato Modello di versione V6 Pro 6-Riders Manuale d uso Sistema Interfono Per Casco Moto Italiano 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. Pulsante MOTOR/A accensione 2. Tasto B 3. Tasto C Esperto interfonico MESH Pi lingue B E C D Modello Certificato Modello di versione **V6 Pro** 6-Riders Manuale d uso Sistema Interfono Per Casco Moto Italiano 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. Pulsante MOTOR/A accensione 2. Tasto B 3. Tasto C 4. Tasto D 5. Tasto E 6. Pulsante del... lang:it score:17 filesize: 363.41 K page_count: 9 document date: 2024-05-15



[\[pdf\]](#) User Manual

V6PRO rusoManual de usuario EJEAS Sistema auriculares intercomunicación inalámbricaType C V6pro user manual RussianEjeas es 5372 RussorusoManual do usuário fone ouvido intercomunicador sem fioManual RussianType pt 5372ejeas ||| ||| MESH B E C D V6 Pro 6- 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. / 2. 3. 4. D 5. 6. 7. 8. - 9. 10. 11. / USB V6 -- Bluetooth- . 800 , 300 800 . Bluetooth- 10 . . , HD-Voice. . . 1 1. / : MOTOR 2 , . . : 2. GPS/MP3 . 5 , . Bluetooth Bluetooth MESH B E C D **V6 Pro** 6- 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. / 2. 3. 4. D 5. 6. 7. 8. - 9. 10. 11. / USB V6 -- Bluetooth- . 800 , 300 800 . Bluetooth- 10 . . , HD-Voice. . , 1 ... lang:i-klngon score:15 filesize: 400.08 K page_count: 9 document date: 2024-04-23



[\[pdf\]](#) User Manual Diagram

v6pro GermanManual do usuário EJEAS Sistema de fone ouvido intercomunicador sem fioType C V6pro user manual Germanejeas pt 5366 AlemánGermanManual usuario auriculares intercomunicación inalámbricaManual GermanType es 5366ejeas ||| ||| MESH Intercom-Expert Weitere Sprachen B E C D .PEFMM VTGISVOH V6 Pro 6-rider 6TFS.BOVB .PUPSSBEIFMN *OUFSBLUJPOTTZTUFN Deutsch 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. MOTOR/A-Taste Einschalten 2. B-Taste 3. C-Taste 4. D-Taste 5. E-Taste 6. Tele MESH Intercom-Expert Weitere Sprachen B E C D .PEFMM VTGISVOH **V6 Pro** 6-rider 6TFS.BOVB .PUPSSBEIFMN *OUFSBLUJPOTTZTUFN Deutsch 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. MOTOR/A-Taste Einschalten 2. B-Taste 3. C-Taste 4. D-Taste 5. E-Taste 6. Telefontaste 7. Lautstrke 8. Lautstr... lang:de score:15 filesize: 370.19 K page_count: 9 document date: 2024-04-23



[\[pdf\] User Manual](#)

V6PRO FrancêsManual do usuário EJEAS Sistema de fone ouvido intercomunicador sem fioV6PRO user manual FRRejeas pt 5461 FrancêsFrancêsManual fioManual usuario auriculares intercomunicación inalámbricaV6PRO FRV6PRO 5461ejeas es ||| ||| Expert en interphonie MESH Plus de langues B E C D Modle Version V6 Pro 6-cavalliers Manuel del Utilisateur Systme d interphone pour casque de moto Franais 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. Bouton MOTEUR/A mise sous tension 2. Bouton B 4. B Expert en interphonie MESH Plus de langues B E C D Modle Version **V6 Pro** 6-cavalliers Manuel del Utilisateur Systme d interphone pour casque de moto Franais 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 1. Bouton MOTEUR/A mise sous tension 2. Bouton B 4. Bouton D 5. Bouton E 6. Bouton tiphone... lang:fr score:14 filesize: 366.87 K page_count: 9 document date: 2024-05-15




[\[pdf\] User Manual](#)

V6pro 2024 01 23 JaponésManual de usuario EJEAS Sistema auriculares intercomunicación inalámbricaType C user manual Japaneseejeas es 5375 JaponésJaponésManual do usuário fone ouvido intercomunicador sem fioManual JapaneseType pt 5375ejeas ||| ||| MESH B E C D V6 Pro 6- 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 B 1. /A 2. B 4. D 5. E 6. 3. C 7. 8. - 9. 10. 11. /USB 6800 300800 E 10 Hd D 1 or 1./ 2LED 2.GPS/MP 3. 5 s V 6 GPS/MP 3 3. 3 s 2 4. 5 s 5. 6./ 95 7. -- 8. 22 9 10 PhoneBBLED 3 V 6621 5 MESH B E C D V6 Pro 6- 2 9 8 10 B 6 C 3 5 E 1 D 4 7 11 B 1. /A 2. B 4. D 5. E 6. 3. C 7. 8. - 9. 10. 11. /USB 6800 300800 E 10 Hd D 1 or 1./ 2LED 2.GPS/MP 3. 5 s V 6 GPS/MP 3 3. 3 s 2 4. 5 s 5. 6./ 95 7. -- 8. 22 9 10 PhoneBBLED 3 V 6621 5... lang:sw score:14 filesize: 439.73 K page_count: 10 document date: 2024-04-23



[EJEAS V6 Pro+ 6-Riders Motorcycle Helmet Intercom System User Manual](#)

User manual for the EJEAS V6 Pro+ 6-Riders Motorcycle Helmet Intercom System, covering installation, phone and intercom operations, EUC remote controller functions, and mobile app integration for motorcycle riders. lang:en score:13 filesize: 1.12 M page_count: 9 document date: 2025-05-09



[pdf]

EJEAS v6pro 416 Administrator Instrucciones de uso 2 Juegos Ejeas V6 Pro Intercomunicador Motos Gama Comunicación Intercom 1200m Casco Moto Amazon mx Electrónicos B1X4tREGtIL m media amazon images | |||

850 12 4 ...

lang:en score:11 filesize: 3.21 M page_count: 9 document date: 2023-06-20



[pdf] Documentation

Product Documentation amiciAuto Ejeas V6 Pro Helmet Bluetooth Intercom for 6 Riders Headphone with Mic Motorcycle Communication Double Unit Amazon in Electronics 81bpgkDR7aL m media amazon images | |||

...

lang:en score:11 filesize: 296.74 K page_count: 1 document date: 2023-06-10