TOOLPORT 67836

TOOLPORT Garage Carport Storage Tent 2.4 x 3.6m - Instruction Manual

Model: 67836

Product Overview

The TOOLPORT Garage Carport Storage Tent provides robust protection for vehicles and equipment against various weather conditions. It features a stable galvanized steel frame and a durable 800 N PVC tarp, designed for high UV resistance and 100% waterproofing. The tent includes strong zipper systems for easy access and ventilation flaps for air circulation.

This manual provides essential information for the safe assembly, operation, and maintenance of your storage tent.



Image 1: Exterior view of the TOOLPORT Garage Carport Storage Tent.

Safety Information

- **Read all instructions:** Before assembly and use, carefully read and understand all instructions in this manual.
- **Assembly personnel:** Assembly requires a minimum of two adults.
- **Site selection:** Choose a level, stable surface for installation. Avoid areas prone to strong winds or water accumulation.
- **Anchoring:** Always secure the tent firmly to the ground using the provided anchors. For soft ground, use the included ground anchors. For hard surfaces like concrete, additional hard-ground anchors (not included) may be required.
- **Weather conditions:** In extreme weather conditions (e.g., heavy snow, strong winds, storms), disassemble the tent to prevent damage or injury. Do not use the tent as a permanent structure in areas with severe weather.
- **Fire safety:** Keep all heat sources and open flames away from the tent fabric. The PVC tarp is not fireproof.
- **Ventilation:** Ensure adequate ventilation, especially if storing items that may emit fumes.
- **Structural integrity:** Regularly inspect the frame and tarp for any signs of wear, damage, or loose connections. Address any issues promptly.

Setup Instructions

The assembly process is designed to be straightforward, but requires careful attention to detail and at least two people for efficient and safe installation.

1. **Unpack and verify components:** Carefully unpack all boxes and lay out the components. Compare them against the parts list provided in your package to ensure all pieces are present. *Note: Some users have reported receiving packages in multiple shipments or with minor component issues; contact support if parts are missing or damaged.*
2. **Assemble the steel frame:**
    - Begin by connecting the square profile tubes to form the base structure.
    - Erect the vertical supports and connect them with the roof sections. The robust galvanized steel frame includes reinforcements along the length and in the roof for enhanced stability.
    - Ensure all connections are secure. Some tubes may require slight adjustment to fit properly.



Image 2: Interior view showing the galvanized steel frame structure.

3. **Install the PVC tarp:**
    - Drape the single-piece PVC roof and side tarp over the assembled frame. Ensure it is centered and evenly distributed.
    - Secure the tarp to the frame using the special tensioning system. This system ensures a tight fit and prevents

flapping in the wind.
    - Attach the gable ends, which include ventilation flaps.
4. **Anchor the tent:**
    - Use the provided ground anchors to firmly secure the tent to the ground. These are essential for stability and safety.
    - Ensure all anchor points are properly engaged and tightened.



Image 3: Anchoring the tent to the ground for stability.

Operating Instructions

- **Access:** The tent features strong zipper systems at the entrance for quick and easy opening and closing. Operate zippers smoothly to prevent damage.
- **Ventilation:** Utilize the ventilation flaps located on the gable ends to ensure air circulation and reduce condensation inside the tent.



Image 4: Detail of the ventilation flap for air circulation.

- **Storage:** This tent is designed for storage purposes, providing protection for vehicles, agricultural equipment, or other items from environmental elements.

Maintenance

- **Regular inspection:** Periodically check all frame connections, bolts, and anchors for tightness. Re-tighten as necessary.
- **Tarp condition:** Inspect the PVC tarp for any tears, punctures, or signs of wear. Small damages can often be repaired with a suitable PVC repair kit.
- **Cleaning:** Clean the tarp with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the PVC material. Ensure the tarp is dry before folding and storing for extended periods.
- **Snow removal:** In snowy conditions, regularly remove accumulated snow from the roof to prevent excessive weight and potential collapse.

Troubleshooting

- **Missing or damaged parts:** If you find any parts missing or damaged upon delivery, contact the seller (INTENT24)

immediately for assistance. Provide your product model number and a description of the missing/damaged part.

- **Difficulty with tube assembly:** Some tubes may be slightly bent or tight. Gentle force or a rubber mallet may be used to ensure proper fit. Avoid excessive force that could damage components.
- **Tarp not fitting symmetrically:** Ensure the frame is square and level. Adjust the tarp carefully to achieve an even fit, minimizing gaps. This may require multiple adjustments.
- **Water pooling on roof:** Ensure the tarp is taut and properly tensioned to allow water to run off. Check for any sagging in the roof structure.

Specifications

Product Dimensions (L x W x H)	360 x 240 x 240 cm (3.6L x 2.4W x 2.4H meters)
Weight	77 Kilograms
Model Number	67836
Frame Material	Galvanized Steel (Alloy Steel)
Tarp Material	PVC approx. 550g/m² (800 N)
Color	Grey
UV Protection	Yes
Water Resistance Level	Waterproof
Recommended Use	Storage




Image 5: Dimensional diagram of the tent.

Warranty and Support

Specific warranty details are not provided in the product information. For any warranty-related inquiries, product support, or to report missing/damaged parts, please contact the seller directly.
Seller: INTENT24
Refer to your purchase documentation or the Amazon order page for direct contact information for INTENT24.

© 2026 TOOLPORT. All rights reserved.