

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [cersanit](#) /

> [CERSANIT COMO Slim Duroplast Toilet Seat with Soft Close and Easy Off Function - Instruction Manual](#)

cersanit COMO Slim

CERSANIT COMO Slim Duroplast Toilet Seat Instruction Manual

1. PRODUCT OVERVIEW

Thank you for choosing the CERSANIT COMO Slim Duroplast Toilet Seat. This product is designed for comfort, hygiene, and ease of use, featuring a slim profile, soft-closing mechanism, and a convenient one-button easy-off function for effortless cleaning. The Duroplast material ensures durability and antibacterial properties.



Image 1.1: The CERSANIT COMO Slim Duroplast Toilet Seat, showcasing its sleek design when installed on a toilet bowl.

2. SAFETY INFORMATION

- Read all instructions carefully before installation and use.

- Do not stand on the toilet seat or lid. This product is designed for sitting only.
- Ensure all mounting hardware is securely tightened to prevent movement and potential injury.
- Keep small parts out of reach of children to prevent choking hazards.
- Use only mild cleaning agents as specified in the maintenance section to avoid damage to the material.

3. PACKAGE CONTENTS

Please check that all components are present before beginning installation:

- CERSANIT COMO Slim Duroplast Toilet Seat and Lid
- Mounting Hardware (hinges, screws, washers, nuts)
- Instruction Manual (this document)

4. SETUP AND INSTALLATION

4.1. Preparing for Installation

1. Remove your old toilet seat and clean the toilet bowl's mounting area thoroughly.
2. Ensure the mounting holes on your toilet bowl are clean and free of debris.

4.2. Installing the Toilet Seat

1. Insert the mounting bolts through the holes in the toilet bowl.
2. Place the toilet seat hinges onto the mounting bolts. Adjust the position of the hinges to align with the seat's attachment points.
3. From underneath the toilet bowl, secure the bolts with washers and nuts. Hand-tighten first, then use a wrench to ensure a snug fit. Do not overtighten.
4. Align the toilet seat with the hinges and press down firmly until it clicks into place.




Image 4.1: A visual representation of the soft-close mechanism (left) and the 'Easy Off One Button' for quick seat removal (right).

5. OPERATING INSTRUCTIONS

5.1. Soft-Closing Function

The CERSANIT COMO Slim toilet seat features a soft-closing mechanism. Simply push the seat or lid down gently, and it will lower slowly and silently to the toilet bowl, preventing slamming and reducing wear and tear.

5.2. Easy Off One Button Removal

For thorough cleaning or maintenance, the seat can be easily removed:

1. Locate the 'Easy Off One Button' on the hinge mechanism (refer to Image 4.1).
2. Press the button firmly.
3. Lift the toilet seat straight up from the hinges.
4. To reattach, align the seat with the hinges and press down until it clicks securely into place.

6. MAINTENANCE AND CLEANING

Regular cleaning will maintain the hygiene and appearance of your CERSANIT COMO Slim toilet seat. The Duroplast material is inherently antibacterial, contributing to a cleaner bathroom environment.

- **Daily Cleaning:** Wipe the seat and lid with a soft, damp cloth and a mild, non-abrasive cleaner.
- **Deep Cleaning:** For a more thorough clean, use the 'Easy Off One Button' function to remove the seat. Clean all surfaces, including the hinges and the toilet bowl's mounting area.
- **Avoid:** Do not use harsh chemicals, abrasive cleaners, scouring pads, or strong disinfectants, as these can damage the Duroplast surface and the soft-close mechanism.
- Always rinse thoroughly with clean water and dry with a soft cloth after cleaning.

7. TROUBLESHOOTING

- **Seat is loose:** Ensure the mounting hardware underneath the toilet bowl is securely tightened. Do not overtighten.
- **Soft-close not working properly:** Check for any obstructions around the hinges. Ensure the seat is correctly attached to the hinges. If the issue persists, the soft-close mechanism may be worn and require replacement.
- **Seat difficult to remove/attach:** Ensure the 'Easy Off One Button' is fully pressed when removing, and that the seat is correctly aligned with the hinges when reattaching.

8. SPECIFICATIONS

Brand	CERSANIT
Model	COMO Slim
Material	Duroplast
Features	Soft Close, One Button Easy Off, Antibacterial

Product Dimensions (L x W x H)	11.5 x 6.83 x 4.04 cm (approximate)
Product Weight	3.28 kg (approximate)

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided at the point of purchase or contact your retailer. Keep your proof of purchase for any warranty claims.